Author Index to Volume 27

Abdel-Hay, F. I.
—; Khalil, M. I.; Hebeish, A.: Polymerization of Allyl Methacrylate with Wool Fabric Using Different Initiators, 1249
Abdel-Thalouth, I. See Hebeish, A., 3703
Abdou, L. A. See Bendak, A., 903
Abhiraman, A. S. See Song, J. W., 2369, 3637
Abou-Amer, M. See El-Aref, A. T., 871
Abou-Zeid, N. Y.
—; Waly, A.; El-Alfy, E. A.; Hebeish, A.: Fe^{2+}-Thioureadioxide–H_2O_2-Induced Polymerization of Glycidyl Methacrylate and Its Mixtures with Acrylamide, Acrylonitrile, Butylmethacrylate, or Styrene with Cotton Fabric, 2105
Acierno, D.
—; Zenna, S. C.; La Mantia, F. P.: Optimization of Spinning, Drawing, and Annealing Conditions in the Production of Highly Oriented Fibers from the Polycaprolactam/3.7% LiCl System, 1335
Adabbo, H. E.
—; Williams, R. J. J.: The Curing of Novolacs with Paraformaldehyde, 893
—; Williams, R. J. J.: The Evolution of Thermosetting Polymers in a Conversion–Temperature Phase Diagram, 1327
Agarwal, R. K. See Kumar, A., 1759
Agarwal, S. H.
—; Jenkins, R. F.; Porter, R. S.: Molecular Characterization and Effect of Shear on the Distribution of Long Branching in Poly(vinyl Acetate), 113
Agarwal, V. K. See Gupta, A. K., 4101
Agarwalla, N. L. See Gupta, S. K., 1217
Agbezuge, L.
—; Wieloch, F.: Estimation of Interfacial Tension Components for Liquid–Solid Systems from Contact Angle Measurements, 271
Agboola, M. O. See Kolawole, E. G., 2317
Aglan, O. I. See Khalil, M. I., 2377
Agrawal, K. K. See Gupta, S. K., 3089
Aharoni, S. M.
On the Crystallinity of Poly(alkylbenzimidazole) Salts, 989
Aiba, S-I.
—; Minoura, N.; Fujiwara, Y.: Directional Permeability of Asymmetrically Oxidized Poly(L-methionine) Film to Oxygen Dissolved in Water (Note), 1409
Akaoui, S. E.
A Heat and Mass Transfer Study—Analysis of Continuous Processes for the Coloration of Polyester Fabric. I. Heat Transmission to the Fabric System—Fabric, Fiber, and Dye Particles, 4693
A Heat and Mass Transfer Study—Analysis of Continuous Processes for the Coloration of Polyester Fabric. II. Modelling and Characteristics of the (Polyester) Fabric Heating, 4713
Alger, K. W. See Ellison, M. S., 247
Allam, E. See El-Aref, A. T., 871
Allard, D.
—; Prud'homme, R. E.: Miscibility of Poly(caprolactone)/Chlorinated Polypropylene and Poly(caprolactone)/Poly(chlorostyrene) Blends, 559
Allen, N. S.
—; Gardette, J-L.; Lemaire, J.: Interaction of a Hindered Piperidine Stabilizer with Hydroxy-Substituted Aromatic Carbonyl Compounds in the Photostabilization of Polypropylene, 2761
Alvino, W. M.
—; Scala, L. C.: Electrodeposition of Polymers from Nonaqueous Systems. I. Polyimides: Some Deposition Parameters, 341
Amirtharajm, J. See Gaymans, R. J., 2513
Andersson, E. M.
—; Ericsson, I.; Trojer, L.: A Study of Sulfur Bridges in Filled Natural Rubber Vulcanizates by Pyrolysis Gas Chromatography with Flame-Photometric Detection, 2327
Ando, T. See Kumazawa, H., 4745; Sada, E., 2987
Andrade, J. D. See Smith, L., 1269
Ang, C. H.
—; Garnett, J. L.; Levot, R.; Long, M. A.: Polyfunctional Monomers as Additives for Enhancing the Radiation Copolymerization of Styrene with Polyethylene, Polypropylene, and PVC (Note), 4893
Anhang, J.
—; Gray, D. G.: Surface Characterization of Poly(ethylene Terephthalate) Film by Inverse Gas Chromatography, 71
Ansari, K. E. See Gilbert, M., 2553
Antal, M. J., Jr. See De Jenga, C. I., 4313
Apicella, A. See Carfagna, C., 105
—; Hopfenberg, H. B.: Water-Swelling Behavior of an Ethylene–Vinyl Alcohol Copolymer in the Presence of Sorbed Sodium Chloride, 1139
Arai, K.
—; Ogiwara, Y.; Kuwabara, C.: Preparation of Copoly(vinyl Alcohol–Styrenesulfonic Acid) Resin and Its Cataiytic Activity on Hydrolysis of Carbohydrates. IV. Hydrolysis of Dextrin in Mixtures of Organic Solvents with Water, 1601
Arai, T. See Hagii, H., 4879
Arai, Y. See Tai, K., 731
Arakawa, K. See Fujimura, T., 2475
Araki, K. See Kang, Y., 2025
Araki, M. See Kase, S., 4439
Arnold, C., Jr.
—; Bieg, K. W.; Cuthrell, R. E.; Nelson, G. C.: Effect of Plasma Treatments on the Steam-Sour Gas Resistance and Lubricity of Elastomers, 821
Asano, T. See Imai, Y., 183
Asano, Y. See Morinaka, A., 2139
Atherton, N. M.
—; Banks, L. G.; Ellis, B.: Development of Green and Dark Blue Colors in Epoxy Resins Cured with 4,4'-Diaminodiphenylmethane, 2015
Azuma, C.
—; Sanui, K.; Ogata, N.: Synthesis and Properties of Photosensitive Rubbers. II. Photosensitivity of Cyclized Polydienes and Polypentenamer with Pendent Cinnamate Groups, 2065

Baade, W.
—; Moritz, H. U.; Reichert, K. H.: Kinetics of High Conversion Polymerization of Vinyl Acetate. Effects of Mixing and Reactor Type on Polymer Properties, 2249
Babich, V. F.
—; Lipatov, Yu. S.: On Shift and Resolubility of Relaxation Maxima with Change in Properties of the Boundary Polymer Layer in Composite Materials, 53
Backderf, R. H. See Lattimer, R. P., 3633
Badran, B. M.
—; Galeski, A.; Kryszewski, M.: High-Density Polyethylene Filled with Modified Chalk, 3669

Baijal, S. K. See Das, A. N., 211
—; Dey, N. C.: Role of Molecular Parameters during Flow of Polymer Solutions in Unconsolidated Porous Media, 121
Balakrishnan, T.
—; Ford, W. T.: Particle Size Control in Suspension Copolymerization of Styrene, Chloromethylstyrene, and Divinylbenzene, 133
Balaraman, K. S.
—; Kulkarni, B. D.; Mashelkar, R. A.: An Alternate Approach to the Determination of Rate Parameters in Copolymerization, 2815
Balasubramanian, M.
—; Nanjan, M. J.; Santappa, M.: Synthesis, Characterization, and Fiber Studies of Certain Aromatic Polyamides, 1423
Ballistreri, A.
—; Montaudo, G.; Puglisi, C.; Scamporrino, E.; Vitalini, D.: Smoke Suppression by Ammonium Polyphosphate in Poly(acrylonitrile) Combustion, 3369
Bandyopadhyay, P. K.
—; Shaw, M. T.: Viscoelastic and Engineering Properties of Poly(vinyl Chloride) Plasticized with Polycaprolactone-Based Polyurethanes, 4323
Bankar, D. B.
—; Dara, S. S.: Binding of Calcium and Magnesium by Modified Onion Skins, 1727
Banks, L. G. See Atherton, N. M., 2015
Barbucci, R. See Ferruti, P., 2239
Barlow, J. W. See Barnum, R. S., 4065; Bartlett, D. W., 2351; Goh, S. H., 1091; Harris, J. E., 839; Joseph, E. A., 4807
Barnum, R. S.
—; Barlow, J. W.; Paul, D. R.: Melting and Crystallization Behavior of Miscible Copolyester–Polycarbonate Blends, 4065
Barrall, E. M., II. See Nguyen, T., 1019
Barrie, J. A. See Spencer, H. G., 3835
Bartlett, D. W.
—; Barlow, J. W.; Paul, D. R.: Mechanical Properties of Blends Containing HDPE and PP, 2351
Bata, G. L. See Utracki, L. A., 1913
Bauer, D. R.
Degradation of Organic Coatings. I. Hydrolysis of Melamine Formaldehyde/Acrylic Copolymer Films, 3651
Bayazeed, A. M. See Hebeish, A., 197, 3683
Beck, K. R.
—; Pasad, D. M.: Liquid-Chromatographic Determination of Rate Constants for the Cellulose-Dimethyloldihydroxyethyleneurea Reaction, 1131
Behar, D. See Shkolnik, S., 2189
Bell, A. T. See Buzzard, P. D., 3965
Bell, J. P. See Narkis, M., 2809
Epoxy Resins: Effect of Extent of Mixing on Properties, 3503
Bello, A. See Perez, E., 3721
Bellobono, I. R. See Calgari, S., 527
Beltrame, P. L.
—; Carniti, P.; Focher, B.; Marzetti, A.; Cattaneo, M.: Cotton Cellulose: Enzyme Adsorption and Enzymatic Hydrolysis, 3493
Benavente, R. See Perena, J. M., 687
Bendak, A. See Khalil, M. I., 519
—; Abdou, L. A.; El-Kashouti, M.: Vapor Phase Dyeing of Synthetic Fibers with Disperse Dyes, 903
Beni, M. C. See Ferruti, P., 2239
Berkovitz, I. See Narkis, N., 1795
Berry, J. P. See Gupta, A. K., 4669
Bersted, B. H.
Effects of Mineral Oil on the Rheological Behavior of Polystyrene Melts, 4637
Bevan, L.
Finite-Element and Boundary-Element Analysis of Craze Micromechanics, 4263
Bhardwaj, I. S. See Sharma, Y. N., 97
Structurally Bound Stabilizers: Melt Grafting of UV Stabilizers onto Polypropylene, Polyethylene, and Polystyrene, 2605
Bhat, N. V. See Subramanian, D. R., 4149
Bhowmick, A. K. See Mathew, N. M., 1827
Bieg, K. W. See Arnold, C., Jr., 821
Biswas, M.
—; Chatterjee, S.: Chemical Modification of Polystyrene. I. Electrophilic Substitution of Polystyrene with Aromatic Anhydrides, 3851
—; Chatterjee, S.: Chemical Modification of Polystyrene. II. A Cation Exchange Resin from Polystyrene Electrophilically Substituted with Pyromellitic Dianhydride, 4645
—; Packirisamy, S.: Furfural-Based Phosphonic Acid Cation Exchange Resins from *N*-Vinylcarbazole and Its Polymer. I, 149
—; Packirisamy, S.: Furfural-Based Phosphonic Acid Cation Exchange Resins from *N*-Vinylcarbazole and Its Polymer. II, 161
—; Packirisamy, S.: Some Observations on the Thermal Stabilities of Modified *N*-Vinylcarbozole Polymer Systems (Note), 1823
Blair, H. S. See McKay, G., 3043, 4251
Boateng, V. B. See Mui, E. T. C., 1395
Borisov, G. See Sivriev, H., 4137; Troev, K., 3957
Borsus, J. M.
—; Merckaert, P.; Jerome, R.; Teyssie, Ph.: Catalysis of the Reaction between Isocyanates and Protonic Substrates. II. Kinetic Study of the Polyurea Foaming Process Catalyzed by a Series of Amino Compounds, 4029
Bose, A. See Rollings, J. E., 2281
—; Rollings, J. E.; Caruthers, J. M.; Okos, M. R.; Tsao, G. T.: Polyelectrolytes as Secondary Calibration Standards for Aqueous Size-Exclusion Chromatography, 795
Boudreaux, E., Jr.
—; Cuculo, J. A.: A Comparison of the Flow Behavior of Linear Polyethylene, Poly(butylene Terephthalate), and Poly(ethylene Terephthalate), 301
Boyer, R. F.
—; Miller, R. L.; Park, C. N.: Regression Analysis Studies of Polymer Transitions. I. Volume–Temperature Data on Amorphous Polymers, 1565
Bretz, P. E.
—; Hertzberg, R. W.; Manson, J. A.: The Effect of Molecular Weight on Fatigue Crack Propagation in Nylon-66 and Polyacetal, 1707
Brodman, B. W.
—; Lampner, N.; Eng, J.: Hydrogen Bonding of Dinitrotoluene Isomers to Unesterified Hydroxyl Groups in Nitrocellulose (Note), 3621
Brown, C. W. See Rahman, A., 2563
Bukowski, A.
—; Gretkiewicz, J.: Polyurethane Synthesis Reactions in Asphalts, 1197
Bulkin, B. J. See Chen, C. S., 1177, 3289
Bunton, L. G.
—; Daly, J. H.; Maxwell, I. D.; Pethrick, R. A.: Investigation of Cure in Epoxy Resins: Ultrasonic and Thermally Stimulated Current Measurements, 4283
Burns, C. M. See Narasimhan, V., 3461
Burr, R. C. See Fanta, G. F., 2731, 4239
Buzzard, P. D.
—; Soong, D. S.; Bell, A. T.: Plasma Polymerization of Tetrafluoroethylene in a Field-Free Zone, 3965
Byrne, C. A. See Huang, S. J., 2467

Calgari, S.
—; Selli, E.; Bellobono, I. R.: Photochemical Grafting of Acrylated Azo Dyes onto Polymeric Surfaces. V. Grafting of Some Acryloxy-Substituted Aromatic Diazenes as Model Molecules onto Polypropylene, Polycaprolactam, and Poly(ethylene Terephthalate) Films, 527
Cantu, T. S.
—; Caruthers, J. M.: Viscometric Properties of Poly(dimethylsiloxane) Filled with Spherical Silica Particles, 3079
Cao-Thi, A-T.
—; Robertson, A. A.: Rheological Properties of Hydrolyzed Polyacrylonitrile-Grafted Cellulose, 1995

Carfagna, C.
—; Apicella, A.; Nicolais, L.: The Effect of the Prepolymer Composition of Amino-Hardened Epoxy Resins on the Water Sorption Behavior and Plasticization, 105
Carlsson, D. J.
—; Milnera, S. M.: Hydrolysis of Resin-Coated Poly(ethylene Terephthalate) Yarns, 1589
Carniti, P. See Beltrame, P. L., 3493
Carothers, J. A.
—; Gipstein, E.; Fleming, W. W.; Tompkins, T.: Determination of the Structural Configuration of Cresol–Novolak Resins by ^{13}C NMR Spectroscopy, 3449
Caruthers, J. M. See Bose, A., 795; Cantu, T. S., 3079
Casolaro, M. See Ferruti, P., 2239
Cassidy, P. E.
—; Rolls, G. C.: Long-Term Permeation of Water through Neoprene (Note), 2743
Castaldo, L.
—; De Candia, F.; Maglio, G.; Palumbo, R.; Strazza, G.: Synthesis and Physico-Mechanical Properties of Aliphatic Polyesteramides, 1809
Catani, A. M. See Utracki, L. A., 1913
Cattaneo, M. See Beltrame, P. L., 3493
Cauley, D. A.
—; Thompson, R. W.: Particle Size Dispersion during Latex Growth, 363
Chaffey, C. E. See Tausz, S. E., 4493
Chakraborty, S. K.
—; De, S. K.: Epoxy-Resin-Cured Carboxylated Nitrile Rubber, 4561
Chand, N.
Free Volume and Ionic dc Conductivity in Polymers (Note), 4889
Chandra, R.
—; Handa, S. P.: Sensitized Photodegradation of Polyisobutylene Film by Addition of Tris(α-Thiopicolinanilide)–Cobalt(III), 1945
Chang, E. P.
—; Kirsten, R. O.; Harrington, H. J.; Slagowski, E. L.: Carbon-Fiber-Reinforced Phenolics, 4759
Chapin, E. C.
—; Twohig, E. F.; Keys, L. D., III; Gorski, K. M.: The Preparation and Properties of Chelates of Transition Metal Ions with the Homopolymer and Copolymers of *p*-Vinylbenzoylacetone, 811
Charmas, W.
Thioetherglycidyl Resins. III. Products of Condensation of Bis(4-Mercaptophenyl)ether and Bis(4-Mercaptophenyl)methane with Epichlorohydrin, 2797
—; Podkoscielny, W.: Thioether Glycidyl Resins. II. Products of Condensation of Bis(4-Mercaptomethylphenyl)ether and Bis(4-Mercaptomethylphenyl)methane with Epichlorohydrin, 1453
Chatterjee, S. See Biswas, M., 3851, 4645
Chee, K. K.
Huggins' Constant and Unperturbed Parameter of Dilute Polymer Solutions, 1675
Chen, C. S.
—; Bulkin, B. J.; Pearce, E. M.: New Epoxy Resins. II. The Preparation, Characterization, and Curing of Epoxy Resins and Their Copolymers, 3289
—; Bulkin, B. J.; Pearce, E. M.: New Epoxy Resins. I. The Stability of Epoxy–Trialkoxyboroxines Triaryloxyboroxine System, 1177
Chen, C-Y. See Kuo, J-F., 2747
Chen, G-S. See McCormick, C. L., 3103
Chen, K. S.
—; Inagaki, N.; Katsuura, K.: Preliminary Experiment of Surface Hardening of Polymers by Glow Discharge Polymerization, 4655
Chen, T. C. See Spencer, H. G., 3835
Chidambareswaran, P. K.
—; Sreenivasan, S.; Patil, N. B.; Lokhande, H. T.: Further Studies on Cellulose III Polymorphs. Transformations to Cellulose IV Lattices and Subsequent Reactions (Abstract), 709
Chiu, W-Y. See Lin, C-C., 63, 1977
Choi, K. Y. See Yuan, H. G., 1691
Choy, C. L. See Leung, W. P., 2693
Clark, E. S. See Gianchandani, J., 3527
Clemons, J. M. See Penn, B. G., 3751
Connelly, R. W. See Pearson, G. H., 969
Connick, W. J., Jr.
Controlled Release of the Herbicides 2,4-D and Dichlobenil from Alginate Gels, 3341
Cooke, C. See Fong, C. W., 2827
Cooper, R. P.
—; Ellis, B.: The Effects of Run-In on Rubber Friction, 4735
Coreli, J. C. See Fisher, W. K., 3769
Cotterell, B. See Mai, Y. W., 4885
Cuculo, J. A. See Boudreaux, E., Jr., 301
Cuthrell, R. E. See Arnold, C., Jr., 821

Dalal, A. K. See Kapadia, R. N., 3793
Dale, B. E.
—; Tsao, G. T.: Crystallinity and Heats of Crystallization of Cellulose: A Microcalorimetric Investigation, 1233
Daly, J. H. See Bunton, L. G., 4283
Danielewicz, M.
—; Kubin, M.; Vozka, S.: High-Performance Adsorption Chromatography of Polymers: Separation of Styrene–Acrylonitrile Copolymers on CN Silica (Note), 3629
Daniels, J. G. See Penn, B. G., 3751
Dao, K. C.
Mechanical Properties of Polypropylene/Crosslinked Rubber Blends, 4799
Dara, S. S. See Bankar, D. B., 1727
Das, A. N.
—; Baijal, S. K.: Degradation Mechanism of Styrene–Polyester Copolymer, 211
Das, B. N. See Patel, N., 3859
David, C.
—; Thiry, P.: Utilization of Waste Cellulose. IV. Comparative Study of the Reactivity of Different Substrates in the Enzymatic Hydrolysis with Trichoderma Viride, 2395
Davidson, J. A.
The Rate of Plasticizer Uptake by Suspension PVC, 3219
Davidson, R. G. See Pearce, P. J., 4501
Day, M.
—; Parfenov, V.; Wiles, D. M.: Combustion and Pyrolysis of Poly(ethylene Terephthalate). III. The Effect of Tris(2,3-Dibromopropyl) Phosphate on the Products of Pyrolysis, 575
De, S. K. See Chakraborty, S. K., 4561; Mathew, N. M., 1827; Murty, V. M., 4611
De Candia, F. See Castaldo, L., 1809
De Jenga, C. I.
—; Antal, M. J., Jr.; Jones, M., Jr.: Yields and Composition of Sirups Resulting from the Flash Pyrolysis of Cellulosic Materials Using Radiant Energy, 4313
Delos, S. E.
—; Schellenberg, R. K.; Smedley, J. E.; Kranbuehl, D. E.: Characterization of the Imidization of the Aromatic Polyimide LARC-160, 4295
Deltour, R. See Vander Donckt, E., 1
Deopura, B. L. See Mishra, S. P., 3211
Derfler, D. See Lewin, M., 3199
Desai, N. M. See Pandya, M. V., 4861
Deshpande, D. D. See Pandya, M. V., 4861
Despax, B.
—; Paillous, N.; Lattes, A.; Paillous, A.: Radiostability of Polybenzoxazoles. Comparison of Stability of Molecular Ions of Model Compounds in Mass Spectrometry with Resistance of the Polymers to Ionizing Radiations, 225
Dessouki, A. M. See Hegazy, E.-S. A., 535
Dey, N. C. See Baijal, S. K., 121
Dhimmar, I. H. See Sharma, Y. N., 97
Diaz-Barrios, A.
—; Paredes, E.: Studies of Interaction in Silica/Styrene–Butadiene Copolymers, 4387
Doane, W. M. See Fanta, G. F., 2731, 4239
Dobbin, C. J. B.
—; Rudin, A.; Tchir, M. F.: Use of Broad Distribution Polymers and GPC Methods for Estimation of Mark–Houwink–Sakurada Constants (Note), 1081

Donald, A. M.
—; Kramer, E. J.: Craze Initiation and Growth in High-Impact Polystyrene, 3729
Doyle, C. See Smith, L., 1269
Duchacek, V.
—; Kuta, A.: Kinetics of Crosslinking of Poly(vinyl Chloride) in the Presence of Tetramethylthiuram Disulfide and Zinc Oxide, 1549
Duda, J. L. See Vrentas, J. S., 3987
Dunn, T. S. See Williams, J. L., 951
Duran, E. See Villamizar, C. A., 2151
Durning, C. J.
—; Scott, M. G.; Weigmann, H.-D.: Temperature Dependence of Surface Crystallization in Bimorphic PET Fibers, 3597
Dusek, K. See Wieczorek, P. P., 277
Dutt, A. S. See Mukhopadhyay, A. K., 4525
Dutta, A.
—; Mashelkar, R. A.: Taylor Diffusion in Polymer Solutions: Falsification by Slip Effects (Note), 2739
Dvornic, P. R. See Livingston, M. E., 3239
Dynes, P. J. See Tung, C-Y. M., 569
Dzierza, W.
Stress–Relaxation Properties of Segmented Polyurethane Rubbers, 1487

Economy, J. See Zachariades, A. E., 2009
Egglestone, G. T. See George, G. A., 3999
Eiden, C. A.
—; Jewell, C. A.; Wightman, J. P.: Interaction of Lead and Chromium with Chitin and Chitosan (Erratum), 1105
Eisenberg, A. See Zhou, Z. L., 657
Ekerdt, J. G. See Roucis, J. B., 3841
El-Alfy, E. A. See Abou-Zeid, N. Y., 2105
El-Aref, A. T. See Hebeish, A., 3703
—; Allam, E.; Abou-Amer, M.; El-Hilw, Z.; Hebeish, A.: Behavior of Chemically Modified Cellulose towards Dyeing. XIV. Behavior of Cotton and Crosslinked Cottons before and after Mercerization towards Some Reactive Dyestuffs, 871
El-Hilw, Z. See El-Aref, A. T., 871
El-Kafrawy, A.
Investigation of the Cellulose/LiCl/Dimethylacetamide and Cellulose/LiCl/*N*-Methyl-2-Pyrrolidinone Solutions by ^{13}C NMR Spectroscopy, 2435
—; Turbak, A. F.: The Dissolution of Cellulose in Anhydrous Chloral/Aprotic Solvents, 2445
El-Kalyoubi, S. F. See Heikal, S. O., 2833, 3027, 3691
El-Kashouti, M. See Bendak, A., 903; Hebeish, A., 3703
Ellis, B. See Atherton, N. M., 2015; Cooper, R. P., 4735
Ellison, M. S.
—; Fisher, L. D.; Alger, K. W.; Zeronian, S. H.: Physical Properties of Polyester Fibers Degraded by Aminolysis and by Alkaline Hydrolysis, 247
El-Nokaly, M. A. See Yasuda, H., 1735
El-Rafie, M. H. See Hebeish, A., 3703; Khalil, M. I., 519
El-Shinnawy, N. A. See Heikal, S. O., 3691
Eng, J. See Brodman, B. W., 3621
Ericsson, I. See Andersson, E. M., 2527

Fanta, G. F.
—; Burr, R. C.; Doane, W. M.: Graft Polymerization of acrylonitrile and Methyl Acrylate onto Hemicellulose, 4239
—; Burr, R. C.; Doane, W. M.: Saponified Starch–*g*–Polyacrylonitrile. Variables in the Ce^{+4} Initiation of Graft Polymerization (Note), 2731
Faterpeker, S. A.
—; Potnis, S. P.: Thermal Characteristics of Poly(ethylene Terephthalate) Fiber Grafted with Poly(vinyl Acetate) and Poly(vinyl Alcohol), 3349
Fatou, J. M. G. See Perena, J. M., 687; Perez, E., 3721
Feldman, D.
Modification of the Properties of Polyurethane by Blending, Reinforcing, or Plasticizing, 1933
Fellers, J. F. See Flood, J. E., 2965; Mui, E. T. C., 1395
Ferruti, P.
—; Riolo, C. B.; Soldi, T.; Pesavento, M.; Barbucci, R.; Beni, M. C.; Casolaro, M.: Applied Macroinorganics. II. Protonation and Heavy Metal Ions Complex-Formation Behavior of Three Crosslinked Resins of Poly(amido-amine) Structure, 2239
Fink, J. K. See Vijayakumar, C. T., 1629
Fisher, L. D. See Ellison, M. S., 247
Fisher, W. K.
—; Coreli, J. C.: Flow Properties of Various Irradiated Resins of PTFE (Teflon), 3769
Fleming, W. W. See Carothers, J. A., 3449
Flood, J. E.
—; White, J. L.; Fellers, J. F.: Process for the Formation of Biaxially Oriented Films of Poly(*p*-phenylene Terephthalamide) from Liquid Crystalline Solutions, 2965
Focher, B. See Beltrame, P. L., 3493
Foks, J.
—; Janik, H.; Winiecki, S.: Interdependence of Structure and Properties in Segmented Polyurethanes, 645
Fong, C. W.
—; Cooke, C.: Diffusion of Deterrents into a Nitrocellulose-Based Small Arms Propellant. The Effect of Deterrent Structure and Solvent, 2827
The Impact Fracture Toughness of Plasticized Cellulose Acetate and the Relationship with the Secondary Loss Transition, 3585
Ford, W. T. See Balakrishnan, T., 133
Friberg, S. E. See Yasuda, H., 1735
Frick, J. G., Jr.
—; Harper, R. J., Jr.: Crosslinking Cotton Cellulose with Aldehydes, 983
Fried, J. R.
—; Lai, S.-Y.; Kleiner, L. W.; Wheeler, M. E.: Experimental Assessment of the Thermodynamic Theory of the Compositional Variation of T_g: PVC Systems, 2869
Froehling, P. E.
Crosslinking of Unsaturated Polyester Resins by Combinations of Vinyl Esters and Methacrylates, 3577
Fujii, N. See Ichijo, H., 1665
Fujikara, Y.
—; Suzuki, T.; Matsumoto, M.: Emissivity of Chlorinated Polyethylene, 1293
Fujikura, Y.
—; Suzuki, T.; Matsumoto, M.: Emissivity Values for Poly(vinyl Chloride) with Varying Plasticizer Compositions, 1719
Fujimura, T.
—; Arakawa, K.; Hayakawa, N.; Kuriyama, I.: Effect of an Additive on the Radiation Resistance of Polyethylene and Ethylene–Propylene Copolymer, 2475
—; Hayakawa, N.; Kuriyama, I.: Effect of Large Dosage Irradiation *In Vacuo* on Polyethylene, 4085
—; Hayakawa, N.; Kuriyama, I.: Effect of Large Dosage Irradiation in Air on Polyethylene, 4093
Fujisawa, T. See Hashimoto, K., 4529
—; Kobayashi, M.; Hashimoto, K.; Yosomiya, R.: Studies on Graft Polymerization onto Glass Fibers. II. Graft Copolymerization of Glass Fiber Having Pendent Mercaptan Groups and Its Application, 4849
Fujita, K. See Nomura, M., 2483
Fujiwara, Y. See Aiba, S-I., 1409
—; Zeronian, S. H.: Formation of Cracks on Photodegraded Nylon 6 Filaments, 2773
Fukuoka, M. See Handa, T., 439
Funt, B. L. See Toh, H. K., 4171

Galeski, A. See Badran, B. M., 3669

Gallucci, R. R.
—; Going, R. C.: Preparation and Reactions of Epoxy-Modified Polyethylene, 425
Gandhi, K. S. See Gupta, A., 1099
Garcia-Rubio, L. H.
The Effect of Composition, Sequence Length, and Tacticity on the UV Absorption Analysis of Styrene Copolymers in Solution, 2043
Gardette, J-L. See Allen, N. S., 2761
Gardner, J. R. See McKay, G., 3043, 4251
Garg, S. K.
Assessment of the Intrinsic Birefringence of Partially Oriented Poly(ethylene Terephthalate) Yarns, 2857
Garnett, J. L. See Ang, C. H., 4893
Garton, A.
—; Kim, S. W.; Wiles, D. M.: Chlorinated Hydrocarbon Coupling Agents for Mica–Polypropylene Composites, 4179
Gawande, P. S. See Sharma, Y. N., 2605
Gaymans, R. J.
—; Amirtharajm, J.; Kamp, H.: Nylon 6 Polymerization in the Solid State, 2513
Gdoutos, E. E.
Plastic Zones at the Tips of Inclined Cracks in Glassy Polymers under Small Scale Yielding, 879
Geerissen, H.
—; Schmidt, J. R.: Wolf, B. A.: On the Factors Governing the Pressure Dependence of the Viscosity of Moderately Concentrated Polymer Solutions, 1277
Gelman, R. A.
Characterization of Carboxymethylcellulose: Distribution of Substituent Groups along the Chain, 2957
Gent, A. N. See Vondracek, P., 4517
—; Vondracek, P.: Spontaneous Adhesion of Silicone Rubber, 4357
George, G. A.
—; Egglestone, G. T.; Riddell, S. Z.: Stress-Induced Chemiluminescence from Nylon 66 Fibers, 3999
Ghatge, N. D.
—; Murthy, R. A. N.: Polythiourethane Polymers Using Castor Oil Tristhioglycolate as Crosslinking Agent, 1557
Ghosh, S. K.
Vapor Sorption Characteristics of Condensable Hydrocarbon Vapor in Low-Density Polyethylene, 331
Gianchandani, J.
—; Spruiell, J. E.; Clark, E. S.: Polymorphism and Orientation Development in Melt Spinning, Drawing, and Annealing of Nylon-6 Filaments, 3527
Gilbert, M.
—; Ansari, K. E.: Structure–Property Relationships in PVC Compression Moldings, 2553
Gillham, J. K. See Manzione, L. T., 1301
Gipstein, E. See Carothers, J. A., 3449
Giri, M. R. See Starkweather, H. W., Jr., 1243
Glover, C. J. See Lau, W. R., 3067
Goh, S. H. See Harris, J. E., 839
—; Paul, D. R.; Barlow, J. W.: Miscibility of Poly(neopentyl Glycol Adipate)/Chlorinated Polymer Blends (Note), 1091
Going, R. C. See Gallucci, R. R., 425
Gomez, M. A. See Perez, E., 3721
Gordon, S. H. See Taylor, N. W., 4377
Gorski, K. M. See Chapin, E. C., 811
Gray, D. G. See Anhang, J., 71
Gregonis, D. E. See Smith, L., 1269
Gretkiewicz, J. See Bukowski, A., 1197
Grubbs, G. R.
—; Kleppick, M. E.; Magill, J. H.: A Thermal Analysis Study of Bisphenol-A-Polycarbonate–Dimethylsiloxane Block Copolymers, 601
Gupta, A.
—; Gandhi, K. S.: Molecular Weight Distribution in Batch Hydrolytic Polymerization of Caprolactam (Note), 1099
Gupta, A. K.
—; Singhal, R. P.; Maiti, A. K.; Agarwal, V. K.: Effect of Heat Treatment on the Dielectric Relaxation of Polyacrylonitrile. II. Heat Treatment Under Vacuum and in Air, 4101
—; Maiti, A. K.: Effect of Heat Treatment on the Structure and Mechanical Properties of Polyacrylonitrile Fibers, 2409
—; Gupta, V. B.; Peters, R. H.; Harland, W. G.; Berry, J. P.: The Effect of Addition of High-Density Polyethylene on the Crystallization and Mechanical Properties of Polypropylene and Glass-Fiber-Reinforced Polypropylene, 4669
Gupta, B. See Kumar, A., 4421
Gupta, S. K. See Kumar, A., 1759, 3393, 4421
—; Agarwalla, N. L.; Kumar, A.: Mass Transfer Effects in Polycondensation Reactors Wherein Functional Groups Are Not Equally Reactive, 1217
—; Kumar, A.; Agrawal, K. K.: Simulation of Three-Stage Nylon 6 Reactors with Intermediate Mass Transfer at Finite Rates, 3089
Gupta, V. B. See Gupta, A. K., 4669
Gusman, G. See Vander Donckt, E., 1
Guthrie, J.
Effect of a Synthetic Tanning Agent on the Diffusion Properties of an Acid Dye in Nylon 6, 2567
Guttmann, H. See Lewin, M., 3199

Haga, T.
Structural Considerations in Case II Swelling of Crystalline Poly(ethylene Terephthalate), 2653
Hagii, H.
—; Arai, T.; Yamamoto, T.: Effect of Organic Peroxides on Initial Coloring of Poly(vinyl Chloride), 4879
Hagiwara, M. See Morita, Y., 3329, 3569
Hall, R. A.
—; Hites, R. D.; Plantz, P.: Characterization of Rubber Particle Size Distribution of High-Impact Polystyrene Using Low-Angle Laser Light Scattering, 2885
Hamasaki, T. See Ohtsuka, Y., 1771
Hamed, G. R.
Anisotropy Induced during Compression Molding of Rubber (Note), 4081
Hamielec, A. E. See Marten, F. L., 489
Han, C. D. See Lem, K-W., 1367; Prasadarao, M., 1343
Handa, S. P. See Chandra, R., 1945
Handa, T.
—; Fukuoka, M.; Yoshizawa, S.; Kanamoto, T.: The Effect of Moisture on the Dielectric Relaxations in Wood, 439
Hansen, P. J. See Peppas, N. A., 4787
Hara, Y. See Kawakami, M., 2387
Harada, K. See Imamura, S., 937
—; Sugawara, S.: Temperature Effects on Positive Electron Resists Irradiated with Electron Beam and Deep-UV Light, 1441
Harada, M. See Nomura, M., 2483
Haragopal, M. See Jayakrishnan, A., 2229
Harland, W. G. See Gupta, A. K., 4669
Harper, R. J., Jr. See Frick, J. G., Jr., 983
Harrington, H. J. See Chang, E. P., 4759
Harris, J. E.
—; Goh, S. H.; Paul, D. R.; Barlow, J. W.: Miscible Binary Blends Containing the Polyhydroxy Ether of Bisphenol-A and Various Aliphatic Polyesters, 839
Harrison, I. R. See Kozmiski, S. J., 1783; Varnell, W. D., 3591
Hartmann, B.
—; Lee, G.; Long, M.: Specific Heat Capacities of Some Polyepoxides, 289
Haruvy, Y.
—; Rajbenbach, L. A.; Jagur-Grodzinski, J.: Grafting of Acrylamide to Nylon-6 by the Electron-Beam Preirradiation Technique. II. Kinetic Aspects and Film Permeability, 2711
Hasegawa, H. See Higashimura, T., 2593
—; Higashimura, T.: Selective Dimerization of Diisobutylene by Oxo Acids: Synthesis of Isobutylene Tetramer, 171
Hashida, I. See Koyama, K., 2845

Hashimoto, K. See Fujisawa, T., 4849
—; Fujisawa, T.; Kobayashi, M.; Yosomiya, R.: Graft Copolymerization of Glass Fiber and Its Application, 4529
Hashimoto, M. See Taniguchi, Y., 1087
Hashimoto, T. See Kraus, G., 1745
Hasirci, V. N.
PVNO—DVB Hydrogels: Synthesis and Characterization, 33
Hatakeyama, H. See Hirose, S., 1119
Hayakawa, N. See Fujimura, T., 2475, 4085, 4093
Hayashi, S.
—; Hirai, T.; Hojo, N.: Preparation and Structure of Poly(vinyl Alcohol)–Poly(vinyl Acetate) Composite Porous Membrane, 1607
Hebeish, A. See Abdel-Hay, F. I., 1249; Abou-Zeid, N. Y., 2105; El-Aref, A. T., 871; Khalil, M. I., 519, 2377
—; El-Rafie, M. H.; El-Aref, A. T.; Khalil, M. I.; Abdel-Thalouth, I.; El-Kashouti, M.; Kamel, M. M.: Chemical Factors Affecting Soiling and Soil Release from Cotton-Containing Durable Press Fabric. VI. Effect of Introduction of Carboxymethyl Groups in the Cotton Component of Polyester/Cotton Blend, 3703
—; Shalaby, S.; Bayazeed, A. M.: H_2O_2-Induced Graft Polymerization of Acrylic Acid/Styrene Mixtures on Poly(ethylene Terephthalate) Fibers, 197
—; Shalaby, S. E.; Bayazeed, A. M.: Vinyl Graft Polymerization-Induced Modification of Some Properties of Poly(ethylene Terephthalate) Fabric, 3683
Hegazy, E.-S. A.
—; Ishigaki, I.; Dessouki, A. M.; Rabie, A.; Okamoto, J.: The Study on Radiation Grafting of Acrylic Acid onto Fluorine-Containing Polymers. III. Kinetic Study of Preirradiation Grafting onto Poly(tetrafluoroethylene–Hexafluoropropylene), 535
Heiber, S. J. See Mueller, K. F., 4043
Heikal, S. O.
—; El-Kalyoubi, S. F.: Activating Pulp toward Acetylation by Chemical or Mechanical Means, 2833
—; El-Shinnawy, N. A.; El-Kalyoubi, S. F.: Graftability of Beaten Pulps and Acetylated Pulps, 3691
—; El-Kalyoubi, S. F.: Graft Copolymerization of Acrylonitrile onto Bagasse and Wood Pulps, 3027
Henderson, A. M.
—; Rudin, A.: Effects of Water on Starch-*g*-Polystyrene and Starch-*g*-Poly(methyl Acrylate) Extrudates, 4115
Hertzberg, R. W. See Bretz, P. E., 1707
Higashimura, T. See Hasegawa, H., 171
—; Miyoshi, Y.; Hasegawa, H.: Cationic Oligomerization of 1-Hexene Catalyzed by $EtAlCl_2$–Chloroacetic Acid Complexes, 2593
Hill, C. A. S.
Degradation Studies of Plasticized PVC. I. Multiple Internal Reflection Infrared Spectroscopy, 3313
Hill, J. M.
The Inflation of Thick-Walled Inner Tubes and Tires, 11
Hinck, J. F. See Sears, K. D., 4599
Hirai, T. See Hayashi, S., 1607
Hirose, S.
—; Hatakeyama, H.: Graft Copolymerization of Vinyl Monomers on Cellulose Using Peroxyacetic Acid–Ferrous Ion Redox Initiator System, 1119
Hites, R. D. See Hall, R. A., 2885
Hoff, A.
—; Jacobsson, S.: Thermal Oxidation of Polypropylene Close to Industrial Processing Conditions, 2539
Hoffman, R. D.
A Study of Crack Propagation in High-Density Polyethylene, 2119
Hojo, N. See Hayashi, S., 1607
Holland, R. V.
—; Santangelo, R. A.: Spectrophotometric Determination of Water Vapor Permeation through Polymer Films, 1681
Holste, J. C. See Lau, W. R., 3067
Hopfenberg, H. B. See Apicella, A., 1139
Horie, I. See Nomura, M., 2483
Horska, J. See Stejskal, J., 3929
Howell, J. A.
—; Velicangil, O.: Theoretical Considerations of Membrane Fouling and Its Treatment with Immobilized Enzymes for Protein Ultrafiltration, 21
Hsich, H. S.-Y.
Kinetic Model of Cure Reaction and Filler Effect, 3265
Hu, C. B.
—; Ward, R. S., Jr.; Schneider, N. S.: A New Criterion of Phase Separation: The Effect of Diamine Chain Extenders on the Properties of Polyurethaneureas, 2167
Huang, R. Y.-M. See Narasimhan, V., 3461
Huang, S. J.
—; Byrne, C. A.: Photodegradable Polymers: Poly(arylene Keto Amine)s, 2467
Hutchinson, B. H. See McCormick, C. L., 3103

Ichijo, H.
—; Suehiro, T.; Yamauchi, A.; Ogawa, S.; Sakurai, M.; Fujii, N.: Fibrous Support for Immobilization of Enzymes, 1665
Ide, S. See Ogawa, T., 857
Ikemura, T. See Ogawa, T., 857
Ilavsky, M. See Wieczorek, P. P., 277
Iler, L. R.
—; Laundon, R. C.; Koros, W. J.: Characterization of Penetrant Interactions in Kapton Polyimide Using a Gravimetric Sorption Technique, 1163
Imai, Y.
—; Asano, T.: Studies of Acoustical Absorption of Flexible Polyurethane Foam, 183
Imamura, S.
—; Tamamura, T.; Harada, K.; Sugawara, S.: High Performance Electron Negative Resist, Chloromethylated Polystyrene. A Study on Molecular Parameters, 937
Imamura, S-I.
—; Nishii, K.; Teranishi, H.: Ozonization of Amides (Note), 1413
Inagaki, N. See Chen, K. S., 4655
—; Taki, M.: Glow Discharge Polymerization of Trimethylvinylsilane and Tetramethylsilane, 4337
Ishigaki, I. See Hegazy, E.-S. A., 535
—; Sugo, T.; Senoo, K.; Okada, T.; Okamoto, J.; Machi, S.: Graft Polymerization of Acrylic Acid onto Polyethylene Film by Preirradiation Method. I. Effects of Preirradiation Dose, Monomer Concentration, Reaction Temperature, and Film Thickness, 1033
—; Sugo, T.; Takayama, T.; Okada, T.; Okamoto, J.; Machi, S.: Graft Polymerization of Acrylic Acid onto Polyethylene Film by Preirradiation Method. II. Effects of Oxygen at Irradiation, Storage Time after Irradiation, Mohr's Salt, and Ethylene Dichloride, 1043
Ishihara, K.
—; Negishi, N.; Shinohara, I.: Photocontrolled Adsorption Chromatography for Lysozyme Using Azoaromatic Polymer, 1897
—; Okazaki, A.; Negishi, N.; Shinohara, I.; Okano, T.; Kataoka, K.; Sakurai. Y.: Photo-Induced Change in Wettability and Binding Ability of Azoaromatic Polymers, 239
—; Kato, S.; Shinohara, I.: Separation of Proteins by Polymeric Adsorbents Containing Azobenzene Moiety as a Ligand, 4273
Ishikawa, K. See Nito, K., 637; Sumita, M., 3059
Itadani, K. See Nakatsuka, T., 259
Ito, M.
—; Porter, R. S.: The Effects of Oxygen Diffusion on the Surface Photooxidation of Polystyrene, 4471
Iwamoto, K. See Kang, Y., 2025
Iwamoto, M. See Kawakami, M., 2387
Iwanaga, H. See Kawakami, M., 2387

Jacobsson, S. See Hoff, A., 2539

Jagur-Grodzinski, J. See Haruvy, Y., 2711
Jameel, H.
—; Noether, H. D.; Rebenfeld, L.: The Effects of Orientation and Crystallinity on the Solvent-Induced Crystallization of Poly(ethylene Terephthalate). II. Physical Structure and Morphology, 773
Janik, H. See Foks, J., 645
Jasse, B. See Yeung, C. K., 4587
Jayabalan, M.
Thermal Modification of Poly(vinyl Chloride) and Formation of Dehydrochlorinated Poly(vinyl Chloride)–Poly(methyl Methacrylate) Polymer Blend in the Process of Foaming: Identification and Application, 43
Jayakrishnan, A.
—; Haragopal, M.; Mahadevan, V.: Redox Polymerization: Kinetics of Polymerization of Acrylonitrile Initiated by the System 2,2'-Thiodiethanol/Trichloroaquobipyridylmanganese(III) in Dilute Sulfuric Acid, 2229
Jedlinski, Z. See Sivriev, H., 4137
Jenkins, R. F. See Agarwal, S. H., 113
Jerome, R. See Borsus, J. M., 4029; Merckaert, P., 4221
Jewell, C. A. See Eiden, C. A., 1105
Jhon, M. S. See Yoon, S. C., 3133, 4661
Jones, M., Jr. See De Jenga, C. I., 4313
Joseph, A.
—; Radhakrishnan, G.; Joseph, K. T.; Santappa, M.: Grafting of Polymeric Side Chains to Gelatin, 1313
Joseph, E. A.
—; Paul, D. R.; Barlow, J. W.: Boiling Water Aging of a Miscible Blend of Polycarbonate and a Copolyester, 4807
Joseph, K. T. See Joseph, A., 1313
Joshi, M. G.
—; Rodriguez, F.: The Kinetics of Photoinitiated Polymerization of 1-Vinyl-2-Methylimidazole, 3151
Jungwirt, A. See Mrazek, Z., 1513, 2079

Kagawa, S. See Kawakami, M., 2387
Kaiser, R. J.
—; Miller, G. A.; Thomas, D. A.; Sperling, L. H.: Synthesis of Transparent Fluorocarbon Elastomers: Effect of Crosslinker Type and Electron Beam Irradiation Level on Physical and Mechanical Behavior, 957
Kajiyama, T. See Takayanagi, M., 3903
Kamal, M. R. See Utracki, L. A., 1913
Kamath, Y. K.
—; Weigmann, H.-D.: Fractography of Human Hair, 3809
Kambour, R. P. See White, S. A., 2675
Kamel, M. M. See Hebeish, A., 3703
Kaminski, A.
Interlaminar Shear Properties of Some Glass-Fiber-Reinforced Phenolic and Polyester Laminates, 2577
Kamogawa, H.
—; Katsuta, S.; Nanasawa, M.: Organic Solid Photochromism by Photoreduction Mechanism: Thionine-Reductant System, 1621
Kamp, H. See Gaymans, R. J., 2513
Kanamoto, T. See Handa, T., 439
Kanba, M. See Watanabe, M., 4191
Kaneko, N. See Ohtsuka, Y., 545
—; Ohtsuka, Y.: Studies on Synthetic-Polymer Plates with High Surface Energy. IV. Determination of Critical Surface Tension with Aqueous Solutions of Salts, 3161
—; Takahashi, A.; Ohtsuka, Y.: Studies on Synthetic-Polymer Plates with High Surface Energy. V. Diethylene Glycol Bis(allyl Carbonate)–Acrylic Acid Copolymer Plate by Vapor-Phase Transfer Process, 4365
—; Ohtsuka, Y.: Studies on Synthetic Polymer Plates with High Surface Energy. III. Diethylene Glycol Bis(allyl Carbonate)–Unsaturated Sulfonic Acid System, 4839
Kaneko, T. See Taniguchi, Y., 1087
Kang, Y.
—; Araki, K.; Iwamoto, K.; Seno, M.: Preparation and Gas Permeability of Polymer Blend Membranes of Polystyrene and Poly[1,1,1-Tris(trimethylsiloxy)methacrylate Propylsilane], 2025
Kania, C. M.
—; Nabizadeh, H.; McPhillimy, D. G.; Patsiga, R. A.: Preparation of Poly(dimethylsiloxane)–Polypeptide Block Copolymers, 139
Kanicki, J. See Vander Donckt, E., 1
Kapadia, R. N.
—; Dalal, A. K.: Synthesis and Physicochemical Studies of Some New Amphoteric Ion Exchangers, 3793
Karayannis, N. M.
—; Khelghatian, H. M.; Skryantz, J. S.: Neutral Organophosphoryl Methyl Ester–Metal Chloride Interactions as Applied to the Dechlorination of Catalyst Residues in Polypropylenes Prepared by Solventless Processes, 4821
Kasai, N. See Morita, Y., 3569
Kase, S.
Computing Temperature Field within a Melt Spinline (Note), 2729
—; Araki, M.: Studies on Melt Spinning. VIII. Transfer Function Approach, 4439
Kataoka, K. See Ishihara, K., 239
Katayose, T. See Takayanagi, M., 3903
Kato, S. See Ishihara, K., 4273
Katsuta, S. See Kamogawa, H., 1621
Katsuura, K. See Chen, K. S., 4655
Katz, M. G.
—; Wydeven, T., Jr.: Selective Permeability of PVA Membranes. II. Heat-Treated Membranes, 79
Kawaguchi, H. See Ohtsuka, Y., 1771, 3279
Kawakami, M.
—; Iwanaga, H.; Hara, Y.; Iwamoto, M.; Kagawa, S.: Gas Permeabilities of Cellulose Nitrate/Poly(ethylene Glycol) Blend Membranes, 2387
Kawasaki, H. See Nakatsuka, T., 259
Kazmi, M. S.
—; Mathieson, A. R.: Acid–Base and Dyeing Properties of Nigerian Merino, Yankasa, and Merino–Yankasa Crossbred Wools, 3121
Kelen, T. See Pukanszky, B., 2615
Kevan, L. See Schlick, S., 319
Keys, L. D., III. See Chapin, E. C., 811
Khalil, M. I. See Abdel-Hay, F. I., 1249; Hebeish, A., 3703
—; Aglan, O. I.; Hebeish, A.: Behavior of Cellulose Graft Copolymer towards Persulphate Oxidation. III. Poly(acrylonitrile) Graft Copolymers, 2377
—; El-Rafie, M. H.; Bendak, A.; Hebeish, A.: Graft Polymerization of Methyl Methyacrylate onto Wool Using Dimethylaniline/Copper(II) System, 519
Khanna, Y. P.
—; Pearce, E. M.; Vernick, D. A.: Aromatic Polyamides. VI. Thermal Behavior of Model Diamides (Note), 2301
—; Pearce, E. M.: Aromatic Polyamides. V. Substituent Effect on Thermal Properties, 2053
Khelghatian, H. M. See Karayannis, N. M., 4821
Kienzle-Sterzer, C.
—; Rodriguez-Sanchez, D.; Rha, C.: Dilute Solution Behavior of a Cationic Polyelectrolyte, 4467
Kikuchi, I. See Mori, K., 1067
Kim, S. W. See Garton, A., 4179
Kimoto, Y. See Koike, Y., 3253
Kirsten, R. O. See Chang, E. P., 4759
Kirtiwar, M. S. See Roy-Chowdhury, P., 1883
Kleiner, L. W. See Fried, J. R., 2869
Kleppick, M. E. See Grubbs, G. R., 601
Kobayashi, A.
—; Munemura, M.; Ohtani, N.; Suemasu, H.: Estimation of Heat Evolution during Viscoelastic Crack Propagation by Liquid Crystal Film Technique, 3763

Kobayashi, M. See Fujisawa, T., 4849; Hashimoto, K., 4529
Kobayashi, Y. See Yokouchi, M., 3007
Koike, Y.
—; Kimoto, Y.; Ohtsuka, Y.: Studies on the Light-Focusing Plastic Rod. XIII. Photocopolymerization of Methyl Methacrylate–Vinyl Esters of Aromatic Carboxylic Acid, 3253
Kok, C. M.
—; Rudin, A.: Prediction of Flory–Huggins Interaction Parameters from Intrinsic Viscosities, 353
—; Rudin, A.: Prediction of Sedimentation Coefficients of Random Coil Polymers, 3357
Kokufuta, E.
—; Matsumoto, W.; Nakamura, I.: Use of Polyelectrolyte Complex for Immobilization of Microorganisms, 2503
Kolarik, J. See Raab, M., 2457
Kolarz, B. N. See Wieczorek, P. P., 277
Kolawole, E. G.
—; Agboola, M. O.: Environmental Degradation of Some Polymer Blends. Blends of Polystyrene with Acrylonitrile Butadiene Sytrene, Poly(vinyl Chloride), and Polybutadiene and Blends of Polybutadiene with Poly(vinyl Chloride), 2317
Thermal and Photooxidation of Polyolefins in the Presence of 3,5-Ditertiarybutyl 4-Hydroxybenzyl Thioglycollate, Zinc Diethyldithio Carbamate, and Irganox 1076, 3437
Kolinsky, M. See Mrazek, Z., 1513, 2079
Konar, R. S. See Paul, T. K., 1501
Kondo, S. See Tomiyama, M., 1849
Koros, W. J. See Iler, L. R., 1163
Kotulak, L. See Raab, M., 2457
Koyama, K.
—; Okada, M.; Nishimura, M.: An Interpolymer Anionic Composite Reverse Osmosis Membrane Derived from Poly(vinyl Alcohol) and Poly(styrene Sulfonic Acid), 2783
—; Nishi, T.; Hashida, I.; Nishimura, M.: The Rejection of Polar Organic Solutes in Aqueous Solution by an Interpolymer Anionic Composite Reverse Osmosis Membrane, 2845
Kozmiski, S. J.
—; Harrison, I. R.: Thermal Analysis of Poly(bisphenoxyphosphazene): Single Crystals and Melt Crystallized Samples, 1783
Kramer, E. J. See Donald, A. M., 3729
Kranbuehl, D. E. See Delos, S. E., 4295
Kratochvil, P. See Stejskal, J., 3929
Kraus, G.
—; Hashimoto, T.: Structural Changes in Melts of Butadiene–Styrene and Isoprene–Styrene Block Polymer-Based Pressure-Sensitive Adhesives, 1745
Kroemer, H. See Wieder, W., 3639
Kroenke, W. J. See Lattimer, R. P., 1355, 3633
Kryszewski, M. See Badran, B. M., 3669
Kubin, M. See Danielewicz, M., 3629
Calibration of Size-Exclusion Chromatography Columns with Polydisperse Polymer Standards. I. Theory, 2933
Calibration of Size-Exclusion Chromatograhy Columns with Polydisperse Polymer Sandards. II. Applications, 2943
Kubota, H. See Li, Z-T., 1465; Ogiwara, Y., 3743
—; Ogiwara, Y.: Photopolymerization of Acrylonitrile Sensitized with a Combination of Aromatic Ketone and Amine, 2683
Kulkarni, B. D. See Balaraman, K. S., 2815
Kumar, A. See Gupta, S. K., 1217, 3089
—; Phukan, U. K.; Gupta. S. K.: Modelling of Condensation Polymerization of Novolac-Type Phenol–Formaldehyde in Homogeneous, Continuous-Flow, Stirred-Tank Reactors, 3393
—; Gupta, S. K.; Gupta, B.; Kunzru, D.: Modelling of Reversible Poly(ethylene Terephthalate) Reactors, 4421
—; Agarwal, R. K.; Gupta, S. K.: Simulation of Reversible Nylon-66 Polymerization in Homogeneous Continuous-Flow Stirred Tank Reactors, 1759
Kumar, S.
—; Stein, R. S.: Orientation in Acrylonitrile Copolymers, 3407
Kumazawa, H. See Sada, E., 2987
—; Sada, E.; Ando, T.: Dyeing Process in a Finite Dyebath, 4745
Kunzru, D. See Kumar, A., 4421
Kuo, J-F.
—; Chen, C-Y.: A Graphic Method for the Determination of Monomer Reactivity Ratios (Note), 2747
Kuriyama, I. See Fujimura, T., 2475, 4085, 4093
Kurokawa, Y.
—; Ueno, K.: Reverse Osmosis Rejection by Hydrous Inorganic Precipitate–Cellulose Composite Membrane, 621
Kuroki, T. See Ogawa, T., 857
Kusama, Y. See Shimada, M., 1259
Kuta, A. See Duchacek, V., 1549
Kuwabara, C. See Arai, K., 1601
Kwei, T. K.
Phase Separation in Segmented Polyurethanes, 2891

Lai, S.-Y. See Fried, J. R., 2869
La Mantia, F. P. See Acierno, D., 1335
Lambla, M. See Schreiber, H. P., 2269
Lampner, N. See Brodman, B. W., 3621
Lattes, A. See Despax, B., 225
Lattimer, R. P.
—; Kroenke, W. J.; Backderf, R. H.: Carbon-13 Labeling Studies of Volatile Pyrolyzate Formation from Poly(vinyl Chloride) (Note), 3633
—; Kroenke, W. J.: Mechanisms of Formation of Volatile Aromatic Pyrolyzates from Poly(vinyl Chloride), 1355
Lau, M. K. See Vrentas, J. S., 3987
Lau, W. R.
—; Glover, C. J.; Holste, J. C.: Vapor–Liquid Equilibria for Benzene/Polybutadiene and Cylcohexane/Polybtadiene Systems at 333, 355, and 373 K Using Gas Chromatography, 3067
Laundon, R. C. See Iler, L. R., 1163
Lecacheux, D.
—; Lesec, J.; Quivoron, C.: High-Temperature Coupling of High-Speed GPC with Continuous Viscometry. I. Long-Chain Branching in Polyethylene, 4867
Ledbetter, F. E., III. See Penn, B. G., 3751
Lee, B-L.
Experimental Studies of the Relationship of Processing to the Crack Growth of Carbon-Black-Loaded SBR–*cis*-Polybutadiene Compounds, 3379
Lee, C. Y-C.
Dynamic Mechanical Properties of an Acetylene-Terminated Quinoxaline System under Air/Nitrogen Cure, 407
Lee, G. See Hartmann, B., 289
Lelievre, J. See Wong, R. B. K., 1433
Lem, K-W.
—; Han, C. D.: Rheological Properties of Polyethylenes Modified with Dicumyl Peroxide, 1367
Lemaire, J. See Allen, N. S., 2761
Lenka, S.
Grafting of Vinyl Monomers onto Nylon-6. X. Grafting Copolymerization of Methyl Methacrylate onto Nylon-6 Using Peroxydiphosphate as Initiator (Note), 1417
—; Tripathy, A. K.: Grafting Vinyl Monomers onto Cellulose. VII. Graft Copolymerization of Methyl Methacrylate onto Cellulose Using Acetylacetonato Cobalt(III) Complex (Note), 1859
—; Nayak, P. L.; Tripathy, A. K.: Grafting Vinyl Monomers onto Cellulose. X. Graft Copolymerization of Methyl Methacrylate onto Cellulose Fibers Using Acetylacetonate Complex of Vanadium Ion (Note), 2725
—; Nayak, P. L.: Grafting Vinyl Monomers onto Nylon 6. VI. Graft Copolymerization of Methyl Methacrylate onto Nylon 6 Using Acetylacetonate Complex of Mn(III), Co(III), and Fe(III), 1959

Grafting Vinyl Monomers onto Nylon-6. XI. Graft Copolymerization of Methyl Methacrylate onto Nylon-6 Using Peroxydisulfate as Initiator (Note), 2295
—; Nayak, P. L.; Tripathy, A. K.: Photoinduced Graft Copolymerization. II. Graft Copolymerization of Methyl Methacrylate onto Nylon-6 in Presence of γ-Picoline–Bromine Charge Transfer Complex (Note), 1853
—; Nayak, P. L.: Photo-Induced Graft Copolymerization. IV. Graft Copolymerization of Methyl Methacrylate onto Nylon-6 Using *N*-Bromosuccinamide as Photoinitiator (Note), 3625
—; Nayak, P. L.: Photo-Induced Graft Copolymerization. III. Graft Copolymerization of Methyl Methacrylate onto Cellulose Using peroxydiphosphate as Photoinitiator, 3787
Lenz, R. W. See Livingston, M. E., 3239
Le Poidevin, G. J.
Non-Steady-State Transport of Diffusants in Ternary Laminate Slabs, 2901
Lepoutre, P. See Watanabe, J., 4207
Lesec, J. See Lecacheux, D., 4867
Leung, W. P.
—; Choy, C. L.: Physical Properties of Oriented Poly(butylene Terephthalate), 2693
Levenson, L. L. See Osterholm, J. E., 931
Levot, R. See Ang, C. H., 4893
Lewin, M. See Selivansky, D., 2337
—; Guttmann, H.; Derfler, D.: Modification of the Fine Structure of Cellulose by Halogen and Heat Treatments, 3199
Lewis, T. J.
—; Roberts, G. M.: Sorption of Diethyl Phthalate by Nitrocellulose Fibers, 2751
Li, Z-T.
—; Kubota, H.; Ogiwara, Y.: Effect of Solvent on Anthraquinone-Sensitized Photopolymerization of Methyl Methacrylate, 1465
Lin, C-C.
—; Chiu, W-Y.: Simulation and Optimal Design of Seeded Continuous Emulsion Polymerization Process, 1977
—; Chiu, W-Y.: Simulation of Nonequimolecular Polycondensation in Continuous Flow-Stirred Tank Reactors, 63
Lipatov, Yu. S. See Babich, V. F., 53
—; Rosovizky, V. F.; Maslak, Yu. V.: Viscoelastic Behavior of Segregated Networks, 4541
—; Rosovizky, V. F.; Shifrin, V. V.: Viscoelastic Properties of the Model System: Epoxy Resin–Glass Beads–Poly(buthylmethacrylate), 455
Livingston, M. E.
—; Dvornic, P. R.; Lenz, R. W.: Exactly Alternating Silarylene–Siloxane Polymers. V. Evaluation of the Mechanical Properties of Crosslinked Elastomers, 3239
Lo, J. See Zaks, Y., 913
Logan, J. A. See Zachariades, A. E., 2009
Lokhande, H. T. See Chidambareswaran, P. K., 709
Long, M. See Hartmann, B., 289
Long, M. A. See Ang, C. H., 4893
Lundberg, R. D.
Solution Behavior of Ionomers. III. Sulfo-EPDM-Modified Hydrocarbon Solutions, 4623

Machi, S. See Ishigaki, I., 1033, 1043
Magill, J. H. See Grubbs, G. R., 601
Maglio, G. See Castaldo, L., 1809
Mahadevan, E. G. See Venkataiah, S., 1533
Mahadevan, V. See Jayakrishnan, A., 2229
Mai, Y. W.
—; Cotterell, B.: Oxidative and Nonoxidative Photodegradation of Nylon 6 (Note), 4885
Maiti, A. K. See Gupta, A. K., 2409, 4101
Maiti, S.
—; Ray, A.: Processable Heat-Resistant Polymers. VII. Synthesis and Characterization of Polyamideimide from *N*-(*p*-Carboxyphenyl)trimellitimide and *p,p'*-Di(aminocyclohexyl)methane, 4345
Manson, J. A. See Bretz, P. E., 1707
Manzione, L. T.
—; Paek, U. C.; Tu, C. F.; Gillham, J. K.: Characterization of Polymer-Coated Optical Fibers Using a Torsion Pendulum, 1301
Marten, F. L.
—; Hamielec, A. E.: High-Conversion Diffusion-Controlled Polymerization of Styrene. I, 489
Maruca, R.
—; Suder, B. J.; Wightman, J. P.: Interaction of Heavy Metals With Chitin and Chitosan. III. Chromium, 4827
Marzetti, A. See Beltrame, P. L., 3493
Mashelkar, R. A. See Balaraman, K. S., 2815; Dutta, A., 2739; Ravindranath, K., 471, 2625
—; Soylu, M.: Gas Diffusion in Polymer Solutions: A Double-Cone Flow Technique, 697
Maslak, Yu. V. See Lipatov, Yu. S., 4541
Mathew, N. M.
—; Bhowmick, A. K.; De, S. K.: Network Changes in Natural Rubber Vulcanizates under Compression (Note), 1827
Mathieson, A. R. See Kazmi, M. S., 3121
Matsuda, H.
Chain Extension of Partially Neutralized Carboxyl-Terminated Liquid Polybutadiene with Bisepoxide, 757
—; Miyoshi, N.: Crosslinking of Polypropylene Glycol with Divalent Metal Salts of Mono(hydroxyethyl) Phthalate, Anhydride, and Bisepoxide, 3877
Matsumoto, M. See Fujikara, Y., 1293; Fujikura, Y., 1719
Matsumoto, T. See Okubo, M., 3185
Matsumoto, W. See Kokufuta, E., 2503
Matta, J. E.
—; Tytus, R. P.: Viscoelastic Breakup in a High Velocity Airstream, 397
Matuszak, M. L.
—; Taylor, G. W.: The Flowing-Afterglow Technique, an Approach to the Study of Polymer Thermal Degradation, 461
Maxwell, I. D. See Bunton, L. G., 4283
McCormick, C. L.
—; Chen, G-S.; Hutchinson, B. H.: Water-Soluble Copolymers. V. Compositional Determination of Random Copolymers of Acrylamide with Sulfonated Comonomers by Infrared Spectroscopy and ^{13}C Nuclear Magnetic Resonance, 3103
McHugh, A. J.
An Analysis of Transients in Primary Nucleation, 3663
McKay, G.
—; Blair, H. S.; Gardner, J. R.: Adsorption of Dyes on Chitin. I. Equilibrium Studies, 3043
—; Blair, H. S.; Gardner, J. R.: Adsorption of Dyestuffs onto Chitin. External Mass Transfer Processes, 4251
McLaughlin, J. R.
—; Pope, C. G.: Inverse Gas Chromatography of Wool, 1643
McPhillimy, D. G. See Kania, C. M., 139
Merckaert, P. See Borsus, J. M., 4029
—; Jerome, R.; Teyssie, Ph.: Catalysis of the Reaction between Isocyanates and Protonic Substrates. III. Influence of the Addition of a Cosolvent on the Polyurea Foaming Process, 4221
Messadi, D.
—; Vergnaud, J. M.: Plasticizer Transfer from Plasticized PVC into Ethanol–Water Mixtures, 3945
Mijovic, J.
Effect of Hygrothermal Fatigue on Dynamic Mechanical Properties of Glass-Reinforced Polyesters, 1149
Time-Dependent Changes in Mechanical Properties of Neat and Reinforced Epoxy Resins, 2919
Milkovich, R. See Schulz, G. O., 4773
Miller, G. A. See Kaiser, R. J., 957
Miller, R. L. See Boyer, R. F., 1565
Milnera, S. M. See Carlsson, D. J., 1589

Minoura, N. See Aiba, S-I., 1409
The Effect of Casting Solvent and Water on Gas Permeability of Poly(γ-methyl *L*-Glutamate) Membrane, 1007
Mishra, A.
Studies of Polymer Electrets. I. Factors Governing the Stabilities of Homoelectrets Obtained from Poly(1-olefin)s, 381
Studies of Polymer Electrets. II. Factors Governing Stabilities of Homoelectrets Obtained from Polystyrene and Its Derivatives, 1107
Studies of Polymer Electrets. III. Charge Decay Behavior in Polar Polymer Homoelectrets, 1967
Mishra, M. K.
—; Tripathy, A. K.: Graft Copolymerization of Acrylamide onto Polyethylene Terephthalate (PET) with Potassium Permanganate as Initiator (Note), 1845
Graft Copolymerization of Methyl Methacrylate (MMA) onto Silk Using Potassium Peroxydiphosphate–Cysteine (PP–Cys) Redox System, 2403
Mishra, S. P.
—; Deopura, B. L.: Tie Chains and Modulus of Nylon 6 Fibers, 3211
Misra, B. M. See Ramachandhran, V., 3427
Misra, B. N.
—; Sood, D. S.: Grafting onto Wool. XVI. Graft Copolymerization of Vinyl Monomers by Use of TBHP–FAS as Redox Initiator, 2417
—; Singha, A. S.; Sharma, R. K.: Grafting onto Wool. XX. Graft Copolymerization of Vinyl Monomers by Use of Redox Initiators. Comparison of Monomer Reactivities, 1321
Misra, S.
—; Nayak, P. L.; Sahu, G.: Graft Copolymerization of Methyl Methacrylate onto Poly(ethylene Terephthalate) Fibers Using Thallium(III) Ions as Initiator, 3867
—; Sahu, G.: Graft Copolymerization of Methyl Methacrylate onto Wool Using Thallium(III) Ions as Initiator, 4547
—; Nayak, P. L.; Sahu, G.: Grafting Vinyl Monomers onto Silk Fibers. XV. Graft Copolymerization of Methyl Methacrylate onto Silk Using Thallium (III) as Initiator, 1903
Miyagi, Y.
—; Young, R. A.: Carbanilation of Cellulose in the Paraformaldehyde–Dimethyl Sulfoxide Solvent System, 673
Miyasaka, K. See Nito, K., 637; Sumita, M., 3059
Miyoshi, N. See Matsuda, H., 3877
Miyoshi, Y. See Higashimura, T., 2593
Mohammed, I. See Patel, N., 3859
Mohsen, R. See Watkinson, K., 3455
Montaudo, G. See Ballistreri, A., 3369
Morel, G. See Toi, K., 2997
Morgan, L. W.
Multifeed Emulsion Polymers: The Effects of Monomer Feed Sequence and the Use of Seed Emulsion Polymers, 2033
Mori, K.
—; Kikuchi, I.; Nakamura, Y.: Effects of 6-Anilino-1,3,5-Triazine-2,4-Dithiol, Zinc Stearate, and Barium Stearate on the Thermal Stabilization of PVC, 1067
Morinaka, A.
—; Asano, Y.: Residual Stress and Thermal Expansion Coefficient of Plasma Polymerized Films, 2139
Morita, Y.
—; Hagiwara, M.; Kasai, N.: Protection Effects of Condensed Bromoacenaphthylene on Radiation Deterioration of Ethylene–Propylene–Diene Rubber, 3569
—; Hagiwara, M.: Synthesis of Brominated Acenaphthylenes and Their Flame-Retardant Effects on Ethylene–Propylene–Diene Terpolymer, 3329
Moritz, H. U. See Baade, W., 2249
Morooka, T.
—; Norimoto, M.; Yamada, T.; Shiraishi, N.: Viscoelastic Properties of (Cellulose Oligo-Oxymethylene Ether) Acylates, 4409
Morris, C. E. M. See Pearce, P. J., 4501
Mrazek, Z.
—; Jungwirt, A.; Kolinsky, M.: The Copolymerization of Vinyl Chloride with 1-Olefins. I. A New Method of Investigation of the Kinetics of Homopolymerization and Copolymerization of Vinyl Chloride, 1513
—; Jungwirt, A.; Kolinsky, M.: The Copolymerization of Vinyl Chloride with 1-Olefins. II. An Investigation of the Copolymerization Reaction of Vinyl Chloride and Propene, 2079
Mueller, K. F.
—; Heiber, S. J.: Gradient-IPN-Modified Hydrogel Beads: Their Synthesis by Diffusion–Polycondensation and Function as Controlled Drug Delivery Agents, 4043
Mui, E. T. C.
—; Boateng, V. B.; Fellers, J. F.; White, J. L.: Interaction of Polymerization Conditions, Structural Variables, and Mechanical Properties of Rubber-Modified Plastics Produced from Bulk Polymerized Styrene/Poly(butadiene-co-styrene), 1395
Mukhopadhyay, A. K.
—; Sarkar, B. K.; Dutt, A. S.: Effect of Grafting on the Tensile Properties of Jute Fiber (Note), 4525
Munemura, M. See Kobayashi, A., 3763
Munoz-Escalona, A. See Villamizar, C. A., 2151
Murayama, T.
Measurement of Dynamic Viscoelastic Properties of Polymer Melts and Liquids by the Modified Rheovibron, 89
Murthy, R. A. N. See Ghatge, N. D., 1557
Murty, V. M.
—; De, S. K.: Effect of Particulate Fillers on Short Jute Fiber-Reinforced Natural Rubber Composites, 4611

Nabizadeh, H. See Kania, C. M., 139
Nadkarni, V. M. See Shenoy, A. V., 4399
Nagaoka, K. See Watanabe, M., 4191
Nagy, T. T. See Pukanszky, B., 2615
Nakamura, I. See Kokufuta, E., 2503
Nakamura, Y. See Mori, K., 1067; Shimada, M., 1259
Nakano, T. See Taniguchi, Y., 1087
Nakano, Y. See Niino, H., 2361
Nakatsuka, T.
—; Kawasaki, H.; Itadani, K.; Yamashita, S.: Phosphate Coupling Agents for Calcium Carbonate Filler, 259
Nanasawa, M. See Kamogawa, H., 1621
Nanjan, M. J. See Balasubramanian, M., 1423
Naqvi, M. K. See Sharma, Y. N., 2605
Naraoka, K. See Taniguchi, Y., 1087
Narasimhan, V.
—; Telfer, A. R.; Huang, R. Y.-M.; Burns, C. M.: The Use of a Microcomputer with a Gel Permeation Chromatograph, 3461
Narkis, M. See Narkis, N., 1795
—; Bell, J. P.: An Unusual Visual Microcracking/Healing Phenomenon in Polycarbonate at Room Temperature, 2809
Narkis, N.
—; Narkis, M.; Berkovitz, I.: Water-Leaching Rates of Halides from Polymers, 1795
Nayak, P. L. See Lenka, S., 1853, 1959, 2725, 3625, 3787; Misra, S., 1903, 3867; Pradhan, A. K., 1839, 1873, 2131
Negishi, N. See Ishihara, K., 239, 1897
Nelson, G. C. See Arnold, C., Jr., 821
Nero, J. R.
—; Sikdar, S. K.: One-Point Determination of Intrinsic Viscosity for Polycarbonate, Poly(phenylene Oxide), and Polyetherimide, 4687
Nguyen, T.
—; Zavarin, E.; Barrall, E. M., II: Effects of Various Parameters in Differential Scanning Calorimetry of Hydrogen-Peroxide-Treated Lignocellulose, 1019

Nicolais, L. See Carfagna, C., 105
Niino, H.
—; Noguchi, S.; Nakano, Y.; Tazuke, S.: Aminimide as Hardener/Curing Promotor for One Part Epoxy Resin Composition, 2361
Nishi, T. See Koyama, K., 2845
Nishide, H.
—; Shimidzu, N.; Tsuchida, E.: Chelating Resin: Pyridine Derivatives Attached to Poly(styrene) Beads with Spacer Group, 4161
Nishii, K. See Imamura, S-I., 1413
Nishimura, M. See Koyama, K., 2783, 2845
Nito, K.
—; Suzuki, S-I.; Miyasaka, K.; Ishikawa, K.: Photoinduced Acrylamide Graft Polymerization onto Extended Hard Elastic Polypropylene, 637
Noether, H. D. See Jameel, H., 773
Noguchi, S. See Niino, H., 2361
Noirhomme, B. See Vander Donckt, E., 1
Nomura, M.
—; Yamamoto, K.; Horie, I.; Fujita, K.; Harada, M.: Kinetics of Emulsion Copolymerization. II. Effect of Free Radical Desorption on the Rate of Emulsion Copolymerization of Styrene and Methyl Methacrylate, 2483
Norimoto, M. See Morooka, T., 4409

Ogata, N. See Azuma, C., 2065
Ogawa, S. See Ichijo, H., 1665
Ogawa, T.
—; Kuroki, T.; Ide, S.; Ikemura, T.: Recovery of Indan Derivatives from Polystyrene Waste, 857
Ogiwara, Y. See Arai, K., 1601; Kubota, H., 2683; Li, Z-T., 1465
—; Takumi, M.; Kubota, H.: Photoinduced Grafting of Acrylamide onto Polyethylene Film by Means of Two-Step Method, 3743
Ohri, S. See Singh, D., 1191
Ohtani, N. See Kobayashi, A., 3763
Ohtsuka, Y. See Kaneko, N., 3161, 4365, 4839; Koike, Y., 3253
—; Kawaguchi, H.; Hamasaki, T.: Preparation of Functional Polymer Microspheres by Suspension Copolymerization of Diallyl Phthalate with Carboxylic Monomers, 1771
—; Kawaguchi, H.; Yamamoto, T.: Preparation of Functional Polymer-Microspheres by Suspension Copolymerization of Ethylene Glycol Dimethacrylate with Hydrophilic Monomers, 3279
—; Kaneko, N.: Studies on Synthetic-Polymer Plates with High Surface Energy. II. Diethylene Glycol Bis(allyl Carbonate)–Unsaturated Carboxylic Acid System, 545
Ohuchi, C. See Shirai, M., 1095
Okada, M. See Koyama, K., 2783
Okada, T. See Ishigaki, I., 1033, 1043
Okamoto, J. See Hegazy, E.-S. A., 535; Ishigaki, I., 1033, 1043
Okano, T. See Ishihara, K., 239
Okazaki, A. See Ishihara, K., 239
Okos, M. R. See Bose, A., 795; Rollings, J. E., 2281
Okubo, M.
—; Takeya, T.; Tanaka, H.; Matsumoto, T.: Studies on Suspension and Emulsion. LIV. Shrinkage of Polymer Emulsion Film Having Asymmetric Porous Structure, 3185
Onozato, K. See Suzuki, F., 2179, 4229
Ookuma, T. See Sumita, M., 3059
Osterholm, J. E.
—; Yasuda, H. K.; Levenson, L. L.: A Study of Poly(*p*-Xylylene)-Coated AsF_5-Doped Polyacetylene, 931
Otey, F. H. See Trimnell, D., 3919
Otsubo, Y.
—; Umeya, K.: Extensional Viscosity of Silica Dispersions, 1655

Packirisamy, S. See Biswas, M., 149, 161, 1823
Padwa, A. R.
—; Paster, M. D.: High-Temperature Redox-Initiated Emulsion Polymerization of Butadiene, 1385
Paek, U. C. See Manzione, L. T., 1301
Paillous, A. See Despax, B., 225
Paillous, N. See Despax, B., 225
Palumbo, R. See Castaldo, L., 1809
Pandey, S. N. See Thejappa, N., 2307
Pandya, M. V.
—; Deshpande, D. D.; Desai, N. M.: Kinetics of Polymerization of Styrene. The Catalyst System Cu_2Cl_2 + $AlEt_3$ in *n*-Hexane, 4861
Paredes, E. See Diaz-Barrios, A., 4387
Parfenov, V. See Day, M., 575
Park, C. N. See Boyer, R. F., 1565
Pasad, D. M. See Beck, K. R., 1131
Paster, M. D. See Padwa, A. R., 1385
Patel, N.
—; Mohammed, I.; Das, B. N.; Sinha, B. K.: Effect of Sodium Lauryl Sulfate on the Polymerization of Acrylonitrile, 3859
Patel, R. D. See Sharma, Y. N., 97
Pati, N. C. See Pradhan, A. K., 1839, 1873, 2131
Patil, N. B. See Chidambareswaran, P. K., 709
Patsiga, R. A. See Kania, C. M., 139
Paul, D. R. See Barnum, R. S., 4065; Bartlett, D. W., 2351; Goh, S. H., 1091; Harris, J. E., 839; Joseph, E. A., 4807; Toi, K., 2997
Paul, T. K.
—; Sathpathy, U.; Konar, R. S.: Some Observations in the Aqueous and Emulsion Polymerizations of Common Vinyl Monomers Initiated by Sodium Metabisulfite ($Na_2S_2O_5$) at 50°C, 1501
Pavlath, A. E. See Yagi, T., 4019
Pearce, E. M. See Chen, C. S., 1177, 3289; Khanna, Y. P., 2053, 2301; Prasadarao, M., 1343; Zaks, Y., 913
Pearce, P. J.
—; Davidson, R. G.; Morris, C. E. M.: Aging and Performance of Structural Film Adhesives. I. A Comparison of Two High-Temperature Curing, Epoxy-Based Systems, 4501
Pearson, G. H.
—; Connelly, R. W.: The Use of Extensional Rheometry to Establish Operating Parameters for Stretching Processes, 969
Penn, B. G.
—; Ledbetter, F. E., III; Clemons, J. M.; Daniels, J. G.: Preparation of Silicon Carbide–Silicon Nitride Fibers by the Controlled Pyrolysis of Polycarbosilazane Precursors, 3751
Pennings, A. J. See Smook, J., 2209
Peppas, N. A.
—; Hansen, P. J.: Crystallization Kinetics of Poly(vinyl Alcohol), 4787
Perena, J. M.
—; Benavente, R.; Fatou, J. M. G.: Influence of Thermal and Mechanical Histories on the Viscoelastic Behavior of Drawn Polyethylene, 687
Perez, E.
—; Gomez, M. A.; Bello, A.; Fatou, J. M. G.: Solubility Parameters in Polyoxetanes: Poly(oxetane), Poly(3,3-Dimethyl Oxetane), and Poly(3,3-Diethyloxetane), 3721
Pesavento, M. See Ferruti, P., 2239
Peters, R. H. See Gupta, A. K., 4669
Pethrick, R. A. See Bunton, L. G., 4283
Phukan, U. K. See Kumar, A., 3393
Pittman, A. G. See Yagi, T., 4019
Plantz, P. See Hall, R. A., 2885
Podkoscielny, W. See Charmas, W., 1453
Podkowka, J.
—; Puchalik, A.: Comparative Evaluation of Diffusion Coefficients for Gases and Vapors of Organic Substances through Polyethylene Membranes Determined by Absorption and Desorption Upstream Time Lag Method, 1471
Pope, C. G. See McLaughlin, J. R., 1643
Porter, R. S. See Agarwal, S. H., 113; Ito, M., 4471
Pospisil, J. See Raab, M., 2457
Potnis, S. P. See Faterpeker, S. A., 3349
Pozniak, G.
—; Trochimczuk, W.: Chloromethylation of the Polyethylene/Poly(Styrene-co-Divinylbenzene) System (Note), 1833
Pradhan, A. K.
—; Pati, N. C.; Nayak, P. L.: Grafting Vinyl Monomers onto Nylon-6. IV. Graft Copolymerization of Methyl Methacrylate onto Nylon-6 Using the V^{5+}–Thiourea Redox System (Note), 1839

—; Pati, N. C.; Nayak, P. L.: Grafting Vinyl Monomers onto Polyester Fibers. VI. Graft Copolymerization of Methyl Methacrylate onto PET Fibers Using Tetravalent Cerium as Initiator, 1873
—; Pati, N. C.; Nayak, P. L.: Grafting Vinyl Monomers onto Polyester Fibers. III. Graft Copolymerization of Methyl Methacrylate onto Poly(ethylene Terephthalate) Using Potassium Permanganate–Oxalic Acid Redox System, 2131
Prasadarao, M.
—; Pearce, E. M.; Han, C. D.: Rheological Properties of Liquid Crystalline Copolyesters, 1343
Prud'homme, R. E. See Allard, D., 559
Puchalik, A. See Podkowka, J., 1471
Puglisi, C. See Ballistreri, A., 3369
Pukanszky, B.
—; Nagy, T. T.; Kelen, T.; Tudos, F.: Comparison of Dynamic and Static Degradation of Poly(vinyl Chloride), 2615

Quivoron, C. See Lecacheux, D., 4867

Raab, M.
—; Kotulak, L.; Kolarik, J.; Pospisil, J.: The Effect of Ultraviolet Light on the Mechanical Properties of Polyethylene and Polypropylene Films, 2457
Rabie, A. See Hegazy, E.-S. A., 535
Radhakrishnan, G. See Joseph, A., 1313
Rahman, A.
—; Brown, C. W.: Effect of pH on the Rate of Emulsion Polymerization of Styrene Initiated by Potassium Persulfate, 2563
Rajbenbach, L. A. See Haruvy, Y., 2711; Shkolnik, S., 4199
Ramachandhran, V.
—; Misra, B. M.: Studies on Effect of Irradiation on Semipermeable Membranes, 3427
Raucher, D. See Zaks, Y., 913
Ravindranath, K.
—; Mashelkar, R. A.: Modeling of Poly(ethylene Terephthalate) Reactors. II. A Continuous Transesterification Process, 471
—; Mashelkar, R. A.: Modeling of Poly(ethylene Terephthalate) Reactors. III. A Semibatch Prepolymerization Process, 2625
Ray, A. See Maiti, S., 4345
Ray, W. H. See Yuan, H. G., 1691
Rebenfeld, L. See Jameel, H., 773
Reichert, K. H. See Baade, W., 2249
Rha, C. See Kienzle-Sterzer, C., 4467
Rickards, A. P. See Song, J. W., 2369, 3637
Riddell, S. Z. See George, G. A., 3999
Riolo, C. B. See Ferruti, P., 2239
Roberts, D. R. See Varnell, W. D., 3591
Roberts, G. M. See Lewis, T. J., 2751
Robertson, A. A. See Cao-Thi, A-T., 1995
Rodriguez, F. See Joshi, M. G., 3151
Rodriguez-Sanchez, D. See Kienzle-Sterzer, C., 4467
Rollings, J. E. See Bose, A., 795
—; Okos, M. R.; Tsao, G. T.; Bose, A.: System Development for Size Exclusion Chromatography of Starch Hydrolysates, 2281
Rolls, G. C. See Cassidy, P. E., 2743
Rosovizky, V. F. See Lipatov, Yu. S., 455, 4541
Roucis, J. B.
—; Ekerdt, J. G.: Diffusion of Cyclic Hydrocarbons in Benzene-Swollen, Divinylbenzene-Crosslinked Polystyrene Beads, 3841
Roy-Chowdhury, P.
—; Kirtiwar, M. S.: Adiabatic Compressibility of Polyelectrolytes: Effect of Solvents on Copolymers of Vinyl Pyrrolidone with Acrylic Acid and *N*-dimethylaminoethyl Methacrylate, 1883
Rudin, A. See Dobbin, C. J. B., 1081; Henderson, A. M., 4115; Kok, C. M., 353, 3357
Rybnikar, F.
Character of Crystallization Nuclei in Isotactic Polypropylene, 1479

Saccubai, S. See Subhan, J., 507, 2427
Sacher, E.
—; Susko, J. R.: Water Permeation of Polymer Films. IV. Teflon FEP, 3893
Sada, E. See Kumazawa, H., 4745
—; Kumazawa, H.; Ando, T.: Kinetic Aspects of Dyeing Processes, 2987
Safdy, M. E.
Microencapsulation of Water-Soluble Materials Using a Copolymer of Poly(vinyl Chloride), 4753
Saffrell, J. R.
—; Windle, A. H.: The Influence of Thermal History on Internal Stress Distributions in Sheets of PMMA and Polycarbonate (Erratum), 769
Sahu, G. See Misra, S., 1903, 3867, 4547
Saini, D. R. See Shenoy, A. V., 4399
Sakurai, M. See Ichijo, H., 1665
Sakurai, Y. See Ishihara, K., 239
Sanders, E. M.
—; Zeronian, S. H.: An Analysis of the Moisture-Related Properties of Hydrolyzed Polyester, 4477
Santangelo, R. A. See Holland, R. V., 1681
Santappa, M. See Balasubramanian, M., 1423; Joseph, A., 1313
Sanui, K. See Azuma, C., 2065
Sarkar, B. K. See Mukhopadhyay, A. K., 4525
Sasano, A. See Taniguchi, Y., 1087
Sathpathy, U. See Paul, T. K., 1501
Sato, Y.
Calculation of Dielectric Loss of Gamma Relaxation Process in Polyethylene at Low Temperature, 649
Scala, L. C. See Alvino, W. M., 341
Scamporrino, E. See Ballistreri, A., 3369
Schellenberg, R. K. See Delos, S. E., 4295
Schlick, S.
—; Kevan, L.: Study of γ-Irradiated Lithographic Polymers by Electron Spin Resonance and Electron Nuclear Double Resonance, 319
Schmidt, J. R. See Geerissen, H., 1277
Schneider, N. S. See Hu, C. B., 2167
Schreiber, H. P.
—; Wertheimer, M. R.; Lambla, M.: Surface Interactions and Some Properties of Filled Polymers, 2269
Schulz, G. O.
—; Milkovich, R.: Graft Polymers with Macromonomers. I. Synthesis from Methacrylate-Terminated Polystyrene, 4773
Scott, M. G. See Durning, C. J., 3597
Sears, K. D.
—; Hinck, J. F.; Sewell, C. G.: Highly Reactive Wood Pulps for Cellulose Acetate Production, 4599
Selivansky, D.
—; Lewin, M.: Straining Phenomena of POY Revealed by Thermal Retraction and Other Techniques, 2337
Selli, E. See Calgari, S., 527
Seno, M. See Kang, Y., 2025
Senoo, K. See Ishigaki, I., 1033
Sewell, C. G. See Sears, K. D., 4599
Shafizadeh, F.
—; Stevenson, T. T.: Saccharification of Douglas-Fir Wood by a Combination of Prehydrolysis and Pyrolysis, 4577
Shalaby, S. See Hebeish, A., 197
Shalaby, S. E. See Hebeish, A., 3683
Sharma, R. K. See Misra, B. N., 1321
Sharma, Y. N.
—; Naqvi, M. K.; Gawande, P. S.: Structurally Bound Stabilizers: Melt Grafting of UV Stabilizers onto Polypropylene, Polyethylene, and Polystyrene, 2605
—; Patel, R. D.; Dhimmar, I. H.; Bhardwaj, I. S.: Studies of the Effect of Titanate Coupling Agent on the Performance of Polypropylene–Calcium Carbonate Composite, 97
Shasha, B. S. See Trimnell, D., 3919

Shaw, M. T. See Bandyopadhyay, P. K., 4323
Shenoy, A. V.
—; Saini, D. R.; Nadkarni, V. M.: Rheograms of Cellulosic Polymers from the Melt Flow Index, 4399
Sherman, L. R.
Evaluation of the Types of Emission Systems Observed in Aqueous Media with Controlled-Release Formulations, 997
Sherry, B. See Yasuda, H., 1735
Shet, R. T.
—; Yabani, A. M.: Polyelectrolyte Behavior of Chemically Modified Cotton Cellulose, 631
Shifrin, V. V. See Lipatov, Yu. S., 455
Shimada, M.
—; Nakamura, Y.; Kusama, Y.; Udagawa, A.; Takehisa, M.: ESR Study of Radiation-Induced Polymerization of Styrene Adsorbed on Silica Gel, 1259
Shimidzu, N. See Nishide, H., 4161
Shimomura, Y.
—; White, J. L.; Spruiell, J. E.: A Comparative Study of Stress-Induced Crystallization of Guayule, Hevea, and Synthetic Polyisoprenes, 3553
—; Spriuell, J. E.; White, J. L.: Orientation Development in the Tubular Film Extrusion of Polypropylene, 2663
Shimura, Y. See Tashiro, T., 747
Shinohara, I. See Ishihara, K., 239, 1897, 4273; Watanabe, M., 4191
Shirai, M.
—; Ohuchi, C.; Tsunooka, M.; Tanaka, M.: Photoreduction of Ferric Chloride in Poly(vinyl Alcohol) Film (Note), 1095
Shiraishi, N. See Morooka, T., 4409
Shkolnik, S.
—; Behar, D.: Radiation-Induced Grafting of Sulfonates on Polyethylene, 2189
—; Rajbenbach, L. A.: Urethane-Based Stabilizers for Radiation-Crosslinked Polyethylene, 4199
Siegmann, A.
Crystallization of Crystalline/Crystalline Blends: Polypropylene/Polybutene-1, 1053
Sikdar, S. K. See Nero, J. R., 4687
Singh, D.
—; Ohri, S.: Effect of Reactant Ratio and Temperature on the Characteristics of Phenol–Formaldehyde Foams, 1191
Singha, A. S. See Misra, B. N., 1321
Singhal, R. P. See Gupta, A. K., 4101
Sinha, B. K. See Patel, N., 3859
Sivriev, H.
—; Borisov, G.; Zabski, L.; Walczyk, W.; Jedlinski, Z.: Synthesis and Studies of Phosphorus-Containing Polyurethane Foams Based on Tetrakis(hydroxymethyl)phosphonium Chloride Derivatives, 4137
Skryantz, J. S. See Karayannis, N. M., 4821
Slagowski, E. L. See Chang, E. P., 4759
Smedley, J. E. See Delos, S. E., 4295
Smith, L.
—; Doyle, C.; Gregonis, D. E.; Andrade, J. D.: Surface Oxidation of Cis–Trans Polybutadiene, 1269
Smook, J.
—; Pennings, A. J.: The Effect of Temperature and Deformation Rate on the Hot-Drawing Behavior of Porous High-Molecular-Weight Polyethylene Fibers, 2209
Soldi, T. See Ferruti, P., 2239
Song, J. W.
—; Abhiraman, A. S.; Rickards, A. P.: Drawing Rate Effects on Morphological Parameters in Nylon-6, PET, and PBT Filaments, 2369
—; Abhiraman, A. S.; Rickards, A. P.: Drawing Rate Effects on Morphological Parameters in Nylon-6, PET, and PBT Filaments (Erratum), 3637
Sood, D. S. See Misra, B. N., 2417
Soong, D. S. See Buzzard, P. D., 3965
Souma, I.
Dynamic Mechanical Properties of Poly(vinyl Chloride)–Xonotlite Composite System, 1523
Soylu, M. See Mashelkar, R. A., 697
Spathis, G. D. See Theocaris, P. S., 3019
Spencer, H. G.
—; Chen, T. C.; Barrie, J. A.: Transient Diffusion through Multilaminate Slabs Separating Finite and Semiinfinite Baths, 3835
Sperling, L. H. See Kaiser, R. J., 957; Widmaier, J. M., 3513
Spriuell, J. E. See Shimomura, Y., 2663
Spruiell, J. E. See Gianchandani, J., 3527; Shimomura, Y., 3553
Sreenivasan, S. See Chidambareswaran, P. K., 709
Starkweather, H. W., Jr.
—; Giri, M. R.: Use of a Dynamic Mechanical Analyzer to Study Supported Polymers, 1243
Stein, R. S. See Kumar, S., 3407
Stejskal, J.
—; Horska, J.; Kratochvil, P.: Light Scattering from Polyethylene Solutions, 3929
Stevenson, T. T. See Shafizadeh, F., 4577
Stoyanov, A. I.
Influence of the Content of Polymer with Different Molecular Weights in Spinning Solutions on Properties of Acrylic Fibers, 235
Strazza, G. See Castaldo, L., 1809
Subhan, J.
—; Saccubai, S.: Graft Copolymerization of Methyl Methacrylate onto Wool in Presence of Vanadyl Sulfate–Potassium Bromate in Aqueous Medium, 507
—; Saccubai, S.: Graft Copolymerization of Methyl Methacrylate onto Wool by Use of Ferrous Ion–Peroxodiphosphate, 2427
Subramanian, D. R.
—; Venkataraman, A.; Bhat, N. V.: Studies on Dyeing and Mechanical Properties of Nylon 6 Filaments Subjected to Swelling Treatments, 4149
Suder, B. J. See Maruca, R., 4827
Suehiro, T. See Ichijo, H., 1665
Suemasu, H. See Kobayashi, A., 3763
Sugawara, S. See Harada, K., 1441; Imamura, S., 937
Sugo, T. See Ishigaki, I., 1033, 1043
Sumita, M.
—; Ookuma, T.; Miyasaka, K.; Ishikawa, K.: Effect of Ultrafine Particles on the Elastic Properties of Oriented Low-Density Polyethylene Composites, 3059
Susko, J. R. See Sacher, E., 3893
Suzuki, F.
—; Onozato, K.; Takahashi, N.: Pervaporation of Athermal Mixture of Benzene–Toluene by Poly(ethylene Terephthalate) Membrane and Synergetic Effect on Concentration Dependence of Diffusion Rate, 2179
—; Onozato, K.: Pervaporation of Benzene–Cyclohexane Mixture by Poly(γ-methyl L-glutamate) Membrane and Synergetic Effect of Their Mixture on Diffusion Rate, 4229
Suzuki, S-I. See Nito, K., 637
Suzuki, T. See Fujikara, Y., 1293; Fujikura, Y., 1719
Szocs, F.
ESR Study of Pressure Dependence of the Peroxy Radical Decay in Irradiated Isotactic Polypropylene, 1865

Tagawa, T. See Tai, K., 731, 2791
Tai, K.
—; Tagawa, T.: The Kinetics of Hydrolytic Polymerization of ε-Caprolactam. V. Equilibrium Data on Cyclic Oligomers, 2791
—; Arai, Y.; Tagawa, T.: The Simulation of Hydrolytic Polymerization of ε-Caprolactam in Various Reactors, 731
Takahashi, A. See Kaneko, N., 4365
Takahashi, N. See Suzuki, F., 2179
Takayama, T. See Ishigaki, I., 1043
Takayanagi, M. See Yamada, K., 2091, 3479
—; Kajiyama, T.; Katayose, T.: Surface-Modified Kevlar Fiber-Reinforced Polyethylene and Ionomer, 3903

Takehisa, M. See Shimada, M., 1259
Takeya, T. See Okubo, M., 3185
Taki, M. See Inagaki, N., 4337
Takumi, M. See Ogiwara, Y., 3743
Tamamura, T. See Imamura, S., 937
Tan, V. See Utracki, L. A., 1913
Tanaka, H. See Okubo, M., 3185
Proton Spin–Lattice and Spin–Spin Relaxation Times in Isotactic Polypropylene. I. Effects of Crystallinity and Atactic Fraction, 2197
Tanaka, M. See Shirai, M., 1095
Taniguchi, Y.
—; Kaneko, T.; Nakano, T.; Hashimoto, M.; Sasano, A.; Tsutsui, K.; Naraoka, K.: Oxygen effect on characteristics of a PGMA resist (Note), 1087
Tashiro, T.
—; Shimura, Y.: Removal of Mercuric Ions by Systems Based on Cellulose Derivatives, 747
Tausz, S. E.
—; Chaffey, C. E.: Ultrasonically Delaminated and Coarse Mica Particles as Reinforcements for Polypropylene, 4493
Taylor, G. W. See Matuszak, M. L., 461
Taylor, N. W.
—; Gordon, S. H.: Shear Modulus in Closely Packed Gel Suspensions, 4377
Taylor, T. W. See Yuan, H. G., 1691
Tazuke, S. See Niino, H., 2361
Tchir, M. F. See Dobbin, C. J. B., 1081
Telfer, A. R. See Narasimhan, V., 3461
Teranishi, H. See Imamura, S-I., 1413
Teyssie, Ph. See Borsus, J. M., 4029; Merckaert, P., 4221
Thejappa, N.
—; Pandey, S. N.: Characterization of Cotton–Polystyrene Graft Copolymers, 2307
Theocaris, P. S.
—; Spathis, G. D.: Glass-Transition Behavior of Particle Composites Modeled on the Concept of Interphase, 3019
Thiry, P. See David, C., 2395
Thomas, D. A. See Kaiser, R. J., 957
Thompson, R. W. See Cauley, D. A., 363
Todoroy, K. See Troev, K., 3957
Toh, H. K.
—; Funt, B. L.: Investigation of Thermal Degradation of Polystyrene by Differential Scanning Calorimetry, 4171
Toi, K.
—; Morel, G.; Paul, D. R.: Gas Sorption and Transport in Poly(phenylene Oxide) and Comparisons with Other Glassy Polymers, 2997
Toki, S.
—; White, J. L.: Rheological and Solid Wall Boundary Condition Characterization of Unvulcanized Elastomers and Their Compounds, 3171
Tomiyama, M.
—; Kondo, S.; Tsuda, K.: Introduction of Carbonyl Group to the Main Chain of Poly(phenyl Vinyl Sulfide) (Note), 1849
Tompkins, T. See Carothers, J. A., 3449
Trimnell, D.
—; Shasha, B. S.; Wing, R. E.; Otey, F. H.: Pesticide Encapsulation Using a Starch–Borate Complex as Wall Material, 3919
Tripathy, A. K. See Lenka, S., 1853, 1859, 2725; Mishra, M. K., 1845
Trochimczuk, W. See Pozniak, G., 1833
Troev, K.
—; Todoroy, K.; Borisov, G.: Synthesis of Rigid Polyurethane Foams from Oligoester Alcohols Obtained from Dimethyl Terephthalate Production Wastes, 3957
Trojer, L. See Andersson, E. M., 2527
Tsao, G. T. See Bose, A., 795; Dale, B. E., 1233; Rollings, J. E., 2281
Tsuchida, E. See Nishide, H., 4161
Tsuda, K. See Tomiyama, M., 1849
Tsunooka, M. See Shirai, M., 1095
Tsutsui, K. See Taniguchi, Y., 1087
Tu, C. F. See Manzione, L. T., 1301
Tudos, F. See Pukanszky, B., 2615
Tung, C-Y. M.
—; Dynes, P. J.: Relationship between Viscoelastic Properties and Gelation in Thermosetting Systems, 569
Turbak, A. F. See El-Kafrawy, A., 2445
Twohig, E. F. See Chapin, E. C., 811
Tytus, R. P. See Matta, J. E., 397

Udagawa, A. See Shimada, M., 1259
Ueno, K. See Kurokawa, Y., 621
Umeya, K. See Otsubo, Y., 1655
Utracki, L. A.
—; Catani, A. M.; Bata, G. L.; Kamal, M. R.; Tan, V.: Melt Rheology of Blends of Semicrystalline Polymers. I. Degradation and Viscosity of Poly(ethylene Terephthalate)–Polyamide-6,6 Mixtures

meltrheologyofblendsofsemicry
caCatani, A. M. 1913

Vander Donckt, E.
—; Noirhomme, B.; Kanicki, J.; Deltour, R.; Gusman, G.: Photovoltaic Properties of the Poly-2-vinylpyridine Iodine Complex—SnO_2 System, 1
Varnell, W. D.
—; Harrison, I. R.; Roberts, D. R.: The Utilization of DSC in Studies of Oligomers, 3591
Velicangil, O. See Howell, J. A., 21
Venkataiah, S.
—; Mahadevan, E. G.: Rheological Properties of Hydroxypropyl- and Sodium Carboxymethyl-Substituted Guar Gums in Aqueous Solution, 1533
Venkataraman, A. See Subramanian, D. R., 4149
Vergnaud, J. M. See Messadi, D., 3945
Vernick, D. A. See Khanna, Y. P., 2301
Vijayakumar, C. T.
—; Fink, J. K.: Investigations on the Mechanism of Flame Retardancy in HET Acid Containing Unsaturated Polyester Resins, 1629
Villamizar, C. A.
—; Munoz-Escalona, A.; Duran, E.: The Role of Coupling Agents on the Mechanical Properties of Polymer-Impregnated Mortars, 2151
Vitalini, D. See Ballistreri, A., 3369
Vondracek, P. See Gent, A. N., 4357
—; Gent, A. N.: Slow Decomposition of Silicone Rubber, 4517
Vozka, S. See Danielewicz, M., 3629
Vrentas, J. S.
—; Duda, J. L.; Lau, M. K.: Solvent Diffusion in Molten Polyethylene, 3987

Wadhwa, L. H.
—; Walsh, W. K.: Morphology and Mechanical Properties of Radiation-Polymerized Urethane–Acrylates. I. Pure Oligomers, 591
Walczyk, W. See Sivriev, H., 4137
Walsh, W. K. See Wadhwa, L. H., 591
Waly, A. See Abou-Zeid, N. Y., 2105
Wang, C. S.
Effects of Foaming Variables on Density and Morphology of Expanded Ethylene–Propylene Terpolymers, 1205
Ward, R. S., Jr. See Hu, C. B., 2167
Watanabe, J.
—; Lepoutre, P.: A Mechanism for the Consolidation of the Structure of Clay–Latex Coatings, 4207
Watanabe, M.
—; Kanba, M.; Nagaoka, K.; Shinohara, I.: Ionic Conductivity of Hybrid Films Based on Polyacrylonitrile and Their Battery Application, 4191
Watkinson, K.
—; Mohsen, R.: Effect of Concentration and Type of Plasticizer on Some Physical Properties of Poly(vinyl Chloride), 3455
Weigmann, H.-D. See Durning, C. J., 3597; Kamath, Y. K., 3809
Weissman, S. R. See White, S. A., 2675
Wertheimer, M. R. See Schreiber, H. P., 2269
Wharton, R. K.
Identification of Two Pass Regimes for Nylon-66 Based Rods in the Critical Oxygen Index Test, 3193

Wheeler, M. E. See Fried, J. R., 2869
White, J. L. See Flood, J. E., 2965; Mui, E. T. C., 1395; Shimomura, Y., 2663, 3553; Toki, S., 3171
White, S. A.
—; Weissman, S. R.; Kambour, R. P.: Resistance of a Polyetherimide to Environmental Stress Crazing and Cracking, 2675
Widmaier, J. M.
—; Sperling, L. H.: A Comparative Study of Semi-2 and Full Interpenetrating Polymer Networks Based on Poly(*n*-Butyl Acrylate)/Polystyrene, 3513
Wieczorek, P. P.
—; Ilavsky, M.; Kolarz, B. N.; Dusek, K.: Mechanical Behavior and Structure of Single Beads of Homogeneous and Macroporous Styrene–Divinylbenzene Copolymers, 277
Wieder, W.
—; Kroemer, H.; Witte, J.: Alternating Copolymers of Butadiene and Propylene: Properties and Characterization, 3639
Wieloch, F. See Agbezuge, L., 271
Wightman, J. P. See Eiden, C. A., 1105; Maruca, R., 4827
Wiles, D. M. See Day, M., 575; Garton, A., 4179
Williams, E. E. See Williams, J. L., 951
Williams, J. L.
—; Williams, E. E.; Dunn, T. S.: Investigations of Stabilizing Additives. IV. PEPQ as a Primary Radical Scavenger, 951
Williams, R. J. J. See Adabbo, H. E., 893, 1327
Windle, A. H. See Saffrell, J. R., 769
Wing, R. E. See Trimnell, D., 3919
Winiecki, S. See Foks, J., 645
Witte, J. See Wieder, W., 3639
Wolf, B. A. See Geerissen, H., 1277
Wong, R. B. K.
—; Lelievre, J.: Rheological Characteristics of Wheat Starch Pastes Measured under Steady Shear Conditions, 1433
Wydeven, T., Jr. See Katz, M. G., 79

Yabani, A. M. See Shet, R. T., 631
Yagi, T.
—; Pavlath, A. E.; Pittman, A. G.: Grafting Fluorocarbons to Polyethylene in Glow Discharge, 4019
Yamada, K.
—; Takayanagi, M.: Analysis of Zone-Drawing Process in Preoriented Polypropylene, 2091
—; Takayanagi, M.: Change of Molecular Aggregation State in Amorphous Region with Uniaxial Extension of Preoriented Polypropylene, 3479
Yamada, T. See Morooka, T., 4409
Yamamoto, K. See Nomura, M., 2483
Yamamoto, T. See Hagii, H., 4879; Ohtsuka, Y., 3279
Yamashita, S. See Nakatsuka, T., 259
Yamauchi, A. See Ichijo, H., 1665
Yasuda, H.
—; Sherry, B.; El-Nokaly, M. A.; Friberg, S. E.: Preparation of Cationic Polymer Surfaces by Grafting Polymerization, 1735
Yasuda, H. K. See Osterholm, J. E., 931
Yeung, C. K.
—; Jasse, B.: Fourier-Transform Infrared Study of Uniaxially Oriented Polytetrafluoroethylene, 4587
Yokota, A. See Yokouchi, M., 3007
Yokouchi, M.
—; Yokota, A.; Kobayashi, Y.: Tensile and Impact Behavior of Drawn Polystyrene and High-Impact Polystyrene, 3007
Yoon, S. C.
—; Jhon, M. S.: Temperature Effect on the Permeation through Poly(2-Hydroxyethyl Methacrylate) Membrane, 4661
—; Jhon, M. S.: The Transport Phenomena of Some Model Solutes through Postcrosslinked Poly(2-Hydroxyethyl Methacrylate) Membranes with Different Tactic Precursors, 3133
Yoshizawa, S. See Handa, T., 439
Yosomiya, R. See Fujisawa, T., 4849; Hashimoto, K., 4529
Young, R. A. See Miyagi, Y., 673
Yuan, H. G.
—; Taylor, T. W.; Choi, K. Y.; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. I. Low Pressure Propylene Polymerization in Slurry with Ziegler–Natta Catalyst, 1691

Zabski, L. See Sivriev, H., 4137
Zachariades, A. E.
—; Economy, J.; Logan, J. A.: The Morphology of the Aromatic Copolyester of Poly(ethylene Terephthalate) and 80 mol % of *p*-Acetoxybenzoic Acid, 2009
Zaks, Y.
—; Lo, J.; Raucher, D.; Pearce, E. M.: Some Structure-Property Relationships in Polymer Flammability: Studies of Phenolic-Derived Polymers, 913
Zavarin, E. See Nguyen, T., 1019
Zenna, S. C. See Acierno, D., 1335
Zeronian, S. H. See Ellison, M. S., 247; Fujiwara, Y., 2773; Sanders, E. M., 4477
Zhou, Z. L.
—; Eisenberg, A.: Dynamic Mechanical Properties of Sulfonated Cyclized *cis*-1,4-Polyisoprene, 657

Subject Index to Volume 27

Notes and Errata are indicated by the letters N and E, respectively, following the page number.

δ, See also solubility parameter
χ, See also interaction parameter; Flory–Huggins

AA, See also Acrylic acid
AAS, See also Atomic absorption spectroscopy, spectroscopy
ABS, blends of PS with, environmental degradation of, 2317
Absorbent polymer, hemicellulose-*g*-PAn as, 4239
Acenaphthylenes, brominated, synthesis of, and flame retardance by, 3329
p-Acetoxybenzoic acid, copolyester of ethylene terephthalate with, 2009
—, copolyesters from, liquid crystalline, rheological properties of, 1343
Acetylacetonate complexes, of Mn(III), Co(III) and Fe(III), graft copolymerization initiated by, 1959
Acetylacetonate–V(V) complex, grafting of MMA onto cellulose initiated by, 2725(N)
Acetylacetonato–Co(II) complex, initiation of grafting of MMA on to cellulose by, 1859(N)
Acetylation, of pulps, 2833
Acetylene-terminated quinoxaline system, dynamic mechanical properties of, 407
Acetylene-terminated sulfones, relation between viscoelastic properties and gelation in, 569
Acid–base and dyeing properties of Nigerian Merino, Yankasa, and Merino–Yankasa crossbred wools, 3121
Acoustical absorption, of flexible polyurethane foam, 183
Acoustic measurements, study of epoxy resin curing using, 4283
Acrylamide, copolymers of sulfonated monomers with, compositional determination of, 3103
—, copolymers of *p*-vinylbenzoylacetone with, chelates containing, 811
—, grafting of, onto cellulose, 1119
—, grafting of, onto nylon-6, 2711
—, grafting of, onto PE, photoinduced, 3743
—, grafting of, onto PET, 1845(N)
—, grafting of, onto PP, 637
—, mixtures with glycidyl methacrylate, grafting of, onto cotton, 2105
2-Acrylamido-2-methylpropane sulfonic acid, Na salt, copolymers of acrylamide with, compositional analysis of, 3103
Acrylates, See under individual alcohol moieties
Acrylic acid, copolymer with CR-39, high surface energy plates from, 4365
—, ethylene glycol dimethacrylate with, 3279
—, grafting of, onto cellulose, 1119
—, grafting of, onto F-containing polymers, radiation-induced, 535
—, grafting of, onto PE film, 1033, 1043
—, grafting of, onto PET fabric, 3683
—, grafting of styrene mixtures with, on PET fibers, H_2O_2-induced, 197
—, PE grafted with, acrylamide grafted onto, 3743
—, See also AA,
Acrylic dope, measurement of dynamic viscoelastic properties of, by modified Rheovibron, 89
Acrylic fibers, spinning of, effect of polymer concentration on, 235
—, spun, effect of spinning solution concentration on properties of, 235
Acrylic/melamine formaldehyde copolymer films, hydrolysis of, 3651
Acrylic monomers, having aromatic amine moieties attached there to, 4199
Acrylonitrile, aqueous and emulsion polymerization of, initiated by sodium metabisulfite, 1501
—, copolymers, orientation in, 3407
—, effect of Na lauryl sulfate on polymerization of, 3859
—, graft copolymers from methacrylate-terminated PS and, 4773
—, grafted onto jute fibers, effect on tensile properties there of, 4525(N)
—, grafting of, onto bagasse and wood pulps, Ce(IV)-initiated, 3027
—, grafting of, onto hemicellulose, Ce(IV)-initiated, 4239
—, grafting of, onto pulps, Ce(IV) induced, 3691
—, grafting of, onto starch, Ce(IV)-initiated, 2731(N)
—, mixtures with glycidyl methacrylate, grafting of, onto cotton, 2105
—, PE grafted with, acrylamide grafted onto, 3743
—, photopolymerization of, sensitized by combination of aromatic ketone and amine, 2683
—, plasma-polymerized films of, 2139
—, polymerization initiated by 2,2′-thiodiethanol/ trichloroaquobipyridylMn(III), 2229
—, See also AN,
—, styrene copolymers with, separation of, on CN silica, 3629(N)
Acrylonitrile-grafted cellulose, persulfate oxidation of, 2377
Acrylonitrile-grafted pulps, acetylation of, 2833
Acrylo–urethanes, radiation-polymerized, morphology and properties of, 591
Acryloxy azo dyes, photochemical grafting of, onto polymer surfaces, 527
Actinometry, photodegradation of polyisobutylene film studied by, 1945
Adhesion, of glow discharge-polymerized silanes, 4337
—, spontaneous, of silicone rubber, 4357
Adiabatic microcalorimeter, study of cellulose crystallization by, 1233
Adipoyl chloride, polyesteramides prepared from, 1809
Adsorption, of dyes, on chitin, 3043
—, of dyestuffs, onto chitin, 4251
—, enzyme, on cotton cellulose, 3493
—, photoinduced, of proteins, on azobenzene ligand containing polymers, 4273
Adsorption chromatography, high-performance, 3629(N)
Aging, by water, boiling, of miscible blend of PC and copolyester, 4807
Aging and performance, of structural film adhesives, 4501
Ag–peroxydisulfate initiated graft copolymerization, of MMA, onto nylon-6, 2295(N)
Aldehydes, crosslinking of cotton cellulose by, 983
$AlEt_3$–Cu_2Cl_2 system, styrene polymerization catalyzed by, 4861
Alginate gels, controlled release of herbicides from, 3341

Aliphatic polyesteramides, synthesis and physico-mechanical properties of, 1809
Alkoxyboroxines, tri-, epoxy resins cured by, stability of, 1177
Alkylene oxide-treated, mercerized wood pulps, for cellulose acetate production, 4599
Allylglycidylether, glass fibers surface-modified with, grafting onto, 4529
Allylic monomers, having aromatic amine moieties attached there to, 4199
Allyl methacrylate, grafting of, onto wool, 1249
Alternating silarylene–siloxane polymers, 3239
Amides, ozonization of, 1413(N)
Aminated PVA fiber, as support for enzyme immobilization, 1665
Amine precursors, *in situ*, aminimide compounds as, 2361
Aminimide, as hardener/curing promotor for one part epoxy resin composition, 2361
Amino acid analysis, of wools, correlation of acid–base properties with, 3121
Amino compounds, reaction of isocyanates with protonic substrates catalyzed by, 4029
Aminolysis, of polyester fibers, 247
Amorphous polymers, volume–temperature data on, 1565
Amphoteric ion exchangers, study of, 3793
AN, See also Acrylonitrile
Anhydrides, aromatic, substitution of, onto PS, 3851
6-Anilino-1,3,5-triazine-2,4-dithiol, PVC stabilizers containing, 1067
Anionic polymerization, of caprolactam, 1335
—, MACROMERs prepared by, 4773
Anisotropy, induced during compression molding of rubber, 4081(N)
Annealing, of nylon-6 filaments, polymorphism and orientation development in, 3527
Annealing conditions, in production of highly oriented fibers from caprolactam, 1335
Anthraquinone, irradiated, UV spectrum of, 1465
—, photostabilization of PP by, 2761
Anthraquinone-sensitized photopolymerization of methyl methacrylate, effect of solvent on, 1465
Antioxidant, PEPQ as, 951
Aqueous polymerization, of vinyl monomers, initiated by sodium metabisulfite, 1501
Aromatic anhydrides, substitution of, onto PS, 3851
Aromatic polyamides, fibers from, studies of, 1423
—, substituent effect on thermal properties, 2053
—, thermal behavior of model diamides for, 2301(N)
Aryloxyboroxines, tri-, epoxy resins cured by, stability of, 1177
Asphalt, composites with polyurethanes formed *in situ*, 1197
Athermal benzene/toluene mixture, pervaporation of, by PET membrane, 2179
Atomic absorption spectroscopy, See also AAS, spectroscopy
—, study of heavy metal interaction with chitin and chitosan by, 4827
ATR spectra, of high energy plates, 545
Avrami equation, 4065
Avrami's theory, analysis of crystallization isotherms by, 4787
Azoaromatic polymers, adsorption chromatography for lysozyme using, 1897
—, wettability and binding ability of, radiation effect on, 239
Azobenzene ligand, on polymeric adsorbents, separation of proteins by, 4273

Bagasse pulp, acetylation of, 2833
—, grafting of acrylonitrile onto, Ce(IV)-initiated, 3027
—, grafting of onto pulps, Ce(IV) induced, 3691
Bath ratio, 4745
Battery, using hybrid films based on PAN, 4191
Benzoic acid, 4-hydroxy-, amphoteric ion exchange resins formed from epichlorohydrin and, 3793
Benzophenone, photostabilization of PP by, 2761
Benzoyl peroxide, grafting onto surface-modified glass fibers initiated by, 4529
γ-Benzyl-L-glutamate, dimethylsiloxane–peptide block copolymers from, 139
Bersted, model of, 4637
Biaxially oriented films, of poly(*p*-phenylene terephthalamide), 2965
Bimorphic PET fibers, surface crystallization in, 3597
Binding, of calcium and magnesium ions, by modified onion skins, 1727
Binding ability, of azoaromatic polymers, effect of radiation on, 239
Birefringence, of drawn polystyrene, 3007
—, intrinsic, of partially oriented poly(ethylene terephthalate) yarns, 2857
—, molecular aggregation in PP studied by, 3479
—, of nitrocellulose fibers, diethyl phthalate sorption studied by, 2751
—, study of acrylonitrile copolymer orientation by, 3407
—, study of stress-induced crystallization in polyisoprenes by, 3553
Birefringence–stress relations, in partially oriented PET yarns, 2857
Birefringence studies, of orientation development, in tubular film extrusion of PP, 2663
Bis(4-aminophenyl)methane, epoxy resins cured using, 2015
4,4′-Bis(bromoacetyl)diphenyl ether, poly(arylene keto amine) prepared from, 2467
4,4′-Bis(2-bromopropionyl)diphenyl ether, poly(arylene keto amine) prepared from, 2467
4,4′-Bis(chloroacetyl)diphenyl ether, poly(arylene keto amine) prepared from, 2467
Bis(2-hydroxyethyl)terephthalate, in PET production, 4421
Bis(hydroxymethyl-*N*,*N*-bis(2-hydroxyethyl)aminomethylphosphine oxide, polyurethane foams based on, 4137
10,10-Bis(4-hydroxyphenyl)anthrone, epoxy resins prepared from, 3289
9,9-Bis(4-hydroxyphenyl)fluorene, epoxy resins prepared from, 3289
Bis(4-mercaptomethylphenyl)ether, thioether glycidyl resins prepared by condensation of epichlorohydrin with, 1453
Bis(4-mercaptomethylphenyl)methane, thioether glycidyl resins prepared by condensation of epichlorohydrin with, 1453
Bis(4-mercaptophenyl)ether, thioetherglycidyl resins from condensation of epichlorohydrin with, 2797
Bis(4-mercaptophenyl)methane, thioetherglycidyl resins from condensation of epichlorohydrin with, 2797
Bisnadimide, presence of, in imidization of polyimide resin, 4295
Bisphenol A, epoxy resins prepared from, 3289
Bisphenol A diglycidyl ether, divalent metal salts of, poly(propylene glycol) crosslinked by, 3877
Bisphenol A epoxy resin, cured with bis(4-aminophenyl)methane, spectral studies of, 2015
Bisphenol A-PC–dimethylsiloxane block copolymers, TGA, 601
Bisphenol A polyhydroxy ether, blends of aliphatic polyesters with, 839
Bis[2,2,6,6-tetramethyl-4-piperidinyl] sebacate photostabilization of PP by, 2761
Blending, reinforcing, of plasticizing, modification of Pu properties by, 1933
Blends, dehydrochlorinated PVC–PMMA, compatability in, 43
—, of HDPE and PP, mechanical properties of, 2351
—, polymer, environmental degradation of, 2317
—, of PP with crosslinked rubber, mechanical properties of, 4799
—, of PS & poly[1,1,1-tris(trimethylsiloxy)methacrylatepropysilane], gas permeability of membranes from, 2025
—, of semicrystalline polymers, melt rheology of, 1913
Block copolymers, PC–siloxane, block copolymers, TGA of, 601
—, poly(dimethylsiloxane)–polypeptide, preparation of, 139
—, of styrene with butadiene or isoprene, pressure-sensitive adhesives based on, 1745

Bode diagrams, frequency response, in studies of melt spinning, 4439
Boiling water aging, of miscible blend of polycarbonate and a copolyester, 4807
Borate–starch complex, in pesticide encapsulation, 3919
Boundary layer of polymer, in composite materials, effect on relaxation maxima of, 53
Brabender plasticorder, melt grafting of, 2605
Branching, long-chain, in PE, study of, by high-temperature, GPC coupled with continuous viscometry, 4867
Brominated acenaphthylenes, synthesis of, and flame retardance by, 3329
Bromine, charge transfer complex with γ-picoline, grafting of MMA on nylon-6 photoinduced by, 1853(N)
Bromoacenaphthylene, stabilization of EPDM rubber from radiation by, 3569
N-Bromosuccinamide photoinduced grafting of MMA onto nylon 6, 3625(N)
Brownian motion, micro-, in (cellulose oligo-oxymethylene ether) acylates, 4409
Brown's algorithm, 1759
Bueche master curve of viscosity, 1367
Burgers calculations, for random coil polymers, 3357
Buss Ko-Kneader, 97
Butadiene, block copolymers with styrene, pressure-sensitive adhesives based on, 1745
—, copolymers of propylene with, 3639
—, copolymers of styrene with, PS modified by, 1395
—, emulsion polymerization of, redox-initiated, 1385
Butadiene–styrene copolymer, rheological properties and solid wall boundary condition of, 3171
—, silica-filled, interactions in, 4387
Butyl acrylate, graft copolymers from methacrylate-terminated PS and, 4773
—, grafting of, onto gelatin, redox-induced, 1313
t-Butyl hydroperoxide–Fe(II), redox initiation of graft copolymerization by, 2417
Butyl methacrylate, mixtures with glycidyl methacrylate, grafting of, onto cotton, 2105

$CaCO_3$ fillers, phosphate coupling agents for, 259
Calorimetry, characterization of amino-hardened epoxy resins by, 105
—, micro-, crystallization of cellulose studied by, 1233
Capacity measurements, of cationic ion exchange resins, 4645
Caprolactam, anionic polymerization of, highly oriented fibers from, 1335
—, hydrolytic polymerization of, MWD in, 1099(N)
ε-Caprolactam, hydrolytic polymerization of, 731, 2791
Carbanilation, of cellulose in, 673
Carbon black, effect of, on jute fiber-reinforced rubber composites, 4611
Carbon-black-loaded SBR, blends with *cis*-PB, crack growth in, 3379
Carbon-fiber-reinforced phenolics, 4759
Carbon-13 labeling studies, of volatile pyrolyzate formation, from PVC, 3633(N)
Carbonyl group introduction to the main chain of poly(phenyl vinyl sulfide), 1849(N)
Carboxylated nitrile rubber, epoxy-resin-cured, 4561
Carboxylic monomers, copolymerization of, with diallyl phthalate, 1771
Carboxyl-terminated PB, chain extension of, with bisepoxide, 757
Carboxymethylation, of the cotton component of polyester/cotton blend prior to durable press finishing, 3703
Carboxymethylcellulose, characterization of, 2957
N-(*p*-Carboxyphenyl)trimellitimide, polyamide imide prepared from, 4345
Case II swelling, of crystalline PET, 2653
Casing packers, effect of plasma treatment on, 821
Castor oil tristhioglycolate as crosslinking agent, in polythiourethane polymers, 1557
Catalysis, of the reaction between isocyanates and protonic substrates, 4029, 4221
Catalysts, Furukawa-type, for copolymerization of butadiene and propylene, 3639
Cation exchange resin, phosphonic acid, from furfural condensates with *N*-vinylcarbazole and its polymer, 149, 161
—, from polystyrene electrophilically substituted, with pyromellitic dianhydride, 4645
Cationic oligomerization, of 1-hexene, catalyzed by $EtAlCl_2$–chloroacetic acid complexes, 2593
Cationic polyelectrolyte, solution behavior of, 4467
Cationic polymer surfaces, preparation of, by graft polymerization, 1735
Ce^{+4}, of starch, 2731(N)
Ce(IV), initiation of AN grafting onto starch by, 2731(N)
—, initiation of graft copolymerization of acrylonitrile by, 3027
Ce(IV)-induced polymerization of acrylonitrile, sodium lauryl sulfate effect on, 3859
Ce(IV)-initiated grafting, of acrylonitrile and methyl acrylate, onto hemicellulose, 4239
Cellulose, carbanilation of, 673
—, carboxymethyl-, characterization of, 2957
—, chemically modified, dyeing of, 871
—, cotton, chemically modified, polyelectrolyte behavior of, 631
—, cotton, crosslinking of, 983
—, cotton, enzyme adsorption and enzymatic hydrolysis, 3493
—, crystallization of, microcalorimetric study of, 1233
—, dissolution of, in anhydrous chloral/aprotic solvents, 2445
—, dyeing of, kinetic aspects of, 2987
—, fine structure, modification of, 3199
—, and graft copolymers, behavior of, towards persulphate oxidation, 2377
—, grafted with acrylonitrile, persulfate oxidation of, 2377
—, grafting of MMA onto, acetylacetonato Co(II) complex as initiator of, 1859(N)
—, grafting of MMA onto, initiated by V(V)–acetylacetonate complex, 2725(N)
—, grafting of MMA onto, photoinduced, 3787
—, grafting, of vinyl monomers, onto redox-initiated, 1119
—, LiCl containing tertiary solutions of, ^{13}C-NMR spectroscopy of, 2435
—, ligno-, H_2O_2-treated, DSC of, 1019
—, methylol, carbanilation of, 673
—, oxy-, chemically modified, polyelectrolyte behavior of, 631
—, polyacrylonitrile-grafted, hydrolyzed rheological properties of, 1995
—, reaction with 4,5-dihydroxy-1,3-bis(hydroxymethyl)-2-imidazolidinone, rate constants determined by LC, 1131
Cellulose acetate, impact fracture toughness of plasticized, 3585
—, secondary loss transition of plasticized, 3585
Cellulose acetate membranes, composite, reverse osmosis rejection in, 621
Cellulose acetate production, highly reactive wood pulps for, 4599
Cellulose derivatives, Hg(II) ions removed by systems based on, 747
Cellulose esters, rheograms of, from melt flow index, 4399
Cellulose ethers, rheograms of, from melt flow index, 4399
Cellulose III polymorphs, transformations of, to cellulose IV lattices and subsequent reactions, 709(A)
Cellulose IV lattices, transformation of cellulose III polymorphs to, 709(A)
Cellulose nitrate, blends of poly(ethylene glycol), gas permeabilities of membranes of, 2387
(Cellulose oligo-oxymethylene ether) acylates, viscoelastic properties of, 4409
Cellulose waste, utilization of, 2395
Cellulosic materials, flash pyrolysis of, using solar energy, products of, 4313
Cellulosic membranes, semipermeable, effect of irradiation on, 3427

Cellulosic polymers, rheograms of, from melt flow index, 4399
Cerium (IV), graft copolymerization induced by, 1873
Cetyltrimethylammonium bromide, micelles of, 1501
Chain extenders, diamine, for poly(urethane-urea)s, 2167
Chain extension, of partially neutralized carboxyl-terminated liquid polybutadiene with bisepoxide, 757
$C_2H_5AlCl_2$–chloroacetic acid complexes, cationic oligomerization of 1-hexene catalyzed by, 2593
Chalk, modified, as filler for HDPE, 3669
Charge decay behavior in polar polymer homoelectrets, 1967
Charge transfer complex photoinduction, of grafting, of MMA onto nylon-6, 1853(N)
Char yield, for epoxy resins, 3289
Chelates, of transition metal ions with the homopolymer and copolymers of *p*-vinylbenzoylacetone, 811
Chelating resin, 4161
Chemically modified cellulose, behavior of, towards dyeing, 871
Chemical modification of polystyrene, 3851, 4645
Chemiluminescence, stress-induced, from nylon 66 fibers, 3999
Chitin, adsorption of dyes onto, 3043
—, adsorption of dyestuffs onto, 4251
—, heavy metal interaction with, 4827
—, interaction of Pb and Cr with, 1105(E)
Chitosan, heavy metal interaction with, 4827
—, interaction of Pb and Cr with, 1105(E)
—, solution behavior of, 4467
Chitosan trimethylammonium glycol iodide, polyelectrolyte complexes from, microorganism immobilization by, 2503
Chloral, dissolution of cellulose in solvents containing, 2445
Chlorinated hydrocarbon coupling agents for mica–polypropylene composites, 4179
Chlorinated PE, emissivity of, 1293
Chlorinated polymers, miscibility of poly(neopentyl glycol adipate) blends with, 1091(N)
—, miscibility of, with polyesters, 559
Chlorinated PP, miscibility of, with poly(caprolactone), 559
Chloroacetic acid–$C_2H_5AlCl_2$ complexes, cationic oligomerization of 1-hexene catalyzed by, 2593
Chlorodeoxycellulose, Hg(II) ions removed by systems based on, 747
Chloromethylated PS, an electron negative resist, 937
Chloromethylation, of the polyethylene/poly(styrene-co-divinybenzene) system, 1833(N)
Chloromethylstyrene, suspension copolymerization of styrene and DVB with, 133
Chromatograph, liquid, high-temperature, coupling of continuous viscometry with, 4867
Chromatography, adsorption, high-performance, 3629(N)
—, adsorption, photocontrolled, for lysozyme, 1897
—, column, of proteins, UV effect on, 4273
—, gas, study of polymer/solvent vapor–liquid equilibria using, 3067
—, hydrophobic, of proteins, UV effect of, 4273
—, perturbation, study of polymer/solvent vapor–liquid equilibria using, 3067
—, See also SEC, HPLC, GC, LC, GPC,
—, size-exclusion, calibration of, standards for, 2933, 2943
—, size-exclusion, polyelectrolytes as secondary standards in, 795
Chromism, photo-, by photoreduction mechanism, 1621
Cinnamate groups, polypentenamer and polydienes with pendent, photosensitivity of, 2065
Cis–trans polybutadiene, surface oxidation of, 1269
Clay–latex coatings, consolidation of structure of, 4207
^{13}C NMR configuration of cresol–novolak resins determined by, 3449
^{13}C-NMR spectroscopy of cellulose solutions, 2435
CN silica, separation of ST–AN on high-performance adsorption chromatography columns of, 3629(N)
CO_2, diffusion of, through PE membranes, 1471
Cobalt(III) acetylacetonate complexes, graft copolymerization initiated by, 1959
CoI, of EPDM rubbers containing brominated acenaphthylene flame retardants, 3329
—, See also Critical oxygen index, oxygen index,
Coll–Prusinowski calibration procedure, 2281
Coloration of polyester fabric, 4693, 4713
Combustion, of PAN, smoke suppression in, 3369
Complexation, heavy metal, of crosslinked poly(amine-amide) resins, 2939
Complexes, containing poly(2-vinylpyridine), photovoltaic properties of, 1
Composite, cellulose acetate membranes, reverse osmosis rejection in, 621
Composite materials, viscoelastic properties of, 53
Composite reverse osmosis membrane, anionic, from PVA and poly(styrene sulfonic acid), 2783
—, anionic, from PVA & poly(styrene sulfonic acid), 2845
Composites, of asphalt with polyurethanes formed *in situ*, 1197
—, of isotactic PP, with talc, 1479
—, or oriented LDPE, effect of ultrafine particles on elastic properties of, 3059
—, particle, thermomechanical behavior of, 3019
—, of polypropylene—$CaCO_3$, coated with isopropoxy triisostearoyl titanate, properties of, 97
—, polypropylene–mica, chlorinated hydrocarbon coupling agents for, 4179
—, rubbers, jute fiber-reinforced, effect of particulate fillers on, 4611
—, silica with styrene–butadiene copolymers, interactions in, 4387
—, xonotlite–PVC, dynamic mechanical properties of, 1523
Compositional determination of random copolymers of AM with sulfonated comonomers, 3103
Compressibility of polyelectrolytes, 1883
Compression, network changes in natural rubber vulcanizates under, 1827(N)
Compression molding, of PVC, properties of, 2553
—, of rubber, anisotropy induced during, 4081(N)
Conductivity, electrical, of polyacetylenes, 931
—, ionic dc, in polymers, 4889(N)
—, ionic, of hybrid films, based on PAN, 4191
Cone-and-plate rheometer, 1367, 4377
Configuration, of cresol–novolak resins, determination of, by ^{13}C NMR, 3449
Conformation, of cellulose polymorphs, 709(A)
—, of poly(γ-methyl *L*-glutamate), in membranes, 1007
Considere criterion, 969
Consolidation, of the structure, of clay–latex coatings, 4207
Contact angle, study of plasma treated elastomers by, 821
Contact angle analysis, 1269
Contact angle measurements, estimation of interfacial tension components in liquid–solid systems by, 271
Contact angles, of high energy plates from CR-39-acid system, 545
—, on high surface energy plates from copolymers of CR-39 and unsaturated sulfonic acid, 4839
—, study of moisture-related properties of hydrolyzed polyester using, 4477
Controlled drug delivery agents, gradient-IPN-modified hydrogel beads as, 4043
Controlled release, of the herbicides 2,4-D and dichlobenil from alginate gels, 3341
Controlled-release formulations, types of emission systems observed in, 997
Conversion, for nonequimolecular polycondensation in CSTRs, 63
Conversion–temperature phase diagram, for thermosetting resins, 1327
Copolyester, based on 1,4-cyclohexane dimethanol, and blends with PC, boiling water aging of, 4807
—, and miscible blends with PC, boiling water aging of, 4807

Copolyester–PC blends, melting and crystallization behavior of, 4065
Copolymerization, determination of rate parameters in, 2815
—, See also grafting, radiation-induced copolymerization, block copolymerization,
—, See also photocopolymerization,
—, suspension, of styrene, chloromethylstyrene and DVB, 133
—, of vinyl chloride, with 1-olefins, 1513, 2079
Copolymers, of acrylic acid, with vinyl pyrrolidone, solvent effects on, 1883
—, alternating, of butadiene and propylene, 3639
—, block, PL-siloxane, TGA of, 601
—, of *N*-dimethylaminoethyl methacrylate, with vinyl pyrrolidone, solvent effects on, 1883
—, See under individual monomer names,
—, of vinyl pyrrolidone, with AA and *N*-dimethylaminoethyl methacrylate, solvent effects on, 1883
Core/shell concept, of emulsion polymerization, 2033
Cotton, chemically modified, dyeing of, 871
—, grafting of acrylamide mixtures with glycidyl methacrylate on, 2105
—, grafting of acrylonitrile mixtures with glycidyl methacryalte on, 2105
—, grafting of butyl methacrylate mixtures with glycidyl methacrylate on, 2105
—, grafting of glycidyl methacrylate and mixtures containing same on, 2105
—, grafting on styrene mixtures with glycidyl methacrylate on, 2105
—, mercerization of, effect of, on dyeing, 871
—, polystyrene grafted, properties of, 2307
Cotton cellulose, chemically modified, polyelectrolyte behavior of, 631
—, crosslinking of, 983
—, enzyme adsorption and enzymatic hydrolysis, 3493
Cotton-containing durable press fabrics, chemical factors affecting soiling of and soil release from, 3703
Couchman and Karasz thermodynamic theory, 2869
Coupling agents, effects of, on the mechanical properties of polymer-impregnated mortars, 2151
—, phosphate, for $CaCO_3$ filler, 259
CR-39, copolymer with acrylic acid, high surface energy plates from, 4365
—, See also diethylene glycol bis(allyl carbonate),
—, unsaturated sulfonic acid copolymerized with, high surface energy plates from, 4839
Crack growth, of highly carbon-black-loaded SBR–*cis*-polybutadiene blend, 3379
Cracking, environmental stress, of a polyetherimide, 2675
Crack propagation, in high-density polyethylene, 2119
—, viscoelastic, heat evolution during, 3763
Cracks, formation of, on photodegraded nylon 6 filaments, 2773
—, in glassy polymers, plastic zones at tips of, 879
Craze initiation and growth, in high-impact polystyrene, 3729
Craze micromechanics, analysis of, 4263
Crazing, environmental stress, of a polyetherimide, 2675
Cresol–formaldehyde resins, See also formaldehyde–cresol resins
Cresol–novolak resins, determination of configuration of, by ^{13}C NMR, 3449
Critical oxygen index, See also COI, oxygen index
Crosslinked poly(amido-amine) resins, protonation and heavy metal complexation of, 2239
Crosslinked polymers, mechanical properties of, evaluation of, 3239
Crosslinked rubber, blends of PP with, mechanical properties of, 4799
Crosslinking, of poly(vinyl chloride), in the presence of tetramethylthiuram disulfide and ZnO, 1549
—, of PPG, with divalent metal salts of mono(hydroxyethyl) phthalate, on anhydride, and a bispoxide, 3877
—, of unsaturated polyester resins, by combinations of vinyl esters and methacrylates, 3577
Crosslinking agents, See also individual compounds
Crosslinking cotton cellulose, with aldehydes, 983
Cross model, 1533
CR-39-unsaturated carboxylic acid system, high energy plates from, 545
Cryogenic relaxation, 1301
Crystalline PET, case II swelling of, 2653
Crystallinity, of cellulose polymorphs, 709(A)
—, effect of, on solvent-induced crystallization of PET, 773
—, and heats of crystallization, of cellulose, 1233
—, in nylon 6 filaments, 3527
—, of poly(alkylbenzimidazole) salts, 989
Crystallization, in cellulose modified by halogen and heat treatments, 3199
—, of miscible copolyester PC blends, 4065
—, of PP and glass-reinforced PP, effect of added HDPE on, 4669
—, surface, in bimorphic PET fibers, 3597
—, transients in primary nucleation in, 3663
Crystallization isotherms, for poly(vinyl alcohol), 4787
Crystallization kinetics, of poly(vinyl alcohol), 4787
Crystallization nuclei, in isotactic polypropylene, 1479
Crystallization of crystalline/crystalline blends, 1053
CSTRs, nonequimolecular polycondensation in, 63
Cu_2Cl_2–$AlEt_3$ system, styrene polymerization catalyzed by, 4861
Cu complexes, of PS having pyridine derivatives attached there to, 4161
Cu(II)–dimethylaniline system, graft copolymerization in presence of, 519
Cumene hydroperoxide, grafting of styrene onto glass fiber having pendent SH groups initiated by, 4849
—, grafting onto surface-modified glass fibers initiated by, 4529
Cupriethylenediamine, solubility in, characterization of cotton–PS graft copolymers by, 2307
Cure, in epoxy resins, investigation of, 4283
Curemeter, Vuremo, 1549
Cure reaction and filler effect, kinetic model of, 3265
Curing, of novolacs, with paraformaldehyde, 893
Curing promotor/hardener, for one part epoxy resin composition, 2361
Current, thermally stimulated, study of epoxy resin curing using, 4283
1,4-Cyclohexane dimethanol, copolyester based on, and blends with PC, boiling water aging of, 4807
Cysteine–peroxydiphosphate redox system, graft copolymerization initiated by, 2403

DAP, See also Diallylphthalate
dc conductivity, ionic, in polymers, 4889(N)
Decabromodiphenyl ether, effect of, on radiation deterioration of EPDM rubber, 3569
1,10-Decandiol, polyesteramides prepared from, 1809
Dechlorination, of catalyst residues, 4821
—, of polypropylenes, 4821
Decomposition, of silicone rubber, 4517
Deformation, in hot-drawing of PE fibers, porous, 2209
Degradation, environmental, of polymer blends, 2317
—, of nylon 6, photo-initiated, 2773
—, of organic coatings, 3651
—, photo-, of polyisobutylene film, 1945
—, of polyester fibers, by aminolysis and alkaline hydrolysis, 247
—, of PVC, ^{13}C labeling in studies of, 3633(N)
—, thermal, of PS, investigated by DSC, 4171
—, thermal study of, by FLAG spectroscopy, 461
Degradation and viscosity of poly(ethylene terephthalate)–polyamide-6,6 mixtures, 1913
Degradation mechanism, of styrene–polyester copolymer, 211
Degradation of polyamides, by ozonization, model for, 1413(N)
Degradation of poly(vinyl chloride), comparison of dynamic and static, 2615
Degradation products, thermal, from polystyrene wastes, 857

Degradation studies, of plasticized PVC, 3313
Dehydrochlorinated poly(vinyl chloride)–poly(methyl methacrylate) polymer blend formation of, 43
Density, straining in partially oriented yarns studied by, 2337
Density study of polymorphism and orientation development in nylon 6 by, 3527
Dextrans, as standards in size-exclusion chromatography, 795
Dextrin, hydrolysis of, catalyzed by poly(vinyl alcohol-co-styrenesulfonic acid) resin, 1601
Diallyl phthalate, composites, FLAG spectroscopy of thermal degradation of, 461
—, copolymerization of, with carboxylic monomers, 1771
—, See also DAP,
Diamine chain extenders, effect of, on the properties of polyurethaneureas, 2167
β,p′-Di(aminocyclohexyl)methane, polyamide prepared from, 4345
Diaminodiphenylsulfone, epoxy resins cured by, 3289
1,6-Diaminohexane, polyesteramides prepared from, 1809
2,6-Dichlorobenzonitrile, controlled release of, from alginate gels, 3341
[2,4-Dichlorophenoxy]acetic acid, controlled release of, from alginate gels, 3341
Dichroism, IR, study of acrylonitrile copolymer orientation by, 3407
Dicumyl peroxide, PE modified by, rheological properties of, 1367
Dicyanodiamide, curing of epoxy resins by, investigation of, 4283
Dielectric loss, of gamma relaxation process in polyethylene, at low temperature, 649
Dielectric loss tangent of PE, 649
Dielectric relaxation, of oriented PBT, 2693
Dielectric relaxation of polyacrylonitrile, effect of heat treatment on, 4101
Dielectric relaxations in wood, the effect of moisture on, 439
2,2′-Diethoxyacetophenone photoinitiator for 1-vinyl-2-methylimidazole, 3151
Diethyl-3,3′,4,4′-benzophenone tetracarboxylate, polyimide resins prepared from, 4295
Diethyldithiocarbamate, Zn, stabilization of polyolefins by, 3437
Diethylene glycol, oligoester alcohols from, polyurethane foams from, oxygen indices of, 3957
Diethylene glycol bis(allyl carbonate), See also CR-39
Di(2-ethylhexyl adipate), T_g of PVC plasticized by, DSC measurement of, 2869
Diethyl phthalate, sorption of, by nitrocellulose fibers, 2751
Differential scanning calorimetry, See also DSC
Differential thermal analysis, See also DTA
Diffusants, transport of, in ternary laminate slabs, 2901
Diffusion, of cyclic hydrocarbons, in benzene-swollen, divinylbenzene-crosslinked polystyrene beads, 3841
—, of deterrents, into a nitrocellulose-based small arms propellant, 2827
—, oxygen, effects of, on surface photooxidation of PS, 4471
—, solvent, in molten PE, 3987
—, of solvents into plasticized PVC, 3945
—, Taylor, in polymer solutions, falsification of, by slip effects, 2739(N)
—, transient, through multilaminate slabs separating finite and semi-infinite baths, 3835
Diffusion coefficients, of an acid dye, in nylon-6, 2567
—, of organic gases and vapors, 1471
—, from permeation and sorption experiments, 4229
Diffusion-controlled polymerization of styrene, 489
Diffusion–polycondensation, gradient-IPN-modified hydogel beads formed by, 4043
Diglycidyl ether of bisphenol-A, triethylenetetramine-hardened, properties of, 105
3,6-Dihydroxyspiro[fluorene-9,9′-xanthane], epoxy resins prepared from, 3289
Diisobutylene, dimerization of, by oxo acids, 171
Diisopropylbenzene hydroperoxide, 1385
Dilute solution behavior, of a cationic polyelectrolyte, 4467
Dimerization of diisobutylene by oxo acids, 171
2-(Dimethylamino)ethyl methacrylate, copolymers of ethylene glycol dimethacrylate with, 3279
Dimethylaniline–Cu(II) system, graft copolymerization in presence of, 519
Dimethyloldihydroxyethylene urea, reaction with cellulose, LC determination of rate constants for, 1131
N,N′-Dimethyl-1,3-propanediamine, poly(arylene keto amine) prepared from, 2467
Dimethylsiloxane–bisphenol-A-PC block copolymers, TGA of, 601
Dimethyl terephthalate wastes, oligoester alcohols, polyurethane foams, oxygen indices of, 3957
Dinitrotoluene, diffusion of, into nitrocellulose-based propellants, 2827
Dinitrotoluene isomers, hydrogen bonding of, to hydroxyl groups in nitrocellulose, 3621(N)
Dioctylphthalate, transfer to solvent, from PVC, 3945
Diphenylether, decabromo, effect of, on radiation deterioration of EPDM rubber, 3569
4,4-Diphenylmethane diisocyanate, poly(urethane-ures)s prepared from, 2167
Disc rheometry, 4377
3,5-Ditertiarybutyl-4-hydroxybenzyl thioglycollate, stabilization of polyolefins by, 3437
Divinylbenzene, See also crosslinking agents, DVB
DL-phenylalanine, dimethylsiloxane–peptide block copolymers from, 139
DMA, See also Dynamic mechanical analysis
Double-cone flow technique, for determining gas diffusion in polymer solutions, 697
Drawing, of nylon-6 filaments, polymorphism and orientation development in, 3527
Drawing conditions, in production of highly oriented fibers from caprolactam, 1335
Drawing rate effects, on morphological parameters in nylon-6, PET, and PBT filaments, 2369, 3637(E)
Drug delivery, controlled, from gradient-IPN-modified hydrogel beads, 4043
Drug release behavior, of poly(DVB-co-2-vinylpyridine-N-oxide) hydrogels, 33
DSC, 461
—, aromatic polyamide fibers studied by, 1423
—, of H_2O_2-treated lignocellulose, 1019
—, T_g measurement in PVC systems by, 2869
—, novolac-HCHO curing studied by, 893
—, See also Differential scanning calorimetry,
—, straining in partially oriented yarns studied by, 2337
—, study of carbanilated methylcellulose by, 673
—, study of crystallization in blends by, 1053
—, study of epoxy resin cure using, 4283
—, study of stress-induced crystallization in polyisoprenes by, 3553
—, thermal degradation of PS investigated by, 4171
—, utilization of, in oligomer studies, 3591
DSC measurements, determination of specific heat capacities, of polyepoxides by, 289
DSC studies, of crosslinked P(HEMA) membranes, 3133
—, of dehydrochlorinated PV–PMMA blends, 43
—, of irradiated semipermeable membranes, 3427
—, of PET fibers grafted with PVAc and PVA, 3349
—, of phase separation, in segmented polyurethanes, 2891
—, of sulfonated cyclized *cis*-1,4-polyisoprene, 657
DSC study, of properties of PP and glass-reinforced PP with added HDPE, 4669
DTA, of cationic ion exchange resins, 4645
—, characterization of cotton–PS graft copolymers by, 2307
—, See also Differential thermal analysis,
—, styrene–polyester copolymer degradation studied by, 211

DTA studies, of PET fibers grafted with PVAc and PVA, 3349
DTA study, of irradiated HDPE films, containing urethane-based stabilizers, 4199
Dugdale model, for crazes, 3729
Durable press fabric, cotton-containing, chemical factors affecting soiling of and soil release from, 3703
DVB, copolymers with styrene, single beads from, viscoelastic properties of, 277
—, hydrogels formed by irradiation of 2-vinylpyridine and, 33
—, See also Divinylbenzene; crosslinking agents,
—, suspension copolymerization of chloromethylstyrene and styrene with, 133
DVB-crosslinked PS beads, benzene-swollen, diffusion of cyclic hydrocarbons in, 3841
Dyeability, of modified PET fabrics, 3683
Dye acid, diffusion of, in nylon-6, 2567
Dyeing, absorptive, 4745
—, of chemically modified cellulose, 871
—, reactive, 4745
—, transfer dyeing, of synthetic fibers, 903
Dyeing and mechanical properties of nylon 6 filaments subjected to swelling treatments, 4149
Dyeing processes, kinetic aspects of, 2987
Dyeing properties, of wools, 3121
Dyes, adsorption of, on chitin, 3043
Dyestuffs, adsorption of, onto chitin, 4251
Dynamic mechanical analysis, of PP reinforced with mica, 4493
—, See also DMA,
Dynamic mechanical analyzer, study of supported polymers by, 1243
Dynamic mechanical measurements, on glass-reinforced polyesters, 1149
Dynamic mechanical properties, effect of heat treatment of PAN studied by, 2409
—, of sulfonated cyclized *cis*-1,4-polyisoprene, 657
Dynamic mechanical properties of poly(vinyl chloride)–xonotlite composite system, 1523
Dynamic viscoelastic properties, of polymer melts and liquids, measurement of, by modified Rheovibron, 89

E. coli, immobilization of, by polyelectrolyte complexes, 2503
EDAX, study of, acrylamide-grafted nylon-6 films, 2711
—, study of, heavy metal interaction with chitin and chitosan by, 4827
Elasticity, 1367
Elastic properties of oriented low-density polyethylene composites, effect of ultrafine particles on, 3059
Elastomers, compression molding of, anisotropy induced, 4081(N)
—, crosslinked, mechanical properties of, evaluation of, 3239
—, effect of plasma treatments of, 821
—, unvulcanized, and their compounds, rheological properties and solid wall boundary condition of, 3171
Electrets, polymer, from polystyrene and derivatives, stabilities of, 1107
—, polymer studies of, 1967
—, from poly(1-olefin)s, stabilities of, 381
Electrical conductivity, of polyacetylenes, 931
Electrodeposition, of polymers, from nonaqueous systems, 341
Electron beam cured polyacrylo–urethane films, based on polyethylene adipate, 591
Electron beam induced grafting, of acrylic acid onto PE, 1033
Electron-beam-irradiated, HDPE films, oxidative stability of, 4199
Electron beam irradiation, of Viton-crosslinker mixtures, 957
Electron beam lithography, 937
—, relevance of photodegradation of polymers to, 319
Electron-beam preirradiation technique, grafting of acrylamide to nylon-6 by, 2711
Electron irradiation, stability of polybenzoxazoles to, 225
Electron microscopy, characterization of cotton–PS graft copolymers by, 2307
—, of epoxy resin systems, 2919
—, of glass-reinforced polyesters, 1149
—, of isotactic PP composites with talc, 1479
—, morphology of polyesters studied using, 2009
—, of paper coatings based on clay and latex, 4207
—, See also SEM, TEM,
—, studies of silica-filled styrene–butadiene copolymers by, 4387
—, study of hair fractography using, 3809
Electron negative resist, chloromethylated polystyrene, 937
Electron nuclear double resonance, radio-degradation of lithographic polymers studied by, 319
Electron resists, positive, 1441
Electron spectroscopy for chemical analysis, See also ESCA
Electron spin resonance, See also ESR
Electrophilic substitution, of polystyrene, with aromatic anhydrides, 3851
Electrophoresis, deposition of polyimides by, 341
Elongational viscosity, in hot-drawing of porous PE fibers, 2209
Emission systems, types of, observed with controlled-release formulations, 997
Emissivity, of chlorinated polyethylene, 1293
Emissivity values, for poly(vinyl chloride) with varying plasticizer compositions, 1719
Emulsifier-free ethyl acrylate–MMA copolymer, films from, 3185
Emulsion, polymerization, seeded, continuous, 1977
Emulsion copolymerization, kinetics of, 2483
Emulsion polymerization, of butadiene, redox-initiated, 1385
—, multifeed, use of seed polymers in, 2033
—, of styrene, initiated by potassium persulfate, effect of pH on the rate of, 2563
—, of vinyl monomers, initiated by sodium metabisulfite, 1501
Encapsulation, of pesticides, starch–borate complexes used in, 3919
Enthalpy of fusion, molecular aggregation in PP studied by, 3479
Environmental degradation, of some polymer blends, 2317
Environmental stress crazing and cracking, of an aromatic polyetherimide, 2675
Enzymatic hydrolysis of, and enzyme adsorption on, cotton cellulose, 3493
Enzymatic hydrolysis with trichoderma viride, reactivity of different substrates in, 2395
Enzyme adsorption on, and enzymatic hydrolysis of, cotton cellulose, 3493
Enzyme immobilization, support for, 1665
Enzymes, immobilized, treatment of membrane fouling in ultrafiltration by, 21
EPDM, $CaCO_3$ filled, phosphate coupling agents in, 259
—, radiostabilization of, by condensed bromoacenaphthylene, 3569
—, See also Ethylene–propylene–diene rubbers; rubbers,
—, sulfonated, solution behavior of modified hydrocarbon solutions containing, 4623
EPDM rubbers, flame retardance in, effects of brominated acenaphtylenes on, 3329
Epichlorohydrin, condensation of, 1453
—, thioetherglycidyl resins from, 2797
Epoxies, relation between viscoelastic properties and gelation in, 569
Epoxy-based adhesives, high-temperature curing, 4501
Epoxy-modified polyolefins, preparation and reactions of, 425
Epoxy resin, segregated networks based on, viscoelastic behavior of, 4541
Epoxy resin composition, one part, hardener/curing promotor for, 2361
Epoxy-resin-cured carboxylated nitrile rubber, 4561
Epoxy resin–glass beads, polymer coated, viscoelastic properties of, 455

Epoxy resins, 1177
—, amino-hardened, properties of, 105
—, cured with bis(4-aminophenyl)methane, 2015
—, cure of, investigation of, 4283
—, effect of extent of mixing on properties, 3503
—, mechanical properties of, time-dependent changes in, 2919
—, new, 3289
—, reinforced, mechanical properties of, time-dependent changes in, 2919
Epoxy–trialkoxyboroxines triaryloxyboroxine system, stability of, 1177
EPR, coated with PTFE, plasma-induced, 821
—, epoxy-modified, preparation and reactions of, 425
—, See also Ethylene–propylene rubber,
Errata, 769, 1105, 3637
ESCA, plasma treated elastomers studied by, 821
—, See also Electron spectroscopy for chemical analysis,
—, study of fluorocarbon grafting onto PE by, 4019
—, study of plasma polymerized TFE by, 3965
ESR, radio-degradation of lithographic polymers studied by, 319
—, See also Electron spin resonance,
—, study of grafted PEs by, 3743
ESR study of, annealing effects, on plasma-polymerized films, 2139
—, bis(4-aminophenyl)methane cured epoxy resins, 2015
—, pressure dependence of the peroxy radical decay, in irradiated isotactic polypropylene, 1865
—, radiation-induced polymerization of styrene, adsorbed on silica gel, 1259
Ethyl acrylate, copolymers of MMA with, emulsifier-free, porous films from, 3185
—, graft copolymers from methacrylate-terminated PS and, 4773
—, grafted onto jute fibers, effect on tensile properties there of, 4525(N)
—, grafting of, onto wool, redox-induced, 1321
Ethylene, copolymer with vinyl alcohol, H_2O-swelling behavior of, 1139
Ethylene glycol dimethacrylate, copolymers of hydrophilic monomers with, 3279
Ethylene oxide oligomer, as modifier of chalk filler for HDPE, 3669
Ethylene–propylene–diene rubbers, See also EPDM rubbers; rubbers
Ethylene–propylene polymers, expanded, effects of foaming variables on, 1205
Ethylene–propylene rubber, See also EPR; rubber, ethylene–propylene
Ethylene-vinyl acetate copolymer, See also EVA
Ethyl methacrylate, aqueous and emulsion polymerization of, initiated by sodium metabisulfite, 1501
Ethyl-5-norbornene-2,3-dicarboxylate, polyimide resins prepared from, 4295
EVA, See also Ethylene-vinyl acetate copolymer
Expansion coefficient, thermal, of plasma-polymerized film, 2139
Extended hard plastic PP, grafting of acrylamide onto, 637
Extension, chain, of partially neutralized carboxyl-terminated liquid polybutadiene, with bisepoxide, 757
Extensional rheometry, use of, to establish operating parameters for stretching processes, 969
Extensional viscosity, of silica dispersions, 1655
Extrusion, tubular film, of PP, orientation development in, 2663

Fabric, polyester, coloration of, processes for, 4693, 4713
Faraday cage, 3965
Fatigue, dynamic, of PVC, effect of plasticizers on, 3455
—, hygrothermal, effect of, on dynamic mechanical properties, of glass-reinforced polyesters, 1149
Fatigue crack propagation, effect of molecular weight on, 1707
Fe(II)-*t*-butyl hydroperoxide–Fe(II), redox initiation of graft copolymerization by, 2417
Fe(II)–peroxydiphosphate, graft copolymerization redox-initiated using, 2427
FEP, See also copolymer of tetrafluoroethylene and hexafluoropropylene
—, teflon, H_2O permeation of, 3893
Ferric ethylenediaminetetraacetate, 1385
Fibers, highly oriented, from caprolactam, 1335
—, synthetic, vapor phase dyeing of, 903
Fickian diffusion, in EVA copolymers, 1139
Fickian transport model, for penetrant interactions in polyimide, 1163
Fick's law diffusion, in PS beads, 3841
Field-free zone, plasma polymerization of TFE in, 3965
Filled carboxylated nitrile rubber, epoxy-resin-cured, 4561
Filled polymers, surface interaction effects on, 2269
Filler, $CaCO_3$ phosphate coupling agents for, 259
Filler effect, and cure reaction, kinetic model of, 3265
Fillers, modification of Pu properties by blending with, 1933
—, reinforcing, effect on T_g of, 3019
Films, polymer, water vapor permeation through, 1681
Fine structure, of cellulose, modification of, by halogen and heat treatments, 3199
Finite bath, 4745
Finite-concentration gas chromatography, of PET films, 71
FLAG, See also flowing-afterglow
Flame resistance, of epoxy resins, 3289
Flame retardancy, in HET acid containing unsaturated polyester resins, 1629
Flame retardant, for PET, tris(2,3-dibromylpropyl)phosphate as, 575
Flammability, of EPDM rubbers containing brominated acenaphthylene flame retardants, 3329
—, of phenolic polymers, 913
—, of polyurethanes based on tetrakis(hydroxymethyl)phosphonium chloride derivatives, 4137
Flash pyrolysis, of cellulosic materials, using radiant energy, 4313
Flexibility, of PVC, polyurethane-plasticized, 4323
Flexible polymers, low temperature, siloxane–silarylene, 3239
Flexural properties, of PVC, effect of plasticizers on, 3455
Flory–Huggins interaction parameter, (χ), determined from membrane osmometry or light scattering, 353
—, (χ), prediction of, from intrinsic viscosities, 353
—, See also χ,
Flory–Huggins polymer solution theory, 3067
Flow, of polymer solutions, in unconsolidated porous media, 121
Flow behavior of linear PE, poly(butylene terephthalate), and PET, a comparison of, 301
Flowing-afterglow technique, study of polymer thermal degradation by, 461
Flow properties, of irradiated resins of PTFE, 3769
Fluorine containing polymers, grafting of AA onto, radiation-induced, 535
Fluorocarbon elastomers, crosslinking of, EB-induced, 957
Fluorocarbons, grafting of, onto PE, in glow discharge, 4019
Flynn and Wall method, 601
Foaming variables, effects of, on properties of expanded ethylene–propylene terpolymers, 1205
Foams, phenol–formaldehyde, characteristics of, 1191
—, polyurethane, based on tetrakis(hydroxymethyl)phosphonium chloride derivatives, 4137
Formaldehyde–cresol resins, See also cresol–formaldehyde resins
Formaldehyde–phenol resins, See also phenol–formaldehyde resins
Fourier transform infrared spectroscopy, See also FTIR
Fourier transform nuclear magnetic resonance, See also FTNMR

Fractography, of human hair, 3809
Fracture behavior, of human hair, 3809
Fracture surfaces, of epoxy-resin-cured carboxylated nitrile rubber, 4561
—, on glass-reinforced polyesters, 1149
Fracture toughness, impact, of plasticized cellulose acetate, 3585
Free radical desorption, effect of, on the rate of emulsion copolymerization of styrene and methyl methacrylate, 2483
Free radical-initiated grafting, of allyl methacrylate, onto wool, 1249
Free volume, and ionic dc conductivity, in polymers, 4889(N)
Free-volume theory of diffusion, for *o*-xylene–PE system, 3987
Frequency response Bode diagrams, in studies of melt spinning, 4439
Freudlich constants, for adsorption of dyes onto chitin, 3043
Friction, rubber, effects of run-in on, 4735
FTIR, See also Fourier transform infrared spectroscopy
FTIR study, of uniaxially oriented polytetrafluoroethylene, 4587
FTNMR, See also Fourier transform nuclear magnetic resonance
Functional microspheres, preparation of, by suspension copolymerization of diallyl phthalate, 1771
Functional polymer-microspheres, 3279
Furfural-based phosphonic acid cation exchange resins, thermal stability of, 161
Furfural-based phosphonic acid cation exchange resins from *N*-vinylcarbazole and its polymer, 149
Furukawa-type catalysts, for copolymerization of butadiene and propylene, 3639

Gallic acid, amphoteric ion exchange resins formed from epichlorohydrin and, 3793
Gas chromatography, inverse, of wool, 1643
—, kinetics of vinyl chloride copolymerization studied by, 1513
—, kinetics of vinyl 1-olefin copolymerization studied by, 1513
—, See also chromatography, GC,
—, study of polymer/solvent vapor–liquid equilibria using, 3067
Gas diffusion, in polymer solutions, double-cone flow technique, for determining, 697
Gas permeabilities, of cellulose nitrate/poly(ethylene glycol) blend membranes, 2387
Gas permeability of poly(γ-methyl *L*-glutamate) membrane, 1007
Gas sorption and transport in poly(phenylene oxide) and comparisons with other glassy polymers, 2997
Gauss–Jordon techniques, 1759
GC, finite-concentration, surface characterization of PET films by, 71
—, inverse, surface characterization of PET film by, 71
—, pyrolysis, study of sulfur bridges in rubber vulcanizates by, 2527
—, See also Gas chromatography; chromatography,
GC analysis of reaction of vinyl chloride and propene, 2079
GCMS, styrene–polyester copolymer degradation studied by, 211
GC–MS analysis, of HET acid containing unsaturated polyester resins, 1629
GC–MS analysis of PP thermal oxidation products, 2539
GC–MS–PY, See also pyrolysis–gas chromatography–mass spectrometry
Gelatin, grafting of butyl acrylate onto, redox-induced, 1313
—, as suspension copolymerization stabilizer, 133
Gelation, in thermosetting systems, relation between viscoelastic properties and, 569
Gel permeation chromatography, See also GPC, SEC; chromatography
Gel permeation chromatography use of microcomputer with, 3461
Gels, alginate, controlled release of herbicides from, 3341
Gel suspensions, closely packed, rheological properties of, 4377
Gibbs–Donnan treatment for acid titrations, of wools, 3121
Glass-epoxy resin beads, polymer coated, viscoelastic properties of, 455
Glass-fiber-reinforced laminates, interlaminar shear in, 2577
Glass fibers having pendent SH groups, grafting onto, 4849
Glass microspheres, epoxy resin reinforcement by, 2919
Glass-reinforced polyesters, hygrothermal fatigue effect on, 1149
Glass-reinforced PP, effect of addition of HDPE on properties of, 4669
Glass-transition behavior, of particle composites modeled on the concept of interphase, 3019
Glassy polymers, gas sorption and transport in, 2997
—, plastic zones at the tips of inclined cracks in, 879
Glow discharge, grafting of fluorocarbons, onto PE in, 4019
Glow discharge polymerization, surface hardening of polymers by, 4655
—, of trimethylvinylsilane and tetramethylsilane, 4337
Glucose oxidation, by polyelectrolyte complex immobilized *E. coli*, 2503
Glycidyl methacrylate, grafted onto PET fabric, 3683
—, grafting of, on polyolefins, 425
—, and mixtures containing some, thioureaoxide system induced grafting of, on cotton, 2105
Gordon–Taylor equation, 455
GPC, high-temperature, coupling of, with continuous viscometry, 4867
—, long-branching in PVAc measured by, 113
—, See also gel permeation chromatography; SEC; chromatography,
GPC methods for estimation of Mark–Houwink–Sakurada constants, 1081(N)
GPC studies, of peptide–dimethylsiloxane block copolymers, 139
Graftability, of beaten and acetylated pulps, 3691
Graft copolymers, characterization of, 2307
Grafted, cotton–PS copolymers, properties of, 2307
Grafting, of acrylamide, onto PE, photoinduced, 3743
—, of acrylamide, to nylon-6, by the electron-beam preirradiation technique, 2711
—, of acrylated azo dyes, onto polymer surfaces, 527
—, of acrylic acid, onto PE film, by preirradiation method, 1033, 1043
—, of acrylic acid/styrene mixtures, on PET fibers, H_2O_2-induced, 197
—, of acrylonitrile, onto cellulose, 2377
—, of acrylonitrile, onto hemicellulose, 4239
—, of acryloxy-substituted aromatic diazenes onto PP, polycaprolactam, and PET, films, 527
—, of allyl methacrylate, onto wool fabric using different initiators, 1249
—, of AN, onto starch, Ce(IV)-initiated, 2731(N)
—, effect of, on the tensile properties of jute fiber, 4525(N)
—, of fluorocarbons, onto polyethylene, in glow discharge, 4019
—, of glycidyl methacrylate, on polyolefins, 425
—, melt, of UV stabilizers, onto polymers, 2605
—, of methyl acrylate, onto hemicellulose, Ce(IV)-initiated, 4239
—, of methyl acrylate onto starch, irradiation-induced, 4115
—, of methyl methacrylate and ethyl acrylate, onto wool, 1321
—, of methyl methacrylate onto nylon-6 in presence of γ-picoline–bromine charge transfer complex, 1853(N)
—, of methyl methacrylate, onto nylon-6, using acetylacetonate complex of Mn(III), Co(III), and Fe(III), 1959

—, of methyl methacrylate, onto nylon 6, using *N*-bromosuccinamide as photoinitiator, 3625(N)
—, of methyl methacrylate, onto nylon-6, using the V^{5+}–thiourea redox system, 1839(N)
—, of methyl methacrylate, onto PET fibers using tetravalent cerium as initiator, 1873
—, of methyl methacrylate, onto PET fibers, using Tl(III) as initiator, 3867
—, of methyl methacrylate, onto PET using potassium permanganate–oxalic acid redox system, 2131
—, of methyl methacrylate, onto silk, using potassium peroxydiphosphate–cysteine redox system, 2403
—, of methyl methacrylate, onto silk using thallium (III) as initiator, 1903
—, of methyl methacrylate, onto wool, by use of ferrous ion–peroxodiphosphate, 2427
—, of methyl methacrylate, onto wool, using thallium(III) ions as initiator, 4547
—, of MMA, onto nylon-6, photoinduced by charge transfer complex, 1853(N)
—, onto cellulose, of acrylonitrile, 2377
—, onto glass fibers, 4849
—, onto glass fibers, surface-modified, 4529
—, onto nylon-6, of MMA, photoinduced by charge transfer complex, 1853(N)
—, onto wool, 2417
—, onto wool, of vinyl monomers, redox-induced, 1321
—, on PE, of sulfonates, radiation-induced, 2189
—, photochemical, of acrylated azo dyes, onto polymer surfaces, 527
—, photoinduced, of MMA, onto cellulose, 3787
—, of polymeric side chains, to gelatin, redox-induced, 1313
—, of poly(vinyl acetate), onto PVA, 1607
—, radiation, of acrylic acid, onto fluorine-containing polymers, 535
—, See also individual substrates,
—, See also radiation-induced copolymerization; photocopolymerization; individual monomers,
—, of styrene, on polymers, polyfunctional of monomer enhancement of, radiation-induced, 4893(N)
—, of styrene onto starch, irradiation-induced, 4115
—, of sulfonates on PE, radiation-induced, 2189
—, of vinyl monomers, on cellulose, using peroxyacetic acid–ferrous ion redox initiator system, 1119
—, of vinyl monomers, onto cellulose, 1859(N), 2725(N)
—, of vinyl monomers, onto nylon-6, 1839(N), 1959, 2295(N)
—, of vinyl monomers, onto polyester fibers, 1873, 2131
—, of vinyl monomers, onto silk fibers, 1903
—, of vinyl monomers, onto wool, by use of TBHP–FAS as redox initiator, 2417
—, of vinyl pyridine, onto plasma-treated PP, 1735
Grafting of acrylamide, onto polyethylene terephthalate with potassium permanganate as initiator, 1845(N)
Grafting of acrylonitrile, onto bagasse and wood pulps, 3027
Grafting of methyl methacrylate, onto cellulose fibers, using acetylacetonate complex of vanadium ion, 2725(N)
—, onto cellulose, using acetylacetonato–cobalt(III) complex, 1859(N)
—, onto nylon-6, using peroxydiphosphate as initiator, 1417(N)
—, onto nylon-6, using peroxydisulfate as initiator, 2295(N)
—, onto wool, in presence of vanadyl sulfate–$KBrO_3$ in aqueous medium, 507
—, onto wool, using dimethylaniline/copper(II) system, 519
Grafting of vinyl monomers, onto nylon-6, 1417(N)
Grafting onto glass fiber having pendent mercaptan groups, 4849
Graft polymers, with macromonomers, 4773
Graphic method, for the determination of monomer reactivity ratios, 2747(N)
Gravimetric sorption technique, penetrant interactions in polyimide measured by, 1163
Griffith criterion, of brittle fracture, 3809
GSMS analysis of pyrolyzates from PVC, 1355
Guar gums, substituted, rheological properties of, in aqueous solution, 1533
Guayule polyisoprenes, stress-induced crystallization in, 3553

Hair, fracture behavior of, 3809
Halides, water-leaching of, from polymers, 1795
Halogen, cellulose fine structure modified by treatment with, 3199
Hardener/curing promotor, for one part epoxy resin composition, 2361
Hardening, surface, of polymers, by glow discharge polymerization, 4655
Hardness, of PVC, effect of plasticizers on, 3455
HCSTR, novolac-type phenol–formaldehyde resins prepared in, 3393
—, See also homogeneous, continuous-flow, stirred-tank reactor,
HDPE, See also high-density polyethylene; PE
Heat, cellulose fine structure modified by treatment with, 3199
Heat and mass transfer, in polyester fabric coloration, 4693, 4713
Heat capacity, specific, of polyepoxides, 289
Heat distortion temperature, of PP reinforced with mica, 4493
Heat evolution, estimation of, during viscoelastic crack propagation by liquid crystal film technique, 3763
Heat-resistant polymers, processable, 4345
Heat treatment, effect of, on the structure and mechanical properties of polyacrylonitrile fibers, 2409
Heavy metal complexation, of crosslinked poly(amine-amide) resins, 2239
Heavy metals, interaction of, with chitin and chitosan, 4827
α-Helical structure, of poly(γ-methyl *L*-glutamate) membranes, 1007
HEMA, See also 2-hydroxethyl methacrylate; PHEMA
Hemicellulose, grafting of acrylonitrile onto, Ce(IV)-initiated, 4239
—, grafting of methyl acrylate onto, Ce(IV)-initiated, 4239
HET acid containing unsaturated polyester resins, flame retardancy in, 1629
Heterogeneous catalysis, propylene polymerization through, 1691
Heterophase alkaline condensation, thioetherglycidyl resins prepared by, 2797
Hevea polyisoprenes, stress-induced crystallization in, 3553
Hexahydrophthalic anhydride, divalent metal salts of, poly(propylene glycol) crosslinked by, 3877
Hexamethyldisiloxane, plasma-polymerized films of, 2139
Hexamethylene diisocyanate, P(HEMA) membranes crosslinked by, transport phenomena of solutes through, 3133
1-Hexene, oligomerization of, cationic, 2593
High-density polyethylene, See also PE, HDPE
High energy plates, from CR-39-unsaturated carboxylic acid system, 545
High-impact polystyrene, See also PS, HIPS
High-performance adsorption chromatography, of polymers, 3629(N)
High-performance liquid chromatography, See also chromatography, liquid; liquid
High surface energy polymer plates, 4839
High-temperature coupling, of high-speed GPC, with continuous viscometry, 4867
High-temperature curing, epoxy-based adhesives, 4501
HIPS, See also high-impact polystyrene; PS
Hoffman–Weeks approach, 4065
H_2O_2-induced graft polymerization, of acrylic acid/styrene mixtures, on PET fibers, 197
Homogeneous, continuous-flow, stirred-tank reactor, See also HCSTR

Homopolymerization, and copolymerization, of vinyl chloride, 1513
Hot-drawing behavior, of porous high-molecular-weight polyethylene fibers, 2209
HPLC, imidization of polyimide resins studied by, 4295
—, oligomerization in polymerization of ϵ-caprolactam studied by, 2791
—, See also high-performance liquid chromatography; liquid chromatography; chromatography, liquid,
Huggins' constant, and unperturbed parameter of dilute polymer solutions, 1675
Hydrocarbons, cyclic, diffusion of, in swollen, crosslinked PS beads, 3841
—, solution behavior of ionomers in, 4623
Hydrocarbon vapors, condensable, sorption in LDPE of, 331
Hydrodyanmic radius of polymers, 3357
Hydrogel beads, gradient-IPN-modified, controlled drug delivery from, 4043
Hydrogels, poly(2-vinylpyridine-N-oxide)—DVB, 33
Hydrogen bonding, of dinitrotoluene isomers, to unesterified hydroxyl groups in nitrocellulose, 3621(N)
Hydrolysis, alkaline, of polyester fibers, 247
—, enzymatic, of cellulosic substrates, using *Trichoderma Viride*, 2395
—, enzymatic, of cotton cellulose, 3493
—, of melamine formaldehyde/acrylic copolymer films, 3651
—, of resin-coated poly(ethylene terephthalate) yarns, 1589
Hydrolysis of dextrin, catalysis of, by poly(vinyl alcohol-co-styrenesulfonic acid) resin, 1601
Hydrolytic polymerization, of ϵ-caprolactam, 731, 2791
Hydrolytic polymerization of caprolactam, MWD in, 1099(N)
Hydrolyzed polyacrylonitrile-grafted cellulose, rheological properties of, 1995
Hydrolyzed polyester, moisture-related properties of, 4477
Hydrophilic monomers, copolymers of ethylene glycol dimethacrylate with, 3279
Hydrophobic chromatography, of proteins, UV effect on, 4273
Hydroquinone diacetate, copolyesters from, liquid crystalline, rheological properties of, 1343
Hydroquinone diglycidyl ether, chain extension of carboxyl-terminated PB with, 757
2-Hydroxy-4-acryloyloxybenzophenone, melt grafting of, onto polymers, 2605
p-Hydroxybenzoic acid, amphoteric ion exchange resins formed from epichlorohydrin and, 3793
—, copolyester of ethylene terephthalate with, 2009
2-Hydroxyethyl methacrylate, See also HEMA, PHEMA
Hydroxyl groups, in nitrocellulose, hydrogen bonding of dinitrotoluene isomers to, 3621(N)
2-Hydroxy-4-methacrylonyloxybenzophenone, melt grafting of, onto polymers, 2605
3-Hydroxy-α-naphthoic acid, amphoteric ion exchange resins formed from epichlorohydrin and, 3793
Hydroxy propyl-substituted guar gums, rheological properties of, 1533
Hydroxy-substituted aromatic carbonyl compounds in the photostabilization of polypropylene, 2761
Hygrothermal fatigue, effect of, on dynamic mechanical properties of glass-reinforced polyesters, 1149

Image analysis, swell of suspension PVC measured by, 3219
Imidazole, 1-vinyl-2-methyl-, photoinitiated polymerization of, 3151
Imidization, of the aromatic polyimide LARC-160, 4295
Immobilization of microorganisms, by polyelectrolyte complexes, 2503
Immobilized enzymes, treatment of membrane fouling in ultrafiltration by, 21
Impact fracture toughness, of plasticized cellulose acetate and the relationship with secondary loss transition, 3585
Impact resistant plastic foam of dehydrochlorinated poly(vinyl chloride)—poly(methyl methacrylate), 43
Indan derivatives, recovery of, from polystyrene waste, 857
Inflation of thick-walled inner tubes and tires, 11
Inorganic precipitate filled cellulose acetate membranes, reverse osmosis rejection in, 621
Instron capillary rheometer, 301
Instron Model 1125 Universal testing machine, 1933
Interaction, of heavy metals, with chitin and chitosan, 4827
Interaction parameter, χ, prediction of, from intrinsic viscosity, 353
—, See also Flory–Huggins interaction parameter; χ,

Interfacial polycondensation, aromatic polyamide fibers prepared by, 1423
Interfacial tension components for liquid–solid systems, estimation of, from contact angle measurements, 271
Interlaminar shear properties of glass-fiber-reinforced phenolic and polyester laminates, 2577
Interlaminar shear strength, of hybrid-reinforced phenolic laminates, 4759
Internal reflection IR spectroscopy, multiple, PVC degradation studied by, 3313
Internal stress distributions, in sheets of PMMA and polycarbonate, 769(E)
Interpenetrating polymer network, See also IPN; individual polymers
Interpenetrating polymer networks, comparison of semi-2 and full, 3513
Interpolymer anionic composite reverse osmosis membrane, derived from PVA and poly(styrene sulfonic acid), 2783, 2845
Interpolymerization, of styrene and divinylbenzene in PE, 1833(N)
Intrinsic viscosity, See also viscosity
Inverse chromatography, to evaluate interaction parameters for filled polymers, 2269
Inverse gas chromatography, of wool, 1643
Inverse GC, surface characterization of PET film by, 71
Ion binding, by modified onion skins, 1727
Ion exchange and sorption of charged molecules, by cotton cellulose, 631
Ion exchange resin, cation, phosphonic acid, from furfural condensates, 149, 161
Ion exchange resins, amphoteric, 3793
—, cationic, from PS electrophilically substituted with pyromellitic dianhydride, 4645
—, prepared from chloromethylated PE/PE/poly(styrene-co-DVB) system, 1833(N)
Ionic conductivity, of hybrid films, based on polyacrylonitrile and their battery application, 4191
Ionic dc conductivity, in polymers, 4889(N)
Ionomer, surface-modified Kevlar fiber reinforced, 3903
Ionomers, solution behavior of, 4623
Ion selective membranes, cellulose acetate composite, as, 621
IPN, gradient, modified hydrogel beads, 4043
—, See also interpenetrating polymer network,
IPNs, based on poly(*n*-butyl acrylate) and PS, 3513
IR, analysis of aromatic polyamides, 2053
—, analysis of cellulose solutions in solvents containing chloral, 2445
—, analysis of copolymers of acrylamide and sulfonated monomers using, 3103
—, analysis of penetrant sorption in polyimides, 1163
—, analysis of PVC degradation products, 2615
—, analysis of UV stabilizers melt grafted onto polymers, 2605
—, aromatic polyamide fibers studied by, 1423
—, of cationic ion exchange resins, 4645
—, cellulose fine structure modifications studied by, 3199

—, characterization of cotton–PS graft copolymers by, 2307
—, novolac-HCHO curing studied by, 893
—, study of carbanilated methylcellulose by, 673
—, study of thioether glycidyl resins by, 1453
IR dichroism, study of acrylonitrile copolymer orientation by, 3407
Irganox 1076, stabilization of polyolefins by, 3437
Iron(III) acetylacetonate complexes, graft copolymerization initiated by, 1959
Irradiated lithographic polymers, study of, by electron spin resonance and electron nuclear double resonance, 319
Irradiated PTFE resins, flow properties of, 3769
Irradiation, effect of, on PE, *in vacuo*, 4085
—, effect of, on PE, in air, 4093
—, effect of, on semipermeable membranes, 3427
—, electron, stability of polybenzoxazoles to, 225
—, γ-, of PP, free radicals generated by, 1865
—, γ-, of 2-vinylpyridine-DVB mixtures, hydrogels formed by, 33
—, *in vacuo*, 4085
γ-Irradiation, effect of, on PE, 4085, 4093
IR spectra, of heat-treated PAN, 4101
—, of PAN prepared in presence of sodium lauryl sulfate, 3859
—, of peptide–dimethylsiloxane block copolymers, 139
—, of polyamideimides, 4345
—, of thioetherglycidyl resins, 2797
—, of VP copolymers, 1883
IR spectral studies, of bis(4-aminophenyl)methane cured epoxy resins, 2015
—, of dehydrochlorinated PVC–PMMA blends, 43
IR spectrophotometry, photodegradation of polyisobutylene film studied by, 1945
IR spectroscopy, effect of heat treatment of PAN studied by, 2409
—, imidization of polyimide resins studied by, 4295
—, multiple internal, PVC degradation studied by, 3313
—, See also MIR, FTIR, TIR,
—, study of cellulose polymorphs by, 709(A)
—, styrene–polyester copolymer degradation studied by, 211
IR studies, of degradation of melamine formaldehyde/acrylic copolymer films, 3651
—, of hydrolysis of uncoated and resin-coated PET yarns, 1589
—, of irradiated semipermeable membranes, 3427
—, of sulfonated cyclized *cis*-1,4-polyisoprene, 657
Isobutylene tetramer, synthesis of, 171
Isocyanate precursors, *in situ*, aminimide compounds as, 2361
Isocyanates, reaction of protonic substrates with, catalysis of, 4221
—, reaction with protonic substrates, catalysis of, by amino compounds, 4029
Isoprene, block copolymers with styrene, pressure-sensitive adhesives based on, 1745
Isopropoxy triisostearoyl titanate, as coupling agent in PP-$CaCO_3$ composites, 97
Isotactic P(HEMA) membranes, transport phenomena of solutes through, 3133
Isotactic poly(1-olefin)s, electrets from, stabilities of, 381
Isotactic polypropylene, composites of, with talc, 1479
—, crystallization nuclei in, 1479
—, effect of UV on, 2457
—, molecular aggregation in amorphous region of, 3479
—, peroxy radical decay in, 1865
—, preoriented, zone-drawing in, 2091
—, proton relaxation times in, 2197
—, thermal oxidation of, 2539
Isothermal oxidative degradation, of furfural condensates with *N*-vinylcarbazole and its polymers, 161
Isotherms, crystallization, for poly(vinyl alcohol), 4787
Isoviscosity effect, in hydrocarbon solutions of ionomers, 4623
Izod impact strength, of PP reinforced with mica, 4493
—, of rubber-modified PS, 1395

Jeffamine AP-22, polyimide resins prepared from, 4295
Jute fiber, grafting acrylonitrile onto, effect of, on tensile properties, 4525(N)
—, grafting of ethyl acrylate onto, effect of, on tensile properties, 4525(N)
—, grafting of methyl methacrylate onto, effect of, on tensile properties, 4525(N)
—, grafting of monomers onto, effect of, on tensile properties, 4525(N)
Jute fiber-reinforced rubber composites, effect of particulate fillers on, 4611

Kapton, See also polyimide
$KBrO_3$–vanadyl sulfate system, graft copolymerization in presence of, 507
Kedar, See also copolyester
Ketone aromatic, combination with amine, photopolymerization of AN sensitized by, 2683
Kevlar, See also poly(*p*-phenylene terephthalamide)
Kevlar fiber, surface-modified, PE and ionomer reinforced by, 3903
Kinetics, of high conversion polymerization, of vinyl acetate, 2249
$KMnO_4$–oxalic acid, grafting of vinyl monomers onto PET initiated by, 2131
Kodar, a copolyester from 1,4-cyclohexanedimethanol and a mixture of terephthalic and isophthalic acids, 4065

Laminates, glass-fiber-reinforced, interlaminar shear in, 2577
Laminate slabs, multi-transient diffusion in, 3835
—, ternary, transport of diffusants in, 2901
Langmuir constants, for adsorption of dyes onto chitin, 3043
LARC-160, imidization of, 4295
—, See also polyimide resin,
Laser light scattering, low angle, particle size distribution determined by, 2885
Laser light scattering photometry, long branching was measured, 113
Latex–clay coatings, consolidation of structure of, 4207
Latex growth, particle size dispersion during, 363
Lauryl sulfate, sodium, effect of, on the polymerization of acrylonitrile, 3859
LC, See also liquid chromatography; chromatography
LDPE, See also low-density polyethylene; PE; polyethylene
Leaching, of halides, from polymers by H_2O, 1795
LiCl, tertiary solutions of cellulose containing, ^{13}C-NMR spectroscopy of, 2435
$LiCO_3$/orlon filled DAP composites, thermal degradation of, studied by FLAG spectroscopy, 461
Light-focusing plastic rod, 3253
Light scattering, determination of χ from, 353
—, laser, low angle, particle size distribution determined by, 2885
—, photodegradation of polyisobutylene film studied by, 1945
—, from polyethylene solutions, 3929
Light scattering photometry, laser, low-angle, long-branching measured by, 113
Lignocellulose, H_2O_2-treated, DSC of, 1019
Liquid-chromatographic determination of rate constants, 1131
Liquid chromatography, See also chromatography, LC
Liquid crystal film technique, estimation of heat evolution during crack propagation by, 3763
Liquid crystalline copolyesters, rheological properties of, 1343
Liquid crystalline solutions, formation of poly(*p*-phenylene diamine) films from, 2965
Liquid–solid systems, estimation of interfacial tension components in, 271

Lithography, electron beam, 937
—, electron beam, relevance of photodegradation of polymers to, 319
London (nonpolar) interactions of PET surface, 71
Long-branching, PVAc, 113
Low-density polyethylene, See also LDPE; PE; polyethylene
Lubricity, of elastomers, effect of plasma treatment on, 821
Lysozyme, chromatography, adsorption, photocontrolled, for, 1897

Macroinorganics, applied, 2239
MACROMER, graft polymers from, 4773
—, See also monounsaturated narrow molecular weight polymers; polystyrene–methacrylate-terminated,
Macroporous poly(styrene-*co*-DVB), single beads of, properties of, 277
Maleic anhydride, copolymers of *p*-vinylbenzoylacetone with, chelates containing, 811
Manganese(III) acetylacetonate complexes, graft copolymerization initiated by, 1959
Mark–Houwink–Sakurada constants, GPC methods for estimation of, 1081(N)
Mark–Houwink–Sakurada equation, 1675
Mar resistance, of high energy plates, from CR-39-unsaturated acid system, 545
Mass and heat transfer, in polyester fabric coloration, 4693, 4713
Mass median diameter, for a viscoelastic fluid or viscous Newtonian fluid, 397
Mass spectrometry, investigation of polybenzoxazole stability to ionizing radiation by, 225
Mass transfer effects, in polycondensation reactors wherein functional groups are not equally reactive, 1217
Maxwell model, 1487
McBain quartz spring balance, 1163
Mechanical behavior and structure, of single beads of homogeneous and macroporous styrene–DVB copolymers, 277
Mechanical properties, of blends containing HDPE and PP, 2351
—, of crosslinked elastomers, evaluation of, 3239
—, of epoxy resins, time-dependent changes in, 2919
—, of grafted surface-modified glass fibers, 4529
—, of nylon 6 filaments, subjected to swelling, 4149
—, of polypropylene/crosslinked rubber blends, 4799
Melamine formaldehyde/acrylic copolymer films, hydrolysis of, 3651
Melt flow index, rheograms of cellulosic polymers from, 4399
Melt grafting, of UV stabilizers, onto polypropylene, polyethylene, and polystrene, 2605
Melting and crystallization behavior, of miscible copolyester–polycarbonate blends, 4065
Melting point depression, analysis of interaction parameter by, 4065
Melting temperature, molecular aggregation in PP studied by, 3479
Melt rheology, of blends of semicrystalline polymers, 1913
Melts, study of, of pressure-sensitive adhesives, from butadiene or isoprene block copolymers with styrene, 1745
Melt spinline, computing temperature field in, 2729(N)
Melt spinning, transfer function approach to, 4439
Melt viscosity, 1367
—, of irradiated PTFE resins, 3769
Membrane, from blends of PS and poly[1,1,1-tris(trimethylsiloxy)propylsilane methacrylate], gas permeability of, 2025
—, cellulose acetate composite, reverse osmosis rejection in, 621
—, cellulose nitrate/poly(ethylene glycol) blend, gas permeabilities of, 2387
—, IPN-modified hydrogel beads used in, 4043
—, permselective, from acrylamide-grafted nylon-6 films, 2711
—, PET, pervaporation of athermal $C_4H_6/CH_3C_6H_5$ mixture by, 2179
—, poly(2-hydroxyethyl methacrylate) permeation through, temperature effect on, 4661
—, poly(γ-methyl *L*-glutamate), gas permeability of, 1007
—, poly(γ-methyl L-glutamate), pervaporation of binary liquids by, 4229
—, porous, composite of PVA with poly(vinyl acetate) as, 1607
—, PVA, selective permeability of, 79
—, reverse osmosis, from PVA and poly(styrene sulfonic acid), 2783, 2845
—, semipermeable, effect of irradiation on, 3427
Membrane fouling, and treatment with immobilized enzymes for protein ultrafiltration, 21
Membrane osmometry, determination of χ from, 353
Mercaptan groups, glass fibers having pendent, grafting onto, 4849
Mercerization, of wood pulps, highly reactive, for cellulose acetate production, 4599
Mercerization of cotton, effect of, on dyeing, 871
Mercuric ions, removal of, by systems based on cellulose derivatives, 747
Methacrylates, crosslinking of unsaturated polyester resins by, 3577
—, See under individual alcohol moieties,
Methacrylate-terminated polystyrene, graft polymers from, 4773
Methacrylate-terminated PS, See also MACROMER
Methacrylic acid, copolymers of ethylene glycol dimethacrylate with, 3279
—, PE grafted with, acrylamide grafted onto, 3743
—, segregated networks based on, viscoelastic behavior of, 4541
Methanol, diffusion of, through PE membranes, 1471
Methyl acrylate, aqueous and emulsion polymerization of, initiated by sodium metabisulfite, 1501
—, copolymers of acrylonitrile with, orientation in, 3407
—, grafted onto starch, extrudates of, effect of water on, 4115
—, grafting of, onto hemicellulose, Ce(IV)-initiated, 4239
—, grafting of, onto wool, redox-initiated, 2417
Methyl methacrylate, aqueous and emulsion polymerization of, initiated by sodium metabisulfite, 1501
—, copolymerization of, with aromatic carboxylic acid vinyl esters, 3253
—, copolymers of ethyl acrylate with, emulsifier-free, porous films from, 3185
—, grafted onto jute fibers, effect on tensile properties there of, 4525(N)
—, grafting of, onto cellulose, 1119
—, grafting of, onto cellulose, acetylacetonate–Co(II) complex as initiator of, 1859(N)
—, grafting of, onto cellulose, photoinduced, 3787
—, grafting of, onto nylon-6, 1839(N), 1959
—, grafting of, onto nylon 6, *N*-bromosuccinamide photoinduced, 3625(N)
—, grafting of, onto nylon-6, peroxydisulfate-initiated, 2295(N)
—, grafting of, onto PET fabric, 3683
—, grafting of, onto PET fibers, 2131
—, grafting of, onto PET fibers, Tl(III)-induced, 3867
—, grafting of, onto polyester fibers, 1873
—, grafting of, onto silk, 1903
—, grafting of, onto silk, using redox system, 2403
—, grafting of, onto surface-modified glass fibers, 4529
—, grafting of, onto wool, 507, 519
—, grafting of, onto wool, redox-induced, 1321
—, grafting of, onto wool, Tl(III)-initiated, 4547
—, PE grafted with, acrylamide grafted onto, 3743
—, photopolymerization of, anthraquinone-sensitized, 1465
—, See also MMA,
—, segregated networks based on, viscoelastic behavior of, 4541
Methylol cellulose, carbanilate, preparation of, 673
—, carbanilation of, 673
Mica particles, PP reinforcement by, effect of filler size on, 4493

Mica–PP composites, chlorinated hydrocarbon coupling agents for, 4179
Micellar molecular weight, of emulsifier, in styrene emulsion polymerization, 2563
Micelles, of cetyltrimethylammonium bromide, 1501
Michaelis–Menten model, for hydrolysis of cotton cellulose, 3493
Microcomputer, use of, with a gel permeation chromatograph, 3461
Microcracking/healing phenomenon in polycarbonate at room temperature, 2809
Microencapsulation of water-soluble materials using a ternary copolymer of VAc, VC, and VA, 4753
Micromechanics, craze, analysis of, 4263
Microorganisms, immobilization of, by polyelectrolyte complexes, 2503
Microscopy, of nitrocellulose fibers, diethyl phthalate sorption studied by, 2751
—, surface crystallization of PET fibers studied by, 3597
Microspheres, functional polymer, 3279
—, glass, epoxy resin reinforcement by, 2919
—, polymer, preparation of functional, by suspension copolymerization of diallyl phthalate, 1771
Microwave plasmas, effect of, on polymer fillers, 2269
Mineral oil, effects of, on the rheological behavior, of polystyrene melts, 4637
—, plasticization of PS by, 4637
MIR, See also multiple internal reflection IR spectrometry; IR
—, study of surface photooxidation of PS using, 4471
Miscibility, of poly(caprolactone) blends with chlorinated polypropylene or poly(chlorostyrene), 559
—, of poly(neopentyl glycol adipate)/chlorinated polymer blends, 1091(N)
—, of PVC and polycaprolactone-based polyurethanes, 4323
Miscible binary blends containing the polyhydroxy ether of bisphenol-A and various aliphatic polyesters, 839
Mixing, effect of, on epoxy resin properties, 3503
MMA, emulsion copolymerization of styrene with, kinetics of, 2483
—, grafting of, onto cellulose, initiated by V(V)–acetylacetonate complex, 2725(N)
—, grafting of, onto nylon-6, 1417(N)
—, grafting of, onto wool, redox-initiated, 2417, 2427
—, See also methyl methacrylate,
Mn(III), trichloroaquobipyridyl/2,2′-thiodiethanol, redox polymerization initiated by, 2229
Modeling of poly(ethylene terephthalate) reactors, 2625
Modulus, shear, in closely packed gel suspensions, 4377
—, and tie chains, of nylon 6 fibers, 3211
Moisture, effect of, on dielectric relaxations in wood, 439
Moisture diffusion, characterization of amino-hardened epoxy resins by, 105
Moisture regain, improved of PET grafted with acrylic acid/styrene mixtures, 197
—, of modified PET fabrics, 3683
Moisture-related properties of hydrolyzed polyester, 4477
Molecular aggregation, in amorphous region, or preoriented polypropylene, 3479
Molecular parameters, role of, during flow of polymer solutions in unconsolidated porous media, 121
Molecular weight, effect of, on fatigue crack propagation in nylon-66 and polyacetal, 1707
Molecular weight determination, by light scattering, of VP copolymers, 1883
Molecular weight distribution, in batch hydrolytic polymerization of caprolactam, 1099(N)
—, for nonequimolecular polycondensation in CSTRs, 63
—, See also MWD,
Mono(hydroxyethyl) phthalate derivatives, salts of, crosslinking of poly(propylene glycol) by, 3877
Monomer reactivity ratios, graphic method for determining, 2747(N)
Monsanto Rheometer 100, 3265
Morphological parameters, drawing rate effects on, in nylon-6, PET and PBT filaments, 2369
—, of nylon 6, PET and PBT filaments, drawing rate effects on, 3637(E)
Morphological properties, of wet-spun aromatic polyamide fibers, 1423
Morphology, of the aromatic copolyester of PET and 80 mol % of *p*-acetoxybenzoic acid, 2009
—, of crystallized PET, 773
—, of ethylene–propylene polymers, effect of foaming variables on, 1205
—, of segmented polyurethanes, TEM study, 645
Morphology and mechanical properties, of radiation-polymerized urethanelates, 591
Mortars, polymer-impregnated, effects of coupling agents on, 2151
Multifeed emulsion polymers, 2033
Multiple internal reflection infrared spectroscopy, study of PVC degradation by, 3313
Multiple internal reflection IR spectrometry, See also MIR, IR
MWD, of degraded PVC samples, 2615
—, relation of rheological functions to, 4637
—, in reversible PET reactors, 4421
—, See also molecular weight distribution,
—, of substituted guar gums, 1533

2-Naphthoic acid, 3-hydroxy-, amphoteric ion exchange resins formed from epichlorohydrin and, 3793
Necking drawing, orientation of LDPE composites by, 3059
Necking failure, 969
Neoprene, long-term permeation of water through, 2743(N)
Network changes, in natural rubber vulcanizates, under compression, 1827(N)
Neutral organophosphoryl methyl ester–metal chloride interactions, 4821
Newtonian fluid, viscous median mass diameter of, 397
Newton ring method, 2139
Nitrile rubber, carboxylated, epoxy-resin-cured, 4561
—, treated with CF_4 plasma, 821
Nitrocellulose, hydrogen bonding of dinitrotoluene isomers to hydroxyl groups in, 3621(N)
Nitrocellulose-based propellants, diffusion of deterrents into, 2827
Nitrocellulose fibers, diethyl phthalate sorption by, 2751
Nitrogen analysis, of polyamideimides, 4345
Nitrous oxide index studies, in PAN combustion, 3369
NMR, ^{13}C-, analysis of copolymers of acrylamide and sulfonated monomers using, 3103
—, ^{13}C, configuration of cresol–novolak resins determined by, 3449
—, ^{13}C-, imidization of polyimide resins studied by, 4295
—, ^{13}C-, spectroscopy of cellulose solutions, 2435
—, proton relaxation times in isotactic PP studied by, 2197
—, study of thioether glycidyl resins by, 1453
NMR analyses, of cellulose solutions in solvents containing chloral, 2445
NMR-H^1, study of carbanilated methylcellulose by, 673
NMR spectra, of thioetherglycidyl resins, 2797
—, of VP copolymers, 1883
NMR studies, of sulfonated cyclized *cis*-1,4-polyisoprene, 657
Nonaqueous electrophoretic deposition of polymers, 341
Nondestructive testing, for cure in resins, 4283
Nonequimolecular polycondensation, in CSTRs, 63
Non-steady-state transport of diffusants in ternary laminate slabs, 2901
Norbornadiene, plasma-polymerized films of, 2139
Novolacs, curing of, with paraformaldehyde, 893

—, flammability of, 913
Novolac-type, phenol–formaldehyde resins, preparation in HCSTRs, 3393
Novolak resins, cresol–, determination of configuration of, 3449
Nucleation, particle, during latex growth, 363
—, primary, transients in, 3663
Nylon, dyeing of, kinetic aspects of, 2987
Nylon-6, diffusion of acid dye in, 2567
—, fibers, modulus and tie chains of, 3211
—, filaments, drawing rate effects on morphological parameters in, 2369
—, grafting of acrylamide onto, 2711
—, grafting of methyl methacrylate onto, 1839(N)
—, grafting of MMA onto, 1959
—, grafting of MMA onto, *N*-bromosuccinamide photoinduced, 3625(N)
—, grafting of MMA onto, peroxydiphosphate-initiated, 1417(N)
—, grafting of MMA onto, peroxydisulfate-initiated, 2295(N)
—, grafting of vinyl monomers onto, 1959
—, morphological parameters in, drawing rate effects on, 3637(E)
—, photodegradation of, 4885(N)
—, preparation of, by hydrolytic polymerization of ϵ-caprolactam, 731
—, preparation of, by the hydrolytic polymerization of ϵ-caprolactam, 1099(N)
Nylon 66, chemiluminescence, stress-induced from, 3999
—, critical oxygen index of, 3193
—, fatigue crack propagation in, 1707
—, reversible polymerization in, 1759
Nylon 6 filaments, photodegraded, crack formation on, 2773
—, polymorphism and orientation development during processing of, 3527
—, subjected to swelling, dyeing, and mechanical properties of, 4149
Nylon-66 polymerization, reversible, 1759
Nylon-6 polymerization in the solid-state, 2513
Nylon 6 reactors, three-stage, simulation of, 3089
Nylons, water-leaching of halides from, 1795

OI, See also oxygen index; COI
Olefins, polymerization of, through heterogeneous catalysis, 1691
1-Olefins, copolymerization of vinyl chloride with, 2079
—, copolymerization of, with vinyl chloride, 1513
Oligoester alcohols, from dimethyl terephthalate wastes, polyurethane foams from, oxygen indices of, 3957
Oligomerization, cationic, of 1-hexene, 2593
Oligomers, cyclic, in polymerization of ϵ-caprolactam, 2791
Oligomer studies, DSC in, 3591
Oligourethane acrylate, segregated networks based on, viscoelastic behavior of, 4541
One-point determination, of intrinsic viscosity, for polycarbonate, poly(phenylene oxide), and polyetherimide, 4687
Onion skins, modified, binding of Mg^{2+} and Ca^{2+} by, 1727
Optical fibers, polymer-coated, torsion pendulum study of, 1301
Optical microscopy, study of craze in high-impact PS by, 3729
Order, lateral, of nylon 6 filaments subjected to swelling, 4149
Organic peroxides, effect of, on initial coloring of poly(vinyl chloride), 4879
Organic solutes, polar, rejection of by interpolymer anionic membrane, 2845
Orientation, in acrylonitrile copolymers, 3407
—, effect of, on solvent-induced crystallization of PET, 773
Orientation development, in processing nylon 6 filaments, 3527
—, in the tubular film extrusion, of polypropylene, 2663
Orientation factor triangle diagram, 2663
Oriented films, biaxial, of poly(*p*-phenylene diamine), 2965
Oriented poly(butylene terephthalate), physical properties of, 2693
Oriented PTFE, FTIR of uniaxially, 4587
Oriented yarns, partial, of PET, intrinsic birefringence of, 2857
—, partial, straining phenomena in, 2337
Orlon/$LiCO_3$ filled DAP composites, thermal degradation of, studied by FLAG spectroscopy, 461
Osmometry, membrane, determination of χ from, 353
Oxalic acid–$KMnO_4$, grafting of vinyl monomers onto PET initiated by, 2131
Oxidation, photo and thermal of polyolefins in presence of DBHBT and other stabilizers, 3437
—, $S_2O_8^{2-}$, of cellulose graft copolymers, 2377
—, surface, of cis-trans polybutadiene, 1269
—, thermal, of PP, 2539
Oxidative and nonoxidative photodegradation, of nylon 6, 4885(N)
Oxidative stability, of irradiated HDPE films, containing urethane-based stabilizers, 4199
Oxo acids, dimerization of diisobutylene by, 171
Oxyboroxine–epoxy systems, stability of, 1177
Oxygen, permeability of asymmetrically oxidized poly(L-methionine) to, 1409(N)
Oxygen diffusion, effects of, on the surface photooxidation of polystyrene, 4471
Oxygen effect on characteristics of a PGMA resist, 1087(N)
Oxygen index, critical, of nylon 66, 3193
—, of phenolic polymers, 913
—, of polyurethanes based on tetrakis(hydroxymethyl)phosphonium chloride derivatives, 4137
—, See also OI, COI,
Oxygen index studies, in PAN combustion, 3369
Oxygen indices, of polyurethane foams, 3957
Ozonization, of amides, 1413(N)

PAN, conductivity, ionic, hybrid films based on PAN, 4191
—, See also polyacrylonitrile,
Particle composites, thermomechanical behavior of, 3019
Particle nucleation, during latex growth, 363
Particle size control, in suspension copolymerization of styrene, chloromethylstyrene, and divinylbenzene, 133
Particle size dispersion, during latex growth, 363
Particulate fillers, effect of, on short jute fiber-reinforced natural rubber composites, 4611
Parylene D, See also poly(*p*-2,6-dichloroxylylene)
PB, blends of PS or PVC with, environmental degradation of, 2317
—, See also polybutadiene,
PBT, morphological parameters in, drawing rate effects on, 3637(E)
PBT filaments, drawing rate effects on morphological parameters in, 2369
PC, and miscible blends with copolyester, boiling water aging of, 4807
—, one-point determination of intrinsic viscosity of, 4687
—, See also polycarbonate,
—, surface hardening of, by glow discharge polymerization of silicon-containing compounds on, 4655
PE, branching, long-chain in, study of, by high-temeprature GPC coupled with continuous viscometry, 4867
—, dicumyl peroxide-modified, rheological properties of, 1367
—, drawn, viscoelastic behavior of, 687
—, effect of propylfluorancene or radiation resistance of, 2475
—, filled, surface interaction effects on, 2269
—, grafting of fluorocarbons onto, in glow discharge, 4019
—, grafting of styrene onto, polyfunctional monomer additive enhancement of radiation-induced, 4893(N)

—, grafting of sulfonates onto, radiation-induced, 2189
—, HD, effect of, on properties of PP and glass-reinforced PP, 4669
—, high density, blends with PP, properties of, 2351
—, irradiation effect on, 4085, 4093
—, LD, epoxy-modified, preparation and reactions of, 425
—, LD, sorption of hydrocarbon vapors in, 331
—, melt grafting of UV stabilizers onto, 2605
—, molten, solvent diffusion in, 3987
—, radiation-crosslinked, urethane-based stabilizers for, 4199
—, γ relaxation in, dielectric loss of, 649
—, See also polyethylene,
—, surface hardening of, by glow discharge polymerization of silicon-containing compounds on, 4655
—, surface-modified Kevlar fiber reinforced, 3903
—, viscoelastic properties of, comparison with PET and poly(butylene terephthalate), 301
PE fibers, porous, hot-drawing behavior of, 2209
PE film, effect of UV on mechanical properties of, 2457
—, grafting of acrylic acid onto, 1033, 1043
PE membranes, diffusion constants of organic gases and vapors through, 1471
Penetrant interactions in polyimide, characterization of, using a gravimetric sorption technique, 1163
Penetration modulus, 277
PE/poly(styrene-co-DVB) system, chloromethylation of, 1833(N)
PEPQ, as a primary radical scavenger, 951
Perdeutero PVC, pyrolysis of, 1355
Permeability, of acrylamide-grafted nylon-6 films, 2711
—, of asymmetrically oxidized poly(L-methionine) film, to oxygen dissolved in water, 1409(N)
—, gas of cellulose nitrate/poly(ethylene glycol) blend membranes, 2387
—, gas, of polymer blend membranes, of polystyrene and PTMPS, 2025
—, gas of poly(γ-methyl *L*-glutamate) membrane, 1007
—, selective of PVA membranes, 79
Permeation, diffusion coefficients from, 4229
—, through poly(2-hydroxyethyl methacrylate) membrane, temperature effect on, 4661
—, water, of polymer films, 3893
—, of water, through neoprene, long-term, 2743(N)
—, of water vapor through polymer films, 1681
Permselective membranes, from acrylamide-grafted nylon-6 films, 2711
Peroxide-initiated polymerization of VC, initial coloring of PVC in, 4879
Peroxides, See individual compounds
Peroxyacetic acid–Fe(I) redox system, grafting onto cellulose initiated by, 1119
Peroxydiphosphate, initiation of MMA grafting onto nylon-6 by, 1417(N)
—, as photoinitiator, in grafting of MMA onto cellulose, 3787
Peroxydiphosphate–cysteine redox system, graft copolymerization initiated by, 2403
Peroxydiphosphate–Fe(II) system, graft copolymerization redox-initiated using, 2427
Peroxydisulfate-initiated graft copolymerization, of MMA, onto nylon-6, 2295(N)
Peroxy radical decay, ESR study of, in isotactic PP, 1865
Persulfate, emulsion polymerization of styrene initiated by, 2563
Perturbation chromatography, study of polymer/solvent vapor–liquid equilibria using, 3067
Pervaporation, of benzene–cyclohexane mixture, by poly(γ-methyl L-glutamate) membrane, 4229
Pervaporation of athermal mixture of benzene–toluene by poly(ethylene terepthalate) membrane, 2179
PE solutions, light scattering from, 3929
Pesticide encapsulation, using a starch–borate complex as wall material, 3919
PET, grafting of acrylamide onto, 1845(N)
—, intrinsic birefringence of partially oriented yarns of, 2857
—, membrane of, pervaporation of athermal $C_6H_6/CH_3C_6H_5$ mixture by, 2179
—, morphological parameters in, drawing rate effects on, 3637(E)
—, pyrolysis of, 575
—, See also poly(ethylene terephthalate), polyester,
—, solvent-induced crystallization of, 773
—, viscoelastic properties of, comparison with PE and poly(butylene terephthalate), 301
PET crystalline, case II swelling of, 2653
PET fabric, modified by graft polymerization, 3683
PET fibers, bimorphic, surface crystallization in, 3597
—, graft copolymerization of acrylic acid/styrene mixtures on, H_2O_2-induced, 197
—, grafting of MMA onto, 2131
—, grafting of MMA onto, Tl(III)-induced, 3867
PET filaments, drawing rate effects on morphological parameters in, 2369
PET film, photochemical grafting of acrylated azo dyes onto, 527
—, surface characterization of, by inverse GC, 71
PET–polyamide-6,6 mixtures, melt rheology of, 1913
PET reactors, modeling of, 2625
PGMA, See also poly(glycidyl methacrylate)
pH, effect of, on emulsion polymerization of styrene, 2563
Phase diagram, conversion–temperature, for thermosetting polymers, 1327
Phase separation, a new criterion of, 2167
—, in segmented polyurethanes, 2891
PHEMA, See also poly(2-hydroxyethyl methacrylate)
Phenol–formaldehyde foams, effect of reactant ratio and temperature on, 1191
Phenol formaldehyde resins, novolac-type, prepared in HCSTRs, 3393
—, See also formaldehyde–phenol resins,
Phenolic laminates, glass-fiber-reinforced, interlaminar shear in, 2577
Phenolic polymers, flammability of, 913
Phenolic resins, See also under individual phenols and aldehydes
Phenolics, carbon-fiber-reinforced, 4759
Philippoff–Gaskins–Bagley analysis, 301
Phosphate coupling agents for calcium carbonate filler, 259
Phosphazenes, poly-, thermal analysis of, 1783
Phosphonic acid cation exchange resins, from furfural condensates with *N*-vinylcarbazole and its polymer, 149, 161
Phosphorus-containing polyurethane foams based on tetrakis(hydroxymethyl)phosphonium chloride derivatives, 4137
Photochemical grafting, of acrylated azo dyes onto polymer surfaces, 527
Photochromic polymers, containing *p*-phenylazoacrylanilide, 239
Photochromism, organic solid, by photoreduction mechanism, 1621
Photocontrolled adsorption chromatography, for lysozyme, using azoaromatic polymer, 1897
Photocopolymerization, of methyl methacrylate–vinyl esters of aromatic carboxylic acid, 3253
—, See also grafting; individual monomers; individual substrates,
Photodegradable polymers, 2467
Photodegradation, of nylon 6, 4885(N)
—, of polyisobutylene film by addition of tris(α-thiopicolinanilide)–Cobalt(III), 1945
—, of PVC, studied by MIR, 3313
Photodegraded nylon 6 filaments, crack formation on, 2773
Photoinduced adsorption, of proteins, on azobenzene ligand containing polymers, 4273
Photoinduced change in wettability and binding ability of azoaromatic polymers, 239
Photoinduced graft copolymerization, 3625(N)
Photoinduced grafting, of acrylamide onto extended hard elastic polypropylene, 637

—, of acrylamide, onto polyethylene film by means of two-step method, 3743
—, of methyl methacrylate, onto cellulose, using peroxydiphosphate as photoinitiator, 3787
—, of MMA onto nylon 6, *N*-bromosuccinamide as sensitizer in, 3625(N)
—, of MMA, onto nylon-6, 1853(N)
Photoinitiated polymerization, of 1-vinyl-2-methylimidazole, kinetics of, 3151
Photolysis, of PP, stabilization in, 2761
Photooxidation, surface, of PS, effect of O_2 diffusion on, 4471
Photooxidation of polyolefins, in presence of DBHBT and other stabilizers, 3437
Photopolymerization, of acrylonitrile, sensitized with a combination of aromatic ketone and amine, 2683
—, IPNs formed by polymerization induced by, 3513
—, of MMA, anthraquinone-sensitized, 1465
Photoreduction mechanism, photochromism by, 1621
Photoreduction of ferric chloride in poly(vinyl alcohol) film, 1095(N)
Photosensitive film, PVA film containing $FeCl_3$ as, 1095(N)
Photosensitive rubbers, synthesis and properties of, 2065
Photosensitivity, of cyclized polydienes and polypentenamer with pendent cinnamate groups, 2065
Photosensitization, of acrylonitrile, 2683
Photovoltaic properties of the poly(2-vinylpyridine) iodine complex—SnO_2 system, 1
Phthalic acids, copolyester based on, and blends with PC, boiling water aging of, 4807
Phthalic anhydride, substitution of, onto PS, 3851
pH titration, of cationic ion exchange resins, 4645
γ-Picoline, charge transfer complex with bromine, grafting of MMA on nylon-6 photoinduced by, 1853(N)
Piperazine, poly(arylene keto amine) prepared from, 2467
Piperidine stabilizer, for PP, 2761
Planetary mixer, double, encapsulation using, 3919
Plasma polymerization, of tetrafluoroethylene, in a field-free zone, 3965
Plasma polymerized films, residual stress and thermal expansion coefficient of, 2139
Plasmas, microwave, effect of, on polymer fillers, 2269
Plasma treatments, effect of, on the steam-sour gas resistance and lubricity of elastomers, 821
Plasticization, of PS, by mineral oil, 4637
Plasticized PVC, by polycaprolactone-based polyurethane, properties of, 4323
Plasticizer, effect of, on physical properties of PVC, 3455
Plasticizers, emissivity of PVC containing, 1719
—, modification of Pu properties by blending with, 1933
Plasticizer transfer, from plasticized PVC, into ethanol–water mixtures, 3945
Plasticizer uptake, by suspension PVC, 3219
Plastics, rubber-modified, 1395
Plates, with high surface energy, synthetic polymer, 4839
—, polymer, with high surface energy, 3161
Plates with high surface energy, 4365
PMMA, internal stress distribution in, 769(E)
—, radiodegradation of, 319
—, See also poly(methyl methacrylate),
Polar organic solutes, rejection of by interpolymer anionic membrane, 2845
Pole figures, 2663
Polyacetal, fatigue crack propagation in, 1707
Polyacetylene, AsF_5-doped, poly(*p*-xylylene)-coated, study of, 931
Polyacrylate gel suspensions, closely packed, rheological properties of, 4377
Polyacrylonitrile, combustion of, smoke suppression in, 3369
—, dielectric relaxation of, effect of heat treatment on, 4101
—, See also PAN,
Polyacrylonitrile fibers, heat treatment effect on, 2409
Polyacrylonitrile-grafted cellulose, hydrolyzed, rheological properties of, 1995
Poly(alkylbenzimidazole) salts, crystallinity of, 989
Poly(alkylene adipate)s, blends of phenoxy with, 839
Poly(alkylene succinate), blends of phenoxy with, 839
Polyamide, fibers, vapor phase dyeing of, 903
Polyamide esters, aliphatic, synthesis and properties of, 1809
Polyamideimide, synthesis of, 4345
Polyamide-6,6–PET mixtures, melt rheology of, 1913
Polyamides, aromatic, fibers from, 1423
—, aromatic, substituted, thermal properties of, 2053
—, aromatic, thermal behavior of model diamides for, 2301(N)
—, chlorosubstituted, 2053
—, degradation of, by ozonization, model for, 1413(N)
—, nitrosubstituted, 2053
Poly(amido-amine) resins, crosslinked, protonation and heavy metal complexation of, 2239
Poly(amine-amido) resins, crosslinked, protonation and heavy metal complexation of, 2239
Poly(arylene keto amine)s, photo degradation of, 2467
Polybenzoxazoles, investigation of, by mass spectrometry, 225
—, resistance to ionizing radiation of, 225
Poly(bisphenoxyphosphazene), thermal analysis of, 1783
Polybutadiene, carboxyl-terminated, chain extension of, with bisepoxide, 757
—, cis–trans, surface oxidation of, 1269
—, rheological properties and solid wall boundary condition of, 3171
—, See also PB,
cis-Polybutadiene, blends with carbon-black-loaded SBR, crack growth in, 3379
Polybutadiene/solvent systems, vapor–liquid equilibria for, 3067
Polybutene-1/PP blends, crystallization of, 1053
Poly(*n*-butyl acrylate), IPNs based on PS and, 3513
Poly(butylene terephthalate), oriented, properties of, 2693
—, viscoelastic properties of, comparison with PE and PET, 301
Poly(butyl methacrylate), epoxy resin–glass beads coated with, viscoelastic properties of, 455
Poly(*t*-butylstyrene), electrets from, stability of, 1107
Polycaprolactam films, photochemical grafting of acrylated azo dyes onto, 527
Poly(ε-caprolactone), blends of phenoxy with, 839
Polycaprolactone-based polyurethane plasticized PVC, properties of, 4323
Polycarbonate, internal stress distribution in, 769(E)
—, See also PC,
—, unusual visual microcracking/healing in, 2809
Polycarbonate-copolyester blends, melting and crystallization behavior of, 4065
Polycarbosilazane, precursors, pyrolysis of, silicon carbide–nitride fibers prepared by, 3751
Poly(chlorostyrene), electrets from, stability of, 1107
—, miscibility of with poly(caprolactone), 559
Polycondensation, diffusion-, IPN-modified hydrogel beads formed by, 4043
—, interfacial, aromatic polyamide fibers prepared by, 1423
—, nonequimolecular, in CSTRs, 63
—, solution, aromatic polyamide fibers prepared by, 1423
—, unequal reactivity of functional groups in, 1217
Poly(cyclopentyl methacrylate), *V–T* data studied by regression analysis, 1565
Poly(diallyldimethylammonium chloride), as suspension copolymerization stabilizer, 133
Poly(*p*-2,6-dichloroxylylene), See also Parylene D
Polydienes, cyclized with pendent cinnamate groups, photosensitivity of, 2065
Poly(3,3-diethyloxetane)s, solubility parameters for, 3721

Poly(2,6-dimethylphenylene oxide), See also PPO
Poly(dimethylsiloxane), viscometric properties of silica filled, 3079
Poly(dimethylsiloxane)–polypeptide block copolymers, preparation of, 139
Polydisperse polymer standards, for size-exclusion chromatography, 2933, 2943
Polydispersity indices, in CSTRs, 63
Polyelectrolyte, cationic, solution behavior of, 4467
Polyelectrolyte behavior, of chemically modified cotton cellulose, 631
Polyelectrolyte complex, immobilization of microorganisms by, 2503
Polyelectrolytes, as secondary calibration standards for aqueous size-exclusion chromatography, 795
Poly(epichlorohydrin), miscibility of poly(neopentyl glycol adipate) blends with, 1091(N)
Polyepoxides, specific heat capacities of, 289
Polyester, hydrolyzed, moisture-related properties of, 4477
—, See also poly(ethylene terephthalate), PET,
—, stretching processes in, 969
Polyesteramides, aliphatic, synthesis and properties of, 1809
Polyester-based flexible polyurethane foam, acoustical absorption of, 183
Polyester/cotton blend containing durable press fabric, chemical factors affecting soiling and soil release from, 3703
Polyester fabric, coloration of, 4693
—, coloration of, processes for, 4713
Polyester fibers, degraded by aminolysis and by alkaline hydrolysis, physical properties of, 247
—, grafting of MMA onto, 1873
—, grafting of vinyl monomers onto, 1873
—, vapor phase dyeing of, 903
Polyester laminates, glass-fiber-reinforced, interlaminar shear in, 2577
Polyester resins, unsaturated, crosslinking of, 3577
—, unsaturated, HET acid containing, flame retardancy in, 1629
Polyesters, aliphatic, blends of bisphenol-A polyhydroxy ether with, 839
—, co-, liquid crystalline, rheological properties of, 1343
—, glass-reinforced, hygrothermal fatigue effect on, 1149
—, miscibility of, with chlorinated polymers, 559
Polyetherimide, environmental stress crazing and cracking in, 2675
—, one-point determination of intrinsic viscosity of, 4687
Polyethylene, chlorinated, emissivity of, 1293
—, grafting of acrylamide onto, photoinduced, 3743
—, HD, crack propagation in, 2119
—, high-density, filled with modified chalk, 3669
—, LD, effect of ultrafine particles on elastic properties of composites of, 3059
—, See also PE, HDPE, LDPE,
Poly(ethylene adipate), hydroxyl-terminated, segmented polyurethane rubber from, 1487
Poly(ethylene adipate)–oligo(ethylene terephthalate) block polymer, hydroxyl-terminated, 1487
Poly(ethylene glycol), blends of cellulose nitrate with, gas permeabilities of membranes of, 2387
Poly(ethylene maleate), hydroxyl-terminated, segmented polyurethane rubber from, 1487
Poly(ethylene terephthalate), copolyester of *p*-acetoxybenzoic acid, with, 2009
—, fibers, grafted with PVAc and PVA, thermal properties of, 3349
—, See also PET, polyester,
Poly(ethylene terephthalate) reactors, modeling of, 471
—, modelling of reversible, 4421
Poly(ethylene terephthalate) yarns, uncoated and resin-coated, hydrolysis of, 1589
Polyfunctional monomer additives, for enhancing radiation copolymerization of styrene with PE, PP, and PVC, 4893(N)
Poly(glycidyl methacrylate), See also PGMA
Poly(glycidyl methacrylate) (PGMA), 1087(N)
Poly(glycidyl methacrylate) resist, oxygen effect on characteristics of, 1087(N)
Poly(2-hydroxyethyl methacrylate), membranes of, transport phenomena of solutes through, 3133
—, See also PHEMA,
Poly(2-hydroxyethyl methacrylate) membrane, permeation through, temperature effect on, 4661
Polyimide, penetrant interactions in, 1163
—, See also KAPTON; LARC-160,
Polyimide resin, imidization of, 4295
Polyimides, electrodeposition of, from nonaqueous systems, 341
Polyisobutylene film, photodegradation of, 1945
cis-1,4-Polyisoprene, sulfonated cyclized, 657
Polyisoprenes, stress-induced crystallization in, 3553
Polymer-coated optical fibers, characterization of, using a torsion pendulum, 1301
Polymer electrets, stabilities, of electrets obtained from poly(1-olefin)s, 381
Polymer–filler interaction, Kraus plot study of, 4561
—, Lorenz and Parks equation applied to, 4561
Polymeric adsorbents, containing azobenzene ligand, separation of proteins by, 4273
Polymeric fluids, dynamic viscoelastic properties of, measurement by modified Rheovibron, 89
Polymer-impregnated mortars, effects of coupling agents on, 2151
Polymerization, emulsion, seeded continuous, 1977
—, See also grafting, copolymerization; condensation polymerization; addition polymerization,
—, See also photopolymerization,
—, solid-state, of nylon-6, 2513
Polymer plates with high surface energy. 3161
Polymers, filled, surface interaction effects on, 2269
—, glassy, plastic zones at the tips of inclined cracks in, 879
—, See individual polymers and monomers,
—, supported, DMA study of, 1243
Polymer solutions, flow of, in unconsolidated porous media, 121
—, gas diffusion in, double-cone flow technique for measuring, 697
—, Taylor diffusion in, falsification of, by slip effects, 2739(N)
Poly(methacrylonitrile), radiodegradation of, 319
Poly(L-methionine), asymmetrically oxidized, permeability of, to O_2, 1409(N)
Poly(3-methyl-1-butene), electrets from, stabilities of, 381
Poly(methyl-α-chloroacrylate), radiodegradation of, 319
Poly(α-methyl-α-ethyl-propiolactone), miscibility of, with chlorinated polymers, 559
Poly(methyl-α-fluoroacrylate), radiodegradation of, 319
Poly(γ-methyl L-glutamate) membrane, pervaporation of binary liquids by, 4229
Poly(methyl isopropenyl ketone), electron beam or deep-UV-irradiated, characteristics of, 1441
Poly(methyl methacrylate), antioxidants for, 3437
—, electron beam or deep-UV-irradiated, characteristics of, 1441
—, mortars impregnated with, 2151
—, See also PMMA,
—, stretching processes in, 969
Poly(methyl methacrylate)-dehydrochlorinated PVC, compatability in blends of, 43
Poly(4-methyl-1-pentane), electrets from, stabilities of, 381
Polymorphism and orientation development, in processing of nylon 6 filaments, 3527
Poly(neopentyl glycol adipate), miscibility of chlorinated polymer blends with, 1091(N)
Poly(α-n-propyl-β-propiolactone), miscibility of, with chlorinated polymers, 559
Polyolefins, epoxy-modified, preparation and reactions of, 425
—, grafting of glycidyl methacrylate on, 425
Poly(1-olefins)s, electrets, from, stabilities of, 381
Polyoxetanes, solubility parameters for, 3721
Polypentenamer, with pendent cinnamate groups, photosensitivity of, 2065
Polypeptide–poly(dimethylsiloxane) block copolymers, preparation of, 139
Poly(1,3-phenyleneisophthalamide), 2053

Poly(phenylene oxide), gas sorption and transport in, 2997
Poly(1,4-phenyleneterephthalamide), 2053
Poly(*p*-phenylene terephthalamide), biaxially oriented films of, 2965
—, See also Kevlar,
Poly(phenyl vinyl sulfide), introduction of carbonyl group into main chain of, 1849(N)
Poly(pivalolactone), blends of phenoxy with, 839
Polypropylene, grafting of vinyl pyridine on plasma-treated, 1735
—, isotactic, crystallization nuclei in, 1479
—, isotactic, molecular aggregation in amorphous region of, 3479
—, isotactic, peroxy radical decay in, 1865
—, photostabilization of, 2761
—, preoriented, zone-drawing process in, 2091
—, proton relaxation times in, 2197
—, See also PP,
Poly(propylene glycol), crosslinking of, with divalent metal salts of mono(hydroxyethyl) phthalate derivatives, 3877
Polypropylene–mica composites, chlorinated hydrocarbon coupling agents for, 4179
Polypropylene/polybutene-1 blends, crystallization of, 1053
Polypropylenes, 4821
Polystyrene, antioxidants for, 3437
—, blends of ABS, or PB, with, environmental degradation of, 2317
—, blends with PTMPS, gas permeability of membranes of, 2025
—, chloromethylated, an electron negative resist, 937
—, and derivatives, electrets from, stabilities of, 1107
—, electrophilic substitution on, 3851
—, grafted onto cotton, properties of copolymers, 2307
—, having pyridine derivatives attached thereto, chelation by, 4161
—, high-impact, craze initiation and growth in, 3729
—, high-impact, rubber particle size distribution in, 2885
—, Huggins' constant and unperturbed diameter of, 1675
—, IPNs based on poly(*n*-butyl acrylate) and, 3513
—, methacrylate-terminated, See also MACROMER,
—, rubber-modified, 1395
—, See also PS, HIPS,
—, stretching processes in, 969
—, surface photooxidation of, effect of O_2 diffusion on, 4471
—, thermal degradation of, investigated by DSC, 4171
Poly(styrene-co-DVB)/PE system, chloromethylation of, 1833(N)
Poly(styrene-*co*-DVB), single beads of, properties of, 277
Polystyrene solutions, in θ solvents, viscosity of, 1277
Poly(styrene sulfonic acid), interpolymer anionic composite reverse osmosis membrane from, 2783, 2845
—, Na salt, as standards in size-exclusion chromatography, 795
Poly(styrenesulfonic acid-co-vinyl alcohol) resin, hydrolysis of carbohydrates catalyzed by, 1601
Polystyrene wastes, recovery of indan derivatives from, 857
Poly(tetrafluoroethylene), See also PTFE, Teflon
Poly(tetramethylene oxide), poly(urethane-urea)s prepared from, 2167
Poly(TFE-hexafluoropropylene, grafting of AA onto, radiation-induced, 535
Polythiourethane polymers, using castor oil tristhioglycolate as crosslinking agent, 1557
Poly[1,1,1-tris(trimethyloxy)propylsilyl methacrylate], blends with PS, gas permeability of membranes from, 2025
Polyurea foaming process, catalyzed by amino compounds, 4029
—, effect of cosolvent on, 4221
Poly(urea-urethane)s, effects of diamine chain extenders on, 2167
Polyurethane, See also PU; see also under individual components
—, thermoplastic, polyester based, thermal degradation of, studied by FLAG spectroscopy, 461
Polyurethane foam, based on tetrakis(hydroxymethyl)phosphonium chloride derivatives, 4137
—, flexible, acoustical absorption of, 183
Polyurethane rubbers, segmented, rheological properties of, 1487
Polyurethanes, polycaprolactone-based, PVC plasticized by, properties of, 4323
—, properties of, modification of, 1933
—, segmented, interdependence of structure and properties in, 645
—, segmented, phase separation in, 2891
Polyurethane synthesis reactions in asphalts, 1197
Poly(urethane-urea)s, effects of diamine chain extenders on, 2167
Poly(valerolactone), miscibility of, with chlorinated polymers, 559
Poly(vinyl acetate), composite with PVA, porous membranes from, 1607
—, grafting of, onto PVA, 1607
—, Huggins' constant and unperturbed diameter of, 1675
—, PET fibers grafted with, thermal properties of, 3349
—, See also PVAc,
Poly(vinyl alcohol), crystallization of, kinetics of, 4787
—, interpolymer anionic composite reverse osmosis membrane from, 2783, 2845
—, PET fibers grafted with, thermal properties of, 3349
—, photoreduction of $FeCl_3$ in, 1095(N)
—, See also PVA,
Poly(vinyl alcohol-co-styrenesulfonic acid) resin, preparation of, 1601
Poly(vinyl alcohol)–poly(vinyl acetate) composite porous membrane, 1607
Poly(vinyl alcohol)sulfate, polyelectrolyte complexes from, microorganism immobilization by, 2503
Poly(*N*-vinylcarbazole), condensate with furfural, phosphonic acid cation exchange resins from, 149, 161
Poly(vinyl chloride), See also PVC
Poly(vinyl fluoride), See also PVF
Poly(2-vinylpyridine), complexes containing, photovoltaic properties of, 1
Poly(2-vinylpyridine-*N*-oxide), See also PVNO
Poly(*N*-vinyl pyrollidone), See also PVP
Poly(vinyl toluene), electrets from, stability of, 1107
Poly(α-xylylene)-coated AsF_5-doped polyacetylene, 931
Porous films, from emulsifier-free ethyl acrylate–MMA copolymer, 3185
Porous media, unconsolidated, flow of polymer solutions in, 121
Porous PE fibers, hot-drawing behavior of, 2209
Positive electron resists, irradiated with electron beam and deep-UV light, temperature effects on, 1441
Post condensation, of nylon-6, 2513
Potassium permanganate, as initiator of graft copolymerization, 1845(N)
PP, blends of crosslinked rubbers with, mechanical properties of, 4799
—, blends with HDPE, properties of, 2351
—, chlorinated, miscibility of, with poly(caprolactone), 559
—, and glass-reinforced PP, effect of addition of HDPE on properties of, 4669
—, grafting of acrylamide onto, 637
—, grafting of styrene onto, polyfunctional monomer additive enhancement of radiation-induced, 4893(N)
—, melt grafting of UV stabilizers onto, 2605
—, See also polypropylene,
—, thermal oxidation of, 2539
—, tubular film extrusion of, orientation development of, 2663

PP-$CaCO_3$ composite, titanate coated, properties of, 97
PP films, effect of UV on mechanical properties of, 2457
—, photochemical grafting of acrylated azo dyes onto, 527
PPO, one-point determination of intrinsic viscosity of, 4687
—, See also poly(2,6-dimethylphenylene oxide),
PP reinforcement by mica particles, effect of filler size on, 4493
Prehydrolysis, saccharification of Douglas-fir wood by combination of pyrolysis and, 4577
Preirradiation grafting, onto poly(tetrafluoroethylene–hexafluoropropylene), 535
Preirradiation method, grafting onto PE film by, 1033, 1043
Preoriented isotactic PP, molecular aggregation in amorphous region of, 3479
Prepolymer composition, of amino-hardened epoxy resins, effect of, on the water sorption behavior and plasticization, 105
Prepolymerization of PET, effect of DMT and TPA on, 2625
Pressure-sensitive adhesives, based on butadiene– or isoprene–styrene block copolymers, melts of, 1745
Processable heat-resistant polymers, 4345
Propellant, nitrocellulose-based, diffusion of deterrents into, 2827
Propene, copolymerization of vinyl chloride with, 2079
Propylene, copolymers of butadiene with, 3639
Propylene–ethylene copolymer, effect of propylfluorancene on radiation resistance of, 2475
Propylene polymerization, low pressure in slurry with Ziegler–Natta catalyst, 1691
Propylfluorancene, effect of, on radiation resistance of ethylene–propylene copolymer, 2475
—, effect of, on radiation resistance of PE, 2475
Proteins, separation of, by polymeric adsorbents containing azobenzene moiety as a ligand, 4273
Protein ultrafiltration, membrane fouling in, reduction of, 21
Protonation and heavy metal ions complex-formation of crosslinked poly(amido-amine) resins, 2239
Protonic substrate, reaction with isocyanates, catalysis of, by amino compounds, 4029
Protonic substrates, reaction of isocyanates with, catalysis of, 4221
Proton relaxation times, in isotactic polypropylene, 2197
PS, drawn, tensile and impact behavior of, 3007
—, electrophilically substituted with pyromellitic dianhydride, cation exchange resins from, 4645
—, high-impact, tensile and impact behavior of, 3007
—, melt grafting of UV stabilizers onto, 2605
—, methacrylate-terminated, graft polymers prepared from, 4773
—, See also polystyrene,
—, tensile and impact behavior of, 3007
PS beads, DVB-crosslinked, benzene-swollen, diffusion of cyclic hydrocarbons in, 3841
PS melts, rheological behavior of, effects of mineral oil on, 4637
PTFE, See also poly(tetrafluoroethylene)
—, surface hardening of, by glow discharge polymerization of silicon-containing compounds on, 4655
—, uniaxially oriented, FTIR study of, 4587
PTFE resins, irradiated, flow properties of, 3769
Pulp, acetylation of, 2833
Pulps, acrylonitrile-grafted, acetylation of, 2833
—, graftability of beaten and acetylated, 3691
—, grafting of acrylonitrile onto, Ce(IV) induced, 3691
PVA, grafting of poly(vinyl acetate) onto, 1607
—, See also poly(vinyl alcohol),
PVAc, long-branching in, 113
—, See also poly(vinyl acetate),
PVA membranes, selective permeability of, 79
PVA support, for enzyme immobilization, 1665
PVC, blends of PB with, environmental degradation of, 2317
—, crosslinking of, in presence of tetramethylthiuram disulfide and ZnO, 1549
—, degradation of, studied by MIR, 3313
—, dehydrochlorinatd, blends with PMMA, compatability in, 43
—, effect of plasticizers on physical properties of, 3455
—, filled, surface interaction effects on, 2269
—, grafting of styrene onto, polyfunctional monomer additive enhancement of radiation-induced, 4893(N)
—, initial coloring of, effect of organic peroxides on, 4879
—, miscibility of poly(neopentyl glycol adipate) blends with, 1091(N)
—, perdeutero, pyrolysis of, 1355
—, plasticized, emissivity of, 1719
—, plasticized, transfer of plasticizer to solvent from, 3945
—, polycaprolactone-based polyurethane plasticized, properties of, 4323
—, pyrolysis of, volatile aromatic products from, 1355
—, See also poly(vinyl chloride),
—, suspension, plasticizer uptake by, 3219
—, thermal modification of, in foaming PVC–PMMA blends, 43
—, thermal stabilization of, 1067
PVC compression moldings, structure–property relationships in, 2553
PVC pyrolyzate studies, ^{13}C labeling in, 3633(N)
PVC systems, compositional variation T_g in thermodynamic theory of, 2869
PVC–xonotlite composites, dynamic mechanical properties of, 1523
PVF, See also poly(vinyl fluoride)
PV foams, synthesis of rigid, from oligoester alcohols obtained from dimethyl terephthalate production wastes, 3957
PVNO, See also poly(2-vinylpyridine-*N*-oxide)
PVP, See also poly(*n*-vinyl pyrollidone)
Py–GS–MS, See also pyrolysis–gas chromatography–mass spectrometry
Pyridine derivatives, attached to polystyrene beads, with spacer group, chelation by, 4161
Pyrolysis, of poly(ethylene terephthalate), 575
—, of PVC, volatile aromatic products from, 1355
—, saccharification of Douglas-fir wood by combination of prehydrolysis and, 4577
Pyrolysis gas chromatography, styrene–polyester copolymer degradation studied by, 211
Pyrolysis–gas chromatography–mass spectrometry, See also Py–GC–MS
Pyrolysis–gas chromatography–mass spectroscopy, 1355
Pyrolysis GC, study of sulfur bridges in rubber vulcanizates by, 2527
Pyrolyzate studies, from PVC, ^{13}C labeling in, 3633(N)
Pyromellitic dianhydride, PS electrophilically substituted with, cation exchange resins from, 4645
—, substitution of, onto PS, 3851

Quaternization, of vinyl pyridine-grafted PP, 1735
Quinoxaline system, acetylene-terminated, dynamic mechanical properties of, 407

Radiation-crosslinked PE, urethane-based stabilizers for, 4199
Radiation deterioration, of EPDM, stabilization against, by bromoacenaphthylene, 3569
Radiation-induced grafting, of AA onto F-containing polymers, 535
—, of styrene onto polymers, enhancement of, by monofunctional monomer additives, 4893(N)
—, of sulfonates, on polyethylene, 2189
Radiation-induced polymerization, See also grafting; specific monomers; specific substrates

—, of styrene, adsorbed on silica gel, study by ESR, 1259
Radiation-polymerized urethane–acrylates, morphology and properties of, 591
Radiation resistance, of PE and ethylene–propylene copolymer, effect of addition of propylfluorancene on, 2475
Radiostability of polybenzoxazoles, 225
Radius of gyration, 3357
Random coil polymers, prediction of sedimentation coefficients of, 3357
Rate parameters in copolymerization, determination of, 2815
Reactivity of functional groups, unequal, in polycondensation, 1217
Reactivity ratios, monomer, graphic method for determining, 2747(N)
Reactor, homogeneous, continuous-flow, stirred-tank, See also HCSTR
Reactors, homogeneous, continuous-flow, stirred-tank, 3393
—, polycondensation, unequal reactivity of functional groups in, 1217
—, reversible, for PET, 4421
—, tank, homogeneous continuous flow-stirred, 1759
Redox-induced grafting, of polymeric side chains, to gelatin, 1313
Redox-initiated emulsion polymerization, of butadiene, 1385
Redox-initiated grafting, of allyl methacrylate, onto wool, 1249
—, of vinyl monomers, onto cellulose, 1119
—, of vinyl monomers onto wool, 2417
—, of vinyl monomers, on wool, 1321
Redox initiation, of graft copolymerization, by DMA–Cu(II) system, 519
—, of graft copolymerization, by peroxydiphosphate–Fe(II) systems, 2427
—, of graft copolymerization, by V( )–$KBrO_3$ system, 507
—, grafting of MMA onto nylon-6 using, 1839(N)
—, of graft polymerization, by peroxydiphosphate–cysteine system, 2403
Redox polymerization, of acrylonitrile, initiated by 2,2'-thiodiethanol/ trichloroaquobipyridylmanganese(III), 2229
Reduction, photo-, of $FeCl_3$ in PVA film, 1095(N)
Reflection IR spectroscopy, internal, multiple, PVC degradation studied by, 3313
Refractive index changes, reaction of phenol with HCHO followed by, 1191
Regression analysis studies, of polymer transitions, 1565
Relaxation, γ, of PE, dielectric loss of, 649
γ Relaxation, of PE, dielectric loss of, 649
Relaxation-controlled sorption, in EVA polymers, 1139
Relaxation maxima, dependence on the reinforcing filler concentration, 53
Relaxations, dielectric, in wood, moisture content effect on, 439
Release controlled, of herbicides, from alginate gels, 3341
—, of pesticides, 3919
Resacetophenone, amphoteric ion exchange resins formed from epichlorohydrin and, 3793
Resist, electron negative, chloromethylated PS, 937
—, poly(glycidyl methacrylate), oxygen effect on characteristics of, 1087(N)
Resistance, of a polyetherimide, to environmental stress crazing and cracking, 2675
Resists, positive electron, 1441
Resols, flammability of, 913
β-Resorcylic acid, amphoteric ion exchange resins formed from epichlorohydrin and, 3793
Reverse osmosis rejection, by hydrous inorganic precipitate–cellulose composite membrane, 621
Reverse osmosis (RO) semipermeable membranes, effect of γ irradiation on, 3427
Reversible nylon-66 polymerization in homogeneous continuous-flow stirred tank reactors, simulation of, 1759
Rheograms, of cellulosic polymers, from the melt flow index, 4399
Rheological and solid wall boundary condition characterization of unvulcanized elastomers and their compounds, 3171
Rheological behavior, of PS melts, effects of mineral oil on, 4637
—, of silica dispersions, 1655
Rheological characteristics, of wheat starch pastes under steady shear conditions, 1433
Rheological functions, relation of, to MWD, 4637
Rheological properties, of closely packed gel suspensions, 4377
—, of hydrolyzed polyacrylonitrile-grafted cellulose, 1995
—, of hydroxypropyl- and sodium carboxymethyl-substituted guar gums, in aqueous solution, 1533
—, of liquid crystalline copolyesters, 1343
—, of poly(dimethylsiloxane) filled with spherical silica particles, 3079
—, of polyethylenes modified with dicumyl peroxide, 1367
—, of pressure-sensitive adhesives, 1745
—, of segmented polyurethane rubbers, 1487
Rheology, melt, of blends of semicrystalline polymers, 1913
Rheometer, capillary, 3171
—, capillary and rotational, 1913
—, capillary, changes in PTFE melt viscosity measured by, 3769
—, capillary, Instron, 301
—, cone-and-plate, 1367, 4377
—, constant elongation rate, 3171
—, friction tester, wall shear stress measured by, 3171
—, sandwich, 3171
Rheometric Mechanical Spectrometer, 3265
Rheometry, extensional, to study stretching processes, 969
—, rotating disc, 4377
Rheovibron, modified, measurement of dynamic viscoelastic properties of polymeric fluids by, 89
—, PP reinforced by mica studied using, 4493
Rubber, crosslinked, blends of PP with, mechanical properties of, 4799
—, jute fiber-reinforced, effect of particulate fillers on, 4611
—, nitrile carboxylated, epoxy-resin-cured, 4561
—, silicone, decomposition of, 4517
—, silicone, spontaneous adhesion of, 4357
Rubber friction, effects of run-in on, 4735
Rubber-modified acrylonitrile copolymers orientation in, 3407
Rubber-modified plastics, produced from bulk polymerized styrene/poly(butadiene-co-styrene), 1395
Rubber particle size distribution in high-impact PS, low-angle laser light scattering characterization of, 2885
Rubbers, compression molding of, anisotropy induced during, 4081(N)
—, polyurethane, segmented, rheological properties of, 1487
—, vulcanized, filled with phosphate coated $CaCO_3$, 259
Rubber tubes and tires, inflation of, 11
Rubber vulcanizates, natural, network changes in, under compression, 1827(N)
Rubber vulcanizates sulfur bridges in, study of, 2527
Rudin model, for random coil polymers, 3357
Run-in, effects of, on rubber friction, 4735

Saccharification, of Douglas-fir wood, by a combination of prehydrolysis and pyrolysis, 4577
Saibel's theory, 4735
Salicylic acid, amphoteric ion exchange resins formed from epichlorohydrin and, 3793
Salt transport properties, of PVA membranes, 79
Saponified, starch–g–polyacrylonitrile, 2731(N)
SAXS studies, of pressure-sensitive adhesives, from butadiene or isoprene block copolymers with styrene, 1745
SBR, $CaCO_3$ filled, phosphate coupling agents in, 259

—, carbon-black-loaded, blends with *cis*-PB, crack growth in, 3379
—, See also styrene–butadiene rubber; rubber; under individual monomers,
Scale formation, prevention of, by using modified onion skins, 1727
Scanning electron microscopy, See also SEM; electron microscopy
Seals, dynamic, effect of plasma treatment on, 821
Searle-type apparatus, 1277
SEC, See also size exclusion chromatography; chromatography
Sedimentation coefficients, of random coil polymers, prediction of, 3357
Seeded continuous emulsion polymerization process, 1977
Seed emulsion polymers, use of, in emulsion polymerization, 2033
Segregated networks, viscoelastic behavior of, 4541
SEM, plasma treated elastomers studied by, 821
—, See also scanning electron microscopy; electron microscopy,
—, study of biaxially oriented films by, 2965
—, study of epoxy-resin-cured carboxylated nitrile rubber, 4561
—, study of heavy metal interaction with chitin and chitosan by, 4827
—, study of IPNs by, 3513
—, study of phosphate coupling agent deposition on $CaCO_3$ filler by, 259
—, study of polyacetylenes by, 931
Semibatch prepolymerization process for PET, 2625
Semicrystalline polymers, blends of, melt rheology of, 1913
Semipermeable membranes, effect of irradiation on, 3427
SEM spectra, of high energy plates, 545
SEM studies, of acrylamide-grafted nylon-6 films, 2711
—, of particulate-filled, jute fiber-reinforced, rubber composites, 4611
—, of properties of PP and glass-reinforced PP with added HDPE, 4669
—, of titanate coated PP-$CaCO_3$ composite, 97
Shear, effect of, on the distribution of long branching in poly(vinyl acetate), 113
—, interlaminar, of glass-fiber-reinforced laminates, 2577
Shear conditions, steady rheological properties of wheat starch pastes studied under, 1433
Shear modulus, in closely packed gel suspensions, 4377
Shrinkage of polymer emulsion film having asymmetric porous structure, 3185
Silarylene–siloxane polymers, alternating, 3239
Silica, cyanoethylated, separation of ST–An on high-performance adsorption chromatography columns of, 3629(N)
—, effect of, on jute fiber-reinforced rubber composites, 4611
—, spherical particles of, viscometric properties of poly(dimethylsiloxane) filled with, 3079
Silica dispersions, extensional viscosity of, 1655
Silica-filled, styrene–butadiene copolymers, interactions in, 4387
Silica gel, radiation-induced polymerization of styrene adsorbed on, 1259
Silicon-containing compounds, glow discharge polymerization of, surface hardening of polymers by, 4655
Silicone fluids, measurement of dynamic viscoelastic properties of, by modified Rheovibron, 89
Silicone polymers, modification of Pu properties by blending with, 1933
Silicone rubber, decomposition of, 4517
—, spontaneous adhesion of, 4357
Silicones, relation between viscoelastic properties and gelation in, 569
Silicon nitride–silicon carbide fibers, preparation of, 3751
Silizane reagent, decomposition of silicone rubber retarded by, 4517
Silk, grafting of MMA onto, 1903
—, grafting of MMA onto, using redox system, 2403
—, grafting of vinyl monomers onto, 1903
Siloxane–silarylene polymers, alternating, 3239
Simulation of three-stage nylon 6 reactors with intermediate mass transfer at finite rates, 3089
$Si_xN_yC_z$ fibers, preparation of, by the controlled pyrolysis of polycarbosilazane precursors, 3751
Size-exclusion chromatography, calibration of, polydisperse polymer standards for, 2933, 2943
—, polyelectrolytes as secondary standards in, 795
—, See also chromatography; SEC,
—, of starch hydrolysates, 2281
—, study of dicumyl peroxide-modified PE by, 1367
Slabs, multilaminate, transient diffusion in, 3835
Slip effects, falsification of Taylor diffusion in polymer solutions by, 2739(N)
Small's group contribution, calculation of solubility parameter from, 4345
Smith–Ewart model, for emulsion polymerization, 1385
Smoke suppression, by ammonium polyphosphate in polyacrylonitrile combustion, 3369
Sodium carboxymethyl-substituted guar gums, rheological properties of, 1533
Sodium formaldehyde sulfoxylate, 1385
Soiling, of cotton-containing durable press fabric, chemical factors affecting, 3703
Soiling properties, of modified PET fabrics, 3683
Soil release, from cotton-containing durable press fabric, chemical factors affecting, 3703
Solar cells, made from films containing complexes of poly(2-vinylpyridine), 1
Solar energy, flash pyrolysis of cellulosic materials using, products of, 4313
Sol fraction, novolac-HCHO curing studied by, 893
Solid–liquid systems, estimation of interfacial tension components in, 271
Solid-state polymerization, of nylon-6, 2513
Solid wall boundary condition, of unvulcanized elastomers and their compounds, 3171
Solubility, in cupriethylenediamine characterization of cotton–PS graft copolymers by, 2307
Solubility parameter, calculation of, from Small's group contribution, 4345
—, polyamidesimides, 4345
—, See also δ,
Solubility parameters, in polyoxetanes, 3721
Solution behavior, of a cationic polyelectrolyte, 4467
—, of ionomers, 4623
Solutions, dilute polymer, constants for, 1675
—, polymer, viscosity of, 1277
—, θ-, viscosity of, 1277
Solvent diffusion, in molten polyethylene, 3987
Solvent-induced crystallization, 3597
—, of PET, 773
Solventless processes, 4821
Solvents, effects of, on copolymers of VP with AA and *N*-dimethylaminoethyl methacrylate, 1883
θ Solvents, solutions of PS in, viscosity of, 1277
Sorption, of condensable hydrocarbon vapor, in LDPE, 331
—, of diethyl phthalate, by nitrocellulose fibers, 2751
—, diffusion coefficients from, 4229
—, gas, in glassy polymers, 2997
—, gravimetric, penetrant interactions in polyimide measured by, 1163
—, moisture, characterization of cotton–PS graft copolymers by, 2307
Specific heat capacities, of polyepoxides, 289
Spectrometer, Rheometric Mechanical, 3265
Spectrophotometric determination, of water vapor permeation, through polymer films, 1681
Spectroscopy, See also IR spectroscopy, UV spectroscopy, x-ray spectroscopy
Spinline, melt, computing temperature field in, 2729(N)
Spinning, melt, of nylon 6 filaments, polymorphism and orientation development in, 3527,
—, melt, transfer function approach to, 4439
Spinning conditions, in production of highly oriented fibers from caprolactam, 1335
Spinning solutions, concentration of, effect on properties of acrylic fibers, 235
Stability, thermal, of modified *N*-vinylcarbazole polymer systems, 1823(N)

Stabilization, thermal, of PVC, 1067
Stabilizers, for radiation-crosslinked PE, urethane-based, 4199
—, structurally bound, 2605
Stabilizing additive, PEPQ as, 951
Stable polymers, high temperature, siloxane–silarylene, 3239
Starch, grafted with PS or methyl acrylate, extrudates of, effect of water on, 4115
—, grafting of AN onto, Ce(IV)-initiated, 2731(N)
Starch–borate complex, in pesticide encapsulation, 3919
Starch hydrolysates, SEC of, 2281
Starch pastes, wheat, rheological properties of, 1433
Steam-sour gas resistance, of elastomers, plasma treatment effect on, 821
Stern–Volmer plots, 527
Straining phenomena of partially oriented yarns revealed by thremal retraction and other techniques, 2337
Strain properties, of oriented PBT, 2693
Stress, residual, of plasma-polymerized film, 2139
Stress–birefringence relations, in partially oriented PET yarns, 2857
Stress crazing and cracking, environmental, of a polyetherimide, 2675
Stress decay, study of stress-induced crystallization in polyisoprenes by, 3553
Stress distributions, internal, in sheets of PMMA and PC, 769(E)
Stress-induced chemiluminescence, from nylon 66 fibers, 3999
Stress-induced crystallization of guayule, hevea, and synthetic polyisoprenes, comparison of, 3553
Stress–relaxation properties of segmented polyurethane rubbers, 1487
Stress–strain measurements, on modified polyurethane, 1933
Stress–strain properties, study of biaxially oriented films by, 2965
Stretching processes, use of extensional rheometry to study, 969
Structural considerations, in case II swelling of crystalline poly(ethylene terephthalate), 2653
Structural film adhesives, aging and performance of, 4501
Structurally bound stabilizers, 2605
Structure of clay–latex coatings, consolidation of, 4207
Structure-property relationships, in polymer flammability, 913
Styrene, acrylonitrile copolymers with, separation of, on CN silica, 3629(N)
—, aqueous and emulsion polymerization of, initiated by sodium metabisulfite, 1501
—, block copolymers with butadiene or isoprene, pressure-sensitive adhesives based on, 1745
—, copolymers of butadiene with, PS modified by, 1395
—, diffusion-controlled polymerization of, 489
—, emulsion copolymerization of MMA with, kinetics of, 2483
—, emulsion polymerization of, $K_2S_2O_8$-initiated, 2563
—, grafted onto starch, extrudates of, effect of water on, 4115
—, grafting of acrylic acid mixtures with, on PET fibers, H_2O_2-induced, 197
—, grafting of, onto glass fibers having pendent SH group, 4849
—, grafting of, onto polymers, polyfunctional monomer additive enhancement of radiation-induced, 4893(N)
—, grafting of, onto surface-modified glass fibers, 4529
—, kinetics of polymerization of, 4861
—, mixtures with glycidyl methacrylate, grafting of, onto cotton, 2105
—, polymerization of, catalyzed by Cu_2Cl_2–$AlEt_3$ system, 4861
—, radiation-induced polymerization of, on silica gel, 1259
—, suspension copolymerization of chloromethylstyrene and DVB with, 133
Styrene–acrylonitrile copolymers, separation of, on CN silica, 3629(N)
Styrene–butadiene copolymers, silica-filled, interactions in, 4387
Styrene–butadiene rubber, See also SR; rubbers; under individual monomers
Styrene copolymers, UV absorption analysis of, 2043
Styrene–polyester copolymer, degradation of, 211
Styrenesulfonate, potassium, copolymerized with CR-39, high surface energy plates from, 4839
Styrene sulfonates, grafting of, onto PE, radiation-induced, 2189
Styrenesulfonic acid, sodium salt, copolymers of ethylene glycol dimethacrylate with, 3279
Substituents, in carboxymethylcellulose, 2957
Sulfo-EPDM, solution behavior of modified hydrocarbon solutions containing, 4623
2-Sulfoethylmethacrylate, Na salt, copolymers of acrylamide with, compositional determination of, 3103
—, sodium copolymerized with CR-39, high surface energy plates from, 4839
—, sodium salt, copolymers of hydrophilic monomers with, 3279
Sulfonated monomers, copolymers of acrylamide with, compositional determination of, 3103
Sulfonates, grafting of, onto PE, radiation-induced, 2189
Sulfones, acetylene-terminated, relation between viscoelastic properties and gelation in, 569
Sulfosalicylic acid, amphoteric ion exchange resins formed from epichlorohydrin and, 3793
Sulfur bridges, in filled rubber vulcanizates, a study of, by pyrolysis with flame-photometric detection, 2527
Support, fibrous, for immobilization of enzymes, 1665
Supported polymers, DMA study of, 1243
Surface characterization, of PET film by inverse gas chromatography, 71
Surface crystallization, in bimorphic PET fibers, 3597
Surface energy, of glow discharge-polymerized silanes, 4337
—, high, materials having, 3161
—, high, plates having, vapor phase transfer process preparation of, 4365
—, high, polymer plates having, 4839
Surface hardening of polymers, by glow discharge polymerization, 4655
Surface interactions, and properties, of filled polymers, 2269
Surface-modified, Kevlar fiber-reinforced, polyethylene and ionomer, 3903
Surface oxidation of cis–trans polybutadiene, 1269
Surface photooxidation, of PS, effect of O_2 diffusion on, 4471
Surface tension, critical, of aqueous salt solutions on high surface energy polymer plates, 3161
Suspension copolymerization, of carboxylic monomers with diallyl phthalate, 1771
—, of diallyl phthalate with carboxylic monomers, 1771
—, of styrene, chloromethylstyrene and DVB, 133
Suspension polymerization, of vinyl acetate, 2249
—, of vinyl chloride, peroxide-initiated, 4879
Suspensions, gel, closely packed, rheological properties of, 4377
Swelling, case II, of crystalline PET, 2653
—, water-, of ethylene–vinyl alcohol copolymer, 1139
Swelling measurements, study of IPNs by, 3513
Syndiotactic PHEMA membranes, transport phenomena of solutes through, 3133
Synthetic-polymer plates, with high surface energy, 545

Takayanagi model, 3211
Tanning agent, effect of, on the diffusion of an acid dye in nylon-6, 2567
Taylor diffusion, in polymer solutions, falsification of, by slip effects, 2739(N)
Teflon FEP, H_2O permeation of, 3893
TEM, of rubber-modified PS, 1395

—, See also transmission electron microscopy,
—, study of craze in high-impact PS by, 3729
Temperature dependence, of surface crystallization, in bimorphic PET fibers, 3597
Temperature field, within a melt spinline, computing of, 2729(N)
TEM studies, on segmented polyurethane morphology, 645
Tensile and impact behavior of drawn polystyrene and high-impact polystyrene, 3007
Tensile properties, effect of heat treatment of PAN studied by, 2409
Terephthalic acid, tetrasubstituted, copolyesters from, liquid crystalline, rheological properties of, 1343
Tetrabromoterephthalic acid, copolyesters from, liquid crystalline, rheological properties of, 1343
Tetrachloroterephthalic acid, copolyesters from, liquid crystalline, rheological properties of, 1343
Tetrafluoroethylene, plasma polymerization of, in a field-free zone, 3965
—, See also TFE,
Tetrakis(hydroxymethyl)phosphonium chloride derivatives, polyurethane foams based on, 4137
9,9,10,10-Tetrakis(4-hydroxyphenyl)anthracene, epoxy resins prepared from, 3289
Tetramethylsilane, glow discharge polymerization of, 4337
Tetramethylterephthalic acid, copolyesters from, liquid crystalline, rheological properties of, 1343
Tetramethylthiuram disulfide, with ZnO as curing agent for PVC, 1549
TFE, See also tetrafluoroethylene
T_g, compositional variation of, in PVC systems, thermodynamic theory of, 2869
—, effect of reinforcing fillers on, 3019
TGA, 461
—, aromatic polyamide fibers studied by, 1423
—, of cationic ion exchange resins, 4645
—, of furfural condensates with *N*-vinylcarbazole and its polymers and phosphonylate there of, 161
—, of PC–siloxane block copolymers, 601
—, See also thermogravimetric analysis,
—, styrene–polyester copolymer degradation studied by, 211
TGA studies, of EPDM rubbers containing brominated acenaphthylene flame retardants, 3329
—, in PAN combustion, 3369
—, of PET fibers grafted with PVAc and PVA, 3349
Thallium (III), graft copolymerization induced by, 1903
Thermal analysis, of bisphenol-A-polycarbonate–dimethylsiloxane block copolymers, 601
—, morphology of polyesters studied using, 2009
—, of polyamideimides, 4345
—, of poly(bisphenoxyphosphazene), 1783
Thermal behavior, of model diamides for aromatic polyamides, 2301(N)
Thermal characteristics, of PET fiber grafted with poly(vinyl acetate) and poly(vinyl alcohol), 3349
Thermal degradation, of polystyrene, investigation of, by differential scanning calorimetry, 4171
—, study of, by FLAG spectroscopy, 461
Thermal expansivity, of oriented PBT, 2693
Thermally stimulated current, study of epoxy resin curing using, 4283
Thermal modification of poly(vinyl chloride), 43
Thermal oxidation, of polypropylene, close to industrial processing conditions, 2539
Thermal properties, of substituted aromatic polyamides, 2053
Thermal retraction, straining in partially oriented yarns studied by, 2337
Thermal stabilities of modified *N*-vinylcarbazole polymer systems, 1823(N)
Thermal stability, of polyurethanes based on tetrakis(hydroxymethyl)phosphonium chloride derivatives, 4137
Thermal stabilization of PVC, 1067
Thermodynamic theory of the compositional variation of T_g, PVC systems, 2869
Thermogravimetric analysis, See also TGA
Thermomechanical behavior, of particle composites, 3019
Thermomechanical properties, of polyurethanes based on tetrakis(hydroxymethyl)phosphonium chloride derivatives, 4137
Thermosetting polymers, conversion–temperature phase diagram for, 1327
Thermosetting systems, gelation in, relation between viscoelastic properties and, 569
Thiocellulose, Hg(II) ions removed by systems based on, 747
2,2′-Thiodiethanol/trichloroaquobipyridylMn(III), redox polymerization initiated by, 2229
Thioether glycidyl resins, 1453
—, from condensation of BMPE and BMPM with epichlorohydrin, 2797
Thionine-reductant system, photochromism in, 1621
Thioureaoxide system induced grafting onto cotton, 2105
Thiourea–V^{5+} redox system, grafting of MMA onto nylon-6 using, 1839(N)
TICA, See also torsional impregnated cloth analysis
Tie chains and modulus, of nylon 6 fibers, 3211
Time-dependent changes, in mechanical properties, of neat and reinforced epoxy resins, 2919
Time lag methods, study of organic gases and vapors diffusion through PE membranes by, 1471
Tin oxide, solar cells containing poly(2-vinylpyridine) complexes overlaid on, 1
TIR, See also transmission infrared spectroscopy; spectroscopy, IR
—, See also transmission IR spectroscopy, IR, TIR,
—, study of surface photooxidation of PS using, 4471
Titanate coupling agent, effect of, on polypropylene–calcium carbonate composite, 97
Titanate coupling agents, in mortars impregnated with polymers, 2151
Tl(III)-induced grafting, of MMA onto PET fibers, 3867
Tl(III) initiated grafting of MMA onto wool, 4547
Topochemical degradation, of polyester fibers, 247
Torsional impregnated cloth analysis, See also TICA
Torsional impregnated cloth analysis (TICA), of an acetylene-terminated quinoxaline system, 407
Torsion pendulum, study of polymer-coated optical fibers using, 1301
Trans–cis polybutadiene, surface oxidation of, 1269
Transesterification process, continuous, 471
Transfer dyeing, of synthetic fibers, 903
Transfer function approach, to melt spinning, 4439
Transients, in primary nucleation, 3663
Transition metal ions, chelates of, with *p*-vinylbenzoylacetone polymers, 811
Transitions, polymer, regression analysis of, 1565
Transmission electron microscopy, See also electron microscopy; TEM
Transmission infrared spectroscopy, See also TIR; spectroscopy; IR
Transmission IR spectroscopy, See also IR, TIR
Transparency, of PVC, polyurethane-plasticized, 4323
Transparent fluorocarbon elastomers, 957
Transport, of diffusants, in ternary laminate slabs, 2901
—, in glassy polymers, 2997
Transport phenomena, of model solutes through postcrosslinked P(HEMA) membranes, with different tactic, 3133
Transport properties, of irradiated semipermeable membranes, 3427
—, water and salt, of PVA membranes, 79
Triallyl isocyanurate, crosslinking of Viton by, EB-induced, 957
Trichloroaquobipyridyl Mn(III)/2,2′-thiodiethanol, redox polymerization initiated by, 2229
Trichoderma Viride, enzymatic hydrolysis of cellulosic substrates by, 2395
3-(triethoxysilyl)-1-propanamine coupling of mica filler to PP by, 4493
Tri(2-ethylhexyl)trimellitate, T_g of PVC plasticized by, DSC measurement of, 2869
Trifluormethyl sulfonic acid, cationic oligomerization of 1-hexene catalyzed by, 2593

Triglycidyl(4-aminophenol), adhesives based on, aging and performance of, 4501
Trimethoxyboroxine, epoxy resins cured by, 3289
Trimethylammonium glycol chitosan iodide, polyelectrolyte complexes from, microorganisms immobilization by, 2503
4,4′-Trimethylenedipiperidine, poly(arylene keto amine) prepared from, 2467
Trimethylolpropane, oligoester alcohols from, polyurethane foams from, 3957
Trimethylolpropane trimethacrylate, crosslinking of Viton by, EB-induced, 957
Trimethylvinylsilane, glow discharge polymerization of, 4337
Tris(2,3-dibromopropyl) phosphate, effect of, on pyrolysis of PET, 575
Tris(α-thiopicolinanilide)-Co(III), photodegradation of polyisobutylene film sensitized by, 1945
Tubular film extrusion, of PP, orientation development in, 2663
Two-phase polymeric system, Tg of, 455

UF, See also ultrafiltration
Ultrafiltration, protein, membrane fouling in, reduction of, 21
—, See also UF,
Ultrasonically delaminated, and coarse mica particles, as reinforcements for polypropylene, 4493
Ultraviolet light, effect of, on the mechanical properties of polyethylene and polypropylene films, 2457
Unperturbed diameter, for dilute polymer solutions, 1675
Unsaturated carboxylic acid-CR-39 system, high energy plates from, 545
Unsaturated polyester resins, crosslinking of, 3577
—, HET acid containing, flame retardancy in, 1629
Unsaturated sulfonic acid copolymerized with CR-39, high surface energy plates from, 4839
Urea-based deterrents, diffusion of, into nitrocellulose-based propellants, 2827
Urethane–acrylates, radiation-polymerized, morphology and properties of, 591
Urethane-based stabilizers, for radiation-crosslinked polyethylene, 4199
Urethane polymers, thio-, 1557
UV, aromatic polyamide fibers studied by, 1423
—, degradation of PVC by, studied by MIR, 3313
—, IPNs formed by polymerization induced by, 3513
—, photosensitivity of $FeCl_3$ containing PVA film to, 1095(N)
—, See also UV spectroscopy, photo-, radiation-, irradiation,
—, stabilization of PP against degradation by, 2761
UV absorption analysis, of styrene copolymers in solution, 2043
UV analysis, of PVC degradation products, 2615
UV light, photodegradation of nylon 6 by, 2773
UV spectral studies, of bis(4-aminophenyl)methane cured epoxy resins, 2015
—, of dehydrochlorinated PVC–PMMA blends, 43
UV spectrophotometry, photodegradation of polyisobutylene film studied by, 1945
UV spectrum, of irradiated anthraquinone, 1465
UV stabilizers, melt grafting of, onto polymers, 2605

VAc, See also vinyl acetate
Vanadyl sulfate–$KBrO_3$ system, graft copolymerization in presence of, 507
Vapor–liquid equilibria for benzene/PBD and cyclohexane/polybutadiene systems using gas chromatography, 3067
Vapor phase dyeing, of synthetic fibers, with disperse dyes, 903
Vapor phase osmometry, See also VPO, osmometry
Vapor-phase transfer process, high surface energy plates prepared by, 4365
Vapor sorption, in LDPE, of hydrocarbon vapor, 331
VC, See also vinyl chloride
Verheulpen–Heymans and Bauwens, model, 4263
Vicat softening point, of PVC, effect of plasticizers on, 3455

Vinyl acetate, See also VAc
—, ternary copolymer of vinyl chloride, vinyl alcohol, and microencapsulation using, 4753
Vinyl acetates, high conversion polymerization of, 2249
Vinyl alcohol, copolymer with ethylene, H_2O-swelling behavior of, 1139
—, ternary copolymer of vinyl acetate, vinyl chloride, and microencapsulation using, 4753
Vinyl benzoate, copolymers with MMA, light-focusing rods from, 3253
p-Vinylbenzoylacetone, polymers containing, chelates of transition metal ions with, 811
n-Vinyl butyl ether, grafting of, onto wool, redox-initiated, 2417
N-Vinylcarbazole, condensate with furfural, phosphonic acid cation exchange resins from, 149, 161
N-Vinylcarbazole polymer systems, modified, thermal stability of, 1823(N)
Vinyl chloride, copolymerization of 1-olefins with, 2079
—, copolymerization of propene with, 2079
—, copolymerization of, with 1-olefins, 1513
—, graft copolymers from methacrylate-terminated PS and, 4773
—, See also VC,
—, ternary copolymer of vinyl acetate, vinyl alcohol, and microencapsulation using, 4753
Vinyl esters, of aromatic carboxylic acids, copolymers with MMA, light-focusing rods from, 3253
—, crosslinking of unsaturated polyester resins by, 3577
1-Vinyl-2-methylimidazole, photoinitiated polymerization of, 3151
Vinyl monomers, aqueous and emulsion, polymerization of, initiated by sodium metabisulfite, 1501
—, grafted onto PET fabric, 3683
—, grafting of, onto cellulose, 1119
—, grafting of, onto nylon-6, 1959
—, grafting of, onto nylon-6, peroxydisulfate-initiated, 2295(N)
—, grafting of, onto PET fibers, 2131
—, grafting of, onto polyester fibers, 1873
—, grafting of, onto silk, 1903
Vinyl phenylacetate, copolymers with MMA, light-focusing rods from, 3253
N-(4-vinylphenyl)methyl-*N*-(3-trimethoxysilylpropyl)ethylenediamine, mica treated with, 4493
Vinyl pyridine, grafting of, onto plasma-treated PP, 1735
2-Vinylpyridine, hydrogels formed by irradiation of DVB and, 33
4-Vinylpyridine, copolymers of ethylene glycol dimethacrylate with, 3279
2-(Vinylpyridine-N-oxide), copolymers containing DVB and, hydrogels from, 33
Vinyl sulfoantes, grafting of, onto PE, radiation-induced, 2189
Vinylsulfonate, sodium, copolymerized with CR-39, high surface energy plates from, 4839
Vinyltrimethylsilane, glow discharge polymerization of, 4337
Viscoelastic and engineering properties, of PVC plasticized with polycaprolactone-based polyurethanes, 4323
Viscoelastic behavior, of polyethylene, drawn, influence of thermal and mechanical histories on, 687
—, of segregated networks, 4541
Viscoelastic behavior of polyesteramides, 1809
Viscoelastic breakup, in a high velocity airstream, 397
Viscoelastic crack propagation, heat evolution during, 3763
Viscoelastic fluid, median mass diameter of, 397
Viscoelastic functions, of composite materials, 53
Viscoelastic properties, of (cellulose oligo-oxymethylene ether) acylates, 4409
—, dynamic, of polymeric fluids, measurement by modified Rheovibron, 89

—, and gelation in thermosetting systems, relationship between, 569
—, of single beads of homogeneous and macroporous single beads of poly(styrene-*co*-DVB), 277
—, of the system epoxy resin–glass beads–poly(buthylmethacrylate), 455
Viscoelastic properties of linear PE, PET, and poly(butylene terephthalate), 301
Viscometer, rolling-ball, 1277
Viscometric properties, of poly(dimethylsiloxane) filled with spherical silica particles, 3079
Viscometry, continuous coupling of, with high-temperature GPC, 4867
Viscosity, aromatic polyamide fibers studied by, 1423
—, elongational, in hot-drawing of porous PE fibers, 2209
—, extensional, of silica dispersions, 1655
—, intrinsic, determination of χ from, 353
—, intrinsic, of butadiene–propylene copolymers, 3639
—, intrinsic, of dilute chitosan solutions, 4467
—, intrinsic, of dilute polyelectrolyte solutions, 4467
—, intrinsic, one-point determination of, for PC, PPO, and polyetherimide, 4687
—, melt, of irradiated PTFE resins, 3769
—, of moderately concentrated polymer solutions, pressure dependence of, 1277
—, of polyoxetane solutions, 3721
—, See also relative viscosity, intrinsic viscosity,
Viscosity and degradation, of PET–polyamide-6,6 mixtures, 1913
Viscosity effect, iso-, in hydrocarbon solutions of ionomers, 4623
Visible spectral studies, of bis(4-aminophenyl)methane cured epoxy resins, 2015
Viton, crosslinking of, EB-induced, 957
Volatile aromatic pyrolyzates, from poly(vinyl chloride), mechanisms of formation of, 1355
Voltaic properties, photo-, of complexes containing poly(2-vinylpyridine), 1
VPO, See also vapor phase osmometry, osmometry
V^{5+}–thiourea redox system, grafting of MMA onto nylon-6 using, 1839(N)
Vulcanized rubber, filled with phosphate coated $CaCO_3$, 259
Vuremo curemeter, 1549
V(V)–acetylacetonate complex, grafting of MMA onto cellulose initiated by, 2725(N)
Waste cellulose, utilization of, 2395
Water, boiling, aging of miscible blend of PC and copolyester by, 4807
—, long-term permeation of, through neoprene, 2743(N)
Water-leaching rates of halides from polymers, 1795
Water permeation, of polymer films, 3893
Water-soluble copolymers, 3103
Water-soluble materials, microencapsulation of, using ternary copolymer of VAc, VC, and VA, 4753
Water-swelling behavior, of ethylene–vinyl alcohol copolymer, in the presence of sorbed sodium chloride, 1139
Water transport properties, of PVA membranes, 79
Water vapor permeation through polymer films, 1681
WAXS, effect of heat treatment of PAN studied by, 2409
—, See also wide-angle x-ray spectroscopy,
—, straining in partially oriented yarns studied by, 2337
—, study of biaxially oriented films by, 2965
—, study of stress-induced crystallization in polyisoprenes by, 3553
WAXS studies, of orientation development, in tubular film extrusion of PP, 2663
Weissenberg number, 3079
—, for stretching processes, 969
Wet-spun aromatic polyamide fibers, properties of, 1423
Wettability, of azoaromatic polymers, effect of radiation on, 239
—, of high energy plates, from CR-39-unsaturated acid system, 545
—, of high surface energy plates, 4365
—, of hydrolyzed polyester, 4477
—, study of fluorocarbon grafting onto PE by, 4019
Wheat starch pastes, rheological properties of, 1433
Wide-angle x-ray, morphology of polyesters studied using, 2009
Wide-angle x-ray spectroscopy, See also WAXS
Wilhelmy plate method, 1269
Williams–Landel–Ferry, See also WLF
WLF, See also Williams–Landel–Ferry
Wood, dielectric relaxations in, moisture content effect on, 439
—, Douglas-fir, saccharification of, by combination of prehydrolysis and pyrolysis, 4577
Wood pulp, grafting of acrylonitrile onto, Ce(IV) induced, 3691
Wood pulps, acetylation of, 2833
—, grafting of acrylonitrile onto, Ce(IV)-initiated, 3027
—, highly reactive, for cellulose acetate production, 4599
Wool, acid–base and dyeing properties of, 3121
—, grafting of allyl methacrylate onto, 1249
—, grafting of MMA and ethyl acrylate onto, redox-induced, 1321
—, grafting of MMA onto, 507, 519
—, grafting of MMA onto, redox-initiated, 2427
—, grafting of MMA onto, Tl(III)-initiated, 4547
—, grafting of vinyl monomers onto, redox-initiated, 2417
—, inverse gas chromatography of, 1643
Xenotest 450 apparatus, UV irradiation in, 2457
Xonotlite–PVC composites, dynamic mechanical properties of, 1523
XPS, See also x-ray photoelectron spectroscopy
—, study of heavy metal interaction with chitin and chitosan by, 4827
X-ray, study of polymorphism and orientation development in nylon 6 by, 3527
X-ray diffraction, 709(A)
—, characterization of cotton–PS graft copolymers by, 2307
—, study of cellulose polymorphs by, 709(A)
X-ray diffraction data, of heat-treated PAN, 4101
X-ray diffraction studies, of butadiene–propylene copolymers, 3639
—, of PVC compression moldings, 2553
X-ray orientation factor, study of acrylonitrile copolymer orientation by, 3407
X-ray photoelectron spectroscopy, 1269
—, See also XPS,
X-ray spectroscopy, See also XPS; WAXS
X-ray studies, of irradiated semipermeable membranes, 3427
—, of nylon 6 filaments subjected to swelling, 4149
o-Xylene–polyethylene, solvent diffusion in melt, 3987
Yarns, oriented, partial straining phenomena in, 2337
Young's moduli of the oriented composites of LDPE, 3059
Young's modulus, of oriented PBT, 2693
—, of plasma-polymerized films, 2139
Ziegler–Natta catalyst, for propylene polymerization, 1691
Zinc diethyldithiocarbamate, stabilization of polyolefins by, 3437
Zisman plots, for aqueous solutions on high surface energy polymer plates, 3161
ZnO, with tetramethylthiuram disulfide, as curing agent for PVC, 1549
Zone-drawing process, in preoriented polypropylene, analysis of, 2091

Journal of Applied Polymer Science

Volume 27, 1982

Editors: H. MARK

P. WEISS

European Editor: O. F. OLAJ

Far East Editor: Y. NISHIJIMA

Advisory Board:

J. C. ARTHUR, JR.
Metairie, Louisiana
R. F. BOYER
Midland, Michigan
J. H. BRADBURY
Canberra, Australia
E. CERNIA
Rome, Italy
H. CHERDRON
Frankfurt, Germany
S. L. COOPER
Madison, Wisconsin
W. COOPER
Birmingham, England
H. W. COOVER, JR.
Kingsport, Tennessee
L. G. DONARUMA
Brooklyn, New York
N. S. ENIKOLOPIAN
Moscow, USSR
Z. G. GARDLUND
Warren, Michigan
T. W. GEORGE
Raleigh, North Carolina
J. K. GILLHAM
Princeton, New Jersey
M. A. GOLUB
Moffet Field, California
H. B. HOPFENBERG
Raleigh, North Carolina
F. E. KARASZ
Amherst, Massachusetts
J. L. KARDOS
St. Louis, Missouri
M. KRYSZEWSKI
Lodz, Poland
M. LEWIN
Jerusalem, Israel
D. J. METZ
Upton, New York
M. MORTON
Akron, Ohio
N. OGATA
Tokyo, Japan
J. A. PARKER
Moffet Field, California
D. R. PAUL
Austin, Texas
N. A. PEPPAS
West Lafayette, Indiana
R. H. PETERS
Manchester, England
QUIAN BAOGONG
People's Republic of China
B. RANBY
Stockholm, Sweden
L. REBENFELD
Princeton, New Jersey
F. RODRIGUEZ
Ithaca, New York
R. SALOVEY
Los Angeles, California
G. L. WILKES
Blacksburg, Virginia
H. L. WILLIAMS
Toronto, Ontario
N. WOODING
London, England

An Interscience® Publication
Published by JOHN WILEY & SONS

The *Journal of Applied Polymer Science* is published in two sections as follows: *Journal of Applied Polymer Science* (ISSN 0021-8995), monthly, *Applied Polymer Symposia* (ISSN 0570-4898), irregularly. Published monthly, one volume per year, by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. Second-class postage paid at New York, New York, and at additional mailing offices.

Copyright © 1982 by John Wiley & Sons, Inc. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright law without the permission of the copyright owner is unlawful.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc., 21 Congress Street, Salem, Massachusetts 01970. (The fee for articles published prior to 1978 is $1.00 per article.) This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1983): $375.00 per volume. Postage and handling outside USA: $47.00 by surface; $222.00 by air. Please allow four weeks for change of address. Back volumes, microfilm, and microfiche available for previous years.

Postmaster: Send address changes to Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Claims for undelivered copies must be made no later than three months following month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

The contents of this journal are indexed in the following: *Current Contents/Physical, Chemical and Earth Sciences; Engineering Index; Current Contents/Engineering Technology and Applied Sciences; Science Citation Index; Chemical Abstracts; Excerpta Medica; Applied Mechanics Reviews; RAPRA Abstracts;* and *Chemical Titles.*

Journal of Applied Polymer Science

Contents

Volume 27, 1982

Issue No. 1, January 1982

Photovoltaic Properties of the Poly-2-vinylpyridine Iodine Complex—SnO_2 System
E. Vander Donckt, B. Noirhomme, J. Kanicki, R. Deltour, and G. Gusman ... 1

The Inflation of Thick-Walled Inner Tubes and Tires
J. M. Hill ... 11

Theoretical Considerations of Membrane Fouling and Its Treatment with Immobilized Enzymes for Protein Ultrafiltration
J. A. Howell and O. Velicangil ... 21

PVNO—DVB Hydrogels: Synthesis and Characterization
V. N. Hasirci ... 33

Thermal Modification of Poly(vinyl Chloride) and Formation of Dehydrochlorinated Poly(vinyl Chloride)–Poly(methyl Methacrylate) Polymer Blend in the Process of Foaming: Identification and Application
M. Jayabalan ... 43

On Shift and Resolubility of Relaxation Maxima with Change in Properties of the Boundary Polymer Layer in Composite Materials
V. F. Babich and Yu. S. Lipatov ... 53

Simulation of Nonequimolecular Polycondensation in Continuous Flow-Stirred Tank Reactors
C-C. Lin and W-Y. Chiu ... 63

Surface Characterization of Poly(ethylene Terephthalate) Film by Inverse Gas Chromatography
J. Anhang and D. G. Gray ... 71

Selective Permeability of PVA Membranes. II. Heat-Treated Membranes
M. G. Katz and T. Wydeven, Jr. ... 79

Measurement of Dynamic Viscoelastic Properties of Polymer Melts and Liquids by the Modified Rheovibron
T. Murayama ... 89

Studies of the Effect of Titanate Coupling Agent on the Performance of Polypropylene–Calcium Carbonate Composite
Y. N. Sharma, R. D. Patel, I. H. Dhimmar, and I. S. Bhardwaj ... 97

The Effect of the Prepolymer Composition of Amino-Hardened Epoxy Resins on the Water Sorption Behavior and Plasticization
C. Carfagna, A. Apicella, and L. Nicolais ... 105

Molecular Characterization and Effect of Shear on the Distribution of Long Branching in Poly(vinyl Acetate)
S. H. Agarwal, R. F. Jenkins, and R. S. Porter ... 113

Role of Molecular Parameters during Flow of Polymer Solutions in Unconsolidated Porous Media
S. K. Baijal and N. C. Dey ... 121

Particle Size Control in Suspension Copolymerization of Styrene, Chloromethylstyrene, and Divinylbenzene
T. Balakrishnan and W. T. Ford ... 133

Preparation of Poly(dimethylsiloxane)–Polypeptide Block Copolymers
C. M. Kania, H. Nabizadeh, D. G. McPhillimy, and R. A. Patsiga 139

Furfural-Based Phosphonic Acid Cation Exchange Resins from *N*-Vinylcarbazole and Its Polymers. I
M. Biswas and S. Packirisamy 149

Furfural-Based Phosphonic Acid Cation Exchange Resins from *N*-Vinylcarbazole and Its Polymers. II
M. Biswas and S. Packirisamy 161

Selective Dimerization of Diisobutylene by Oxo Acids: Synthesis of Isobutylene Tetramer
H. Hasegawa and T. Higashimura 171

Studies of Acoustical Absorption of Flexible Polyurethane Foam
Y. Imai and T. Asano 183

H_2O_2-Induced Graft Polymerization of Acrylic Acid/Styrene Mixtures on Poly(ethylene Terephthalate) Fibers
A. Hebeish, S. Shalaby, and A. Bayazeed 197

Degradation Mechanism of Styrene–Polyester Copolymer
A. N. Das and S. K. Baijal 211

Radiostability of Polybenzoxazoles. Comparison of Stability of Molecular Ions of Model Compounds in Mass Spectrometry with Resistance of the Polymers to Ionizing Radiations
B. Despax, N. Paillous, A. Lattes, and A. Paillous 225

Influence of the Content of Polymer with Different Molecular Weights in Spinning Solutions on Properties of Acrylic Fibers
A. I. Stoyanov 235

Photo-Induced Change in Wettability and Binding Ability of Azoaromatic Polymers
K. Ishihara, A. Okazaki, N. Negishi, I. Shinohara, T. Okano, K. Kataoka, and Y. Sakurai 239

Physical Properties of Polyester Fibers Degraded by Aminolysis and by Alkaline Hydrolysis
M. S. Ellison, L. D. Fisher, K. W. Alger, and S. H. Zeronian 247

Phosphate Coupling Agents for Calcium Carbonate Filler
T. Nakatsuka, H. Kawasaki, K. Itadani, and S. Yamashita 259

Estimation of Interfacial Tension Components for Liquid–Solid Systems from Contact Angle Measurements
L. Agbezuge and F. Wieloch 271

Mechanical Behavior and Structure of Single Beads of Homogeneous and Macroporous Styrene–Divinylbenzene Copolymers
P. P. Wieczorek, M. Ilavský, B. N. Kolarz, and K. Dušek 277

Specific Heat Capacities of Some Polyepoxides
B. Hartmann, G. Lee, and M. Long 289

A Comparison of the Flow Behavior of Linear Polyethylene, Poly(butylene Terephthalate), and Poly(ethylene Terephthalate)
E. Boudreaux, Jr. and J. A. Cuculo 301

Study of γ-Irradiated Lithographic Polymers by Electron Spin Resonance and Electron Nuclear Double Resonance
S. Schlick and L. Kevan 319

Information for Contributors 327

Issue No. 2, February 1982

Vapor Sorption Characteristics of Condensable Hydrocarbon Vapor in Low-Density Polyethylene
S. K. Ghosh 331

Electrodeposition of Polymers from Nonaqueous Systems. I. Polyimides: Some Deposition Parameters
W. M. Alvino and L. C. Scala 341

Prediction of Flory–Huggins Interaction Parameters from Intrinsic Viscosities
C. M. Kok and A. Rudin 353

Particle Size Dispersion during Latex Growth
D. A. Cauley and R. W. Thompson 363

Studies of Polymer Electrets. I. Factors Governing the Stabilities of Homoelectrets Obtained from Poly(1-olefin)s
A. Mishra 381

Viscoelastic Breakup in a High Velocity Airstream
J. E. Matta and R. P. Tytus 397

Dynamic Mechanical Properties of an Acetylene-Terminated Quinoxaline System under Air/Nitrogen Cure
C. Y. C. Lee 407

Preparation and Reactions of Epoxy-Modified Polyethylene
R. R. Gallucci and R. C. Going 425

The Effect of Moisture on the Dielectric Relaxations in Wood
T. Handa, M. Fukuoka, S. Yoshizawa, and T. Kanamoto 439

Viscoelastic Properties of the Model System: Epoxy Resin–Glass Beads–Poly(buthylmethacrylate)
Yu. S. Lipatov, V. F. Rosovizky, and V. V. Shifrin 455

The Flowing-Afterglow Technique, an Approach to the Study of Polymer Thermal Degradation
M. L. Matuszak and G. W. Taylor 461

Modeling of Poly(ethylene Terephthalate) Reactors. II. A Continuous Transesterification Process
K. Ravindranath and R. A. Mashelkar 471

High-Conversion Diffusion-Controlled Polymerization of Styrene. I
F. L. Marten and A. E. Hamielec 489

Graft Copolymerization of Methyl Methacrylate onto Wool in Presence of Vanadyl Sulfate–Potassium Bromate in Aqueous Medium
J. Subhan and S. Saccubai 507

Graft Polymerization of Methyl Methacrylate onto Wool Using Dimethylaniline/Copper(II) System
M. I. Khalil, M. H. El-Rafie, A. Bendak, and A. Hebeish 519

Photochemical Grafting of Acrylated Azo Dyes onto Polymeric Surfaces. V. Grafting of Some Acryloxy-Substituted Aromatic Diazenes as Model Molecules onto Polypropylene, Polycaprolactam, and Poly(ethylene Terephthalate) Films
S. Calgari, E. Selli, and I. R. Bellobono 527

The Study on Radiation Grafting of Acrylic Acid onto Fluorine Containing Polymers. III. Kinetic Study of Preirradiation Grafting onto Poly(tetrafluoroethylene–Hexafluoropropylene)
E.-S. A. Hegazy, I. Ishigaki, A. M. Dessouki, A. Rabie, and J. Okamoto 535

Studies on Synthetic-Polymer Plates with High Surface Energy. II. Diethylene Glycol Bis(allyl Carbonate)–Unsaturated Carboxylic Acid System
Y. Ohtsuka and N. Kaneko 545

Miscibility of Poly(caprolactone)/Chlorinated Polypropylene and Poly(caprolactone)/Poly(chlorostyrene) Blends
D. Allard and R. E. Prud'homme 559

Relationship between Viscoelastic Properties and Gelation in Thermosetting Systems
C-Y. M. Tung and P. J. Dynes 569

Combustion and Pyrolysis of Poly(ethylene Terephthalate). III. The Effect of Tris(2,3-Dibromopropyl) Phosphate on the Products of Pyrolysis
M. Day, V. Parfenov, and D. M. Wiles 575

Morphology and Mechanical Properties of Radiation-Polymerized Urethane–Acrylates. I. Pure Oligomers
L. H. Wadhwa and W. K. Walsh 591

A Thermal Analysis Study of Bisphenol-A-Polycarbonate–Dimethylsiloxane Block Copolymers
G. R. Grubbs, M. E. Kleppick, and J. H. Magill 601

Reverse Osmosis Rejection by Hydrous Inorganic Precipitate–Cellulose Composite Membrane
Y. Kurokawa and K. Ueno 621

Polyelectrolyte Behavior of Chemically Modified Cotton Cellulose
R. T. Shet and A. M. Yabani 631

Photoinduced Acrylamide Graft Polymerization onto Extended Hard Elastic Polypropylene
K. Nito, S-I. Suzuki, K. Miyasaka, and K. Ishikawa 637

Interdependence of Structure and Properties in Segmented Polyurethanes
J. Foks, H. Janik, and S. Winiecki 645

Calculation of Dielectric Loss of Gamma Relaxation Process in Polyethylene at Low Temperature
Y. Sato 649

Dynamic Mechanical Properties of Sulfonated Cyclized *cis*-1,4-Polyisoprene
Z. L. Zhou and A. Eisenberg 657

Carbinilation of Cellulose in the Paraformaldehyde–Dimethyl Sulfoxide Solvent System
Y. Miyagi and R. A. Young 673

Influence of Thermal and Mechanical Histories on the Viscoelastic Behavior of Drawn Polyethylene
J. M. Pereña, R. Benavente, and J. M. G. Fatou 687

Gas Diffusion in Polymer Solutions: A Double-Cone Flow Technique
R. A. Mashelkar and M. Soylu 697

Further Studies on Cellulose III Polymorphs. Transformations to Cellulose IV Lattices and Subsequent Reactions
P. K. Chidambareswaran, S. Sreenivasan, N. B. Patil, and H. T. Lokhande ... 709

The Simulation of Hydrolytic Polymerization of ε-Caprolactam in Various Reactors
K. Tai, Y. Arai, and T. Tagawa 731

Removal of Mercuric Ions by Systems Based on Cellulose Derivatives
T. Tashiro and Y. Shimura 747

Chain Extension of Partially Neutralized Carboxyl-Terminated Liquid Polybutadiene with Bisepoxide
H. Matsuda 757

ERRATUM

The Influence of Thermal History on Internal Stress Distribution in Sheets of PMMA and Polycarbonate
J. R. Saffell and A. H. Windle 769

Information for Contributors 771

Issue No. 3, March 1982

The Effects of Orientation and Crystallinity on the Solvent-Induced Crystallization of Poly(ethylene Terephthalate). II. Physical Structure and Morphology
H. Jameel, H. D. Noether, and L. Rebenfeld 773

Polyelectrolytes as Secondary Calibration Standards for Aqueous Size-Exclusion Chromatography
A. Bose, J. E. Rollings, J. M. Caruthers, M. R. Okos, and G. T. Tsao 795

The Preparation and Properties of Chelates of Transition Metal Ions with the Homopolymer and Copolymers of *p*-Vinylbenzoylacetone
E. C. Chapin, E. F. Twohig, L. D. Keys III, and K. M. Gorski 811

Effect of Plasma Treatments on the Steam-Sour Gas Resistance and Lubricity of Elastomers
C. Arnold, Jr., K. W. Bieg, R. E. Cuthrell, and G. C. Nelson 821

Miscible Binary Blends Containing the Polyhydroxy Ether of Bisphenol-A and Various Aliphatic Polyesters
J. E. Harris, S. H. Goh, D. R. Paul, and J. W. Barlow 839

Recovery of Indan Derivatives from Polystyrene Waste
T. Ogawa, T. Kuroki, S. Ide, and T. Ikemura 857

Behavior of Chemically Modified Cellulose towards Dyeing. XIV. Behavior of Cotton and Crosslinked Cottons before and after Mercerization towards Some Reactive Dyestuffs
A. T. El-Aref, E. Allam, M. Abou-Amer, Z. El-Hilw, and A. Hebeish 871

Plastic Zones at the Tips of Inclined Cracks in Glassy Polymers under Small Scale Yielding
E. E. Gdoutos 879

The Curing of Novolacs with Paraformaldehyde
H. E. Adabbo and R. J. J. Williams 893

Vapor Phase Dyeing of Synthetic Fibers with Disperse Dyes
A. Bendak, L. A. Abdou, and M. El-Kashouti 903

Some Structure-Property Relationships in Polymer Flammability: Studies of Phenolic-Derived Polymers
Y. Zaks, J. Lo, D. Raucher, and E. M. Pearce 913

A Study of Poly(*p*-Xylylene)-Coated AsF_5-Doped Polyacetylene
J. E. Osterholm, H. K. Yasuda, and L. L. Levenson 931

High Performance Electron Negative Resist, Chloromethylated Polystyrene. A Study on Molecular Parameters
S. Imamura, T. Tamamura, K. Harada, and S. Sugawara 937

Investigations of Stabilizing Additives. IV. PEPQ as a Primary Radical Scavenger
J. L. Williams, E. E. Williams, and T. S. Dunn 951

Synthesis of Transparent Fluorocarbon Elastomers: Effect of Crosslinker Type and Electron Beam Irradiation Level on Physical and Mechanical Behavior
R. J. Kaiser, G. A. Miller, D. A. Thomas, and L. H. Sperling 957

The Use of Extensional Rheometry to Establish Operating Parameters for Stretching Processes
G. H. Pearson and R. W. Connelly 969

Crosslinking Cotton Cellulose with Aldehydes
J. G. Frick, Jr. and R. J. Harper, Jr. 983

On the Crystallinity of Poly(alkylbenzimidazole) Salts
S. M. Aharoni 989

Evaluation of the Types of Emission Systems Observed in Aqueous Media with Controlled-Release Formulations
L. R. Sherman 997

The Effect of Casting Solvent and Water on Gas Permeability of Poly(γ-Methyl *L*-Glutamate) Membrane
N. Minoura 1007

Effects of Various Parameters in Differential Scanning Calorimetry of Hydrogen-Peroxide-Treated Lignocellulose
T. Nguyen, E. Zavarin, and E. M. Barrall II 1019

Graft Polymerization of Acrylic Acid onto Polyethylene Film by Preirradiation Method. I. Effects of Preirradiation Dose, Monomer Concentration, Reaction Temperature, and Film Thickness
I. Ishigaki, T. Sugo, K. Senoo, T. Okada, J. Okamoto, and S. Machi 1033

Graft Polymerization of Acrylic Acid onto Polyethylene Film by Preirradiation Method. II. Effects of Oxygen at Irradiation, Storage Time after Irradiation, Mohr's Salt, and Ethylene Dichloride
I. Ishigaki, T. Sugo, T. Takayamna, T. Okada, J. Okamoto, and S. Machi ... 1043

Crystallization of Crystalline/Crystalline Blends: Polypropylene/Polybutene-1
A. Siegmann ... 1053

Effects of 6-Anilino-1,3,5-Triazine-2,4-Dithiol, Zinc Stearate, and Barium Stearate on the Thermal Stabilization of PVC
K. Mori, I. Kikuchi, and Y. Nakamura ... 1067

NOTES

Use of Broad Distribution Polymers and GPC Methods for Estimation of Mark–Houwink–Sakurada Constants
C. J. B. Dobbin, A. Rudin, and M. F. Tchir ... 1081

Oxygen Effect on Characteristics of a PGMA Resist
Y. Taniguchi, T. Kaneko, T. Nakano, M. Hashimoto, K. Tsutsui, A. Sasano, and K. Naraoka ... 1087

Miscibility of Poly(neopentyl Glycol Adipate)/Chlorinated Polymer Blends
S. H. Goh, D. R. Paul, and J. W. Barlow ... 1091

Photoreduction of Ferric Chloride in Poly(vinyl Alcohol) Film
M. Shirai, C. Ohuchi, M. Tsunooka, and M. Tanaka ... 1095

Molecular Weight Distribution in Batch Hydrolytic Polymerization of Caprolactam
A. Gupta and K. S. Gandhi ... 1099

ERRATUM

Interaction of Lead and Chromium with Chitin and Chitosan
C. A. Eiden, C. A. Jewell, and J. P. Wightman ... 1105

Issue No. 4, April 1982

Studies of Polymer Electrets. II. Factors Governing the Stabilities of Homoelectrets Obtained from Polystyrene and Its Derivatives
A. Mishra ... 1107

Graft Copolymerization of Vinyl Monomers on Cellulose Using Peroxyacetic Acid–Ferrous Ion Redox Initiator System
S. Hirose and H. Hatakeyama ... 1119

Liquid-Chromatographic Determination of Rate Constants for the Cellulose-Dimethyloldihydroxyethyleneurea Reaction
K. R. Beck and D. M. Pasad ... 1131

Water-Swelling Behavior of an Ethylene–Vinyl Alcohol Copolymer in the Presence of Sorbed Sodium Chloride
A. Apicella and H. B. Hopfenberg ... 1139

Effect of Hygrothermal Fatigue on Dynamic Mechanical Properties of Glass-Reinforced Polyesters
J. Mijović ... 1149

Characterization of Penetrant Interactions in Kapton Polyimide Using a Gravimetric Sorption Technique
L. R. Iler, R. C. Laundon, and W. J. Koros ... 1163

New Epoxy Resins. I. The Stability of Epoxy–Trialkoxyboroxines Triaryloxyboroxine System
C. S. Chen, B. J. Bulkin, and E. M. Pearce ... 1177

Effect of Reactant Ratio and Temperature on the Characteristics of Phenol–Formaldehyde Foams
D. Singh and S. Ohri 1191

Polyurethane Synthesis Reactions in Asphalts
A. Bukowski and J. Grętkiewicz 1197

Effects of Foaming Variables on Density and Morphology of Expanded Ethylene–Propylene Terpolymers
C. S. Wang 1205

Mass Transfer Effects in Polycondensation Reactors Wherein Functional Groups Are Not Equally Reactive
S. K. Gupta, N. L. Agarwalla, and A. Kumar 1217

Crystallinity and Heats of Crystallization of Cellulose: A Microcalorimetric Investigation
B. E. Dale and G. T. Tsao 1233

Use of a Dynamic Mechanical Analyzer to Study Supported Polymers
H. W. Starkweather, Jr. and M. R. Giri 1243

Polymerization of Allyl Methacrylate with Wool Fabric Using Different Initiators
F. I. Abdel-Hay, M. I. Khalil, and A. Hebeish 1249

ESR Study of Radiation-Induced Polymerization of Styrene Adsorbed on Silica Gel
M. Shimada, Y. Nakamura, Y. Kusama, A. Udagawa, and M. Takehisa 1259

Surface Oxidation of Cis–Trans Polybutadiene
L. Smith, C. Doyle, D. E. Gregonis, and J. D. Andrade 1269

On the Factors Governing the Pressure Dependence of the Viscosity of Moderately Concentrated Polymer Solutions
H. Geerissen, J. R. Schmidt, and B. A. Wolf 1277

Emissivity of Chlorinated Polyethylene
T. Fujikura, T. Suzuki, and M. Matsumoto 1293

Characterization of Polymer-Coated Optical Fibers Using a Torsion Pendulum
L. T. Manzione, U. C. Paek, C. F. Tu, and J. K. Gillham 1301

Grafting of Polymeric Side Chains to Gelatin
A. Joseph, G. Radhakrishnan, K. T. Joseph, and M. Santappa 1313

Grafting onto Wool. XX. Graft Copolymerization of Vinyl Monomers by Use of Redox Initiators. Comparison of Monomer Reactivities
B. N. Misra, A. S. Singha, and R. K. Sharma 1321

The Evolution of Thermosetting Polymers in a Conversion–Temperature Phase Diagram
H. E. Adabbo and R. J. J. Williams 1327

Optimization of Spinning, Drawing, and Annealing Conditions in the Production of Highly Oriented Fibers from the Polycaprolactam/3.7% LiCl System
D. Acierno, S. Castrovinci Zenna, and F. P. La Mantia 1335

Rheological Properties of Liquid Crystalline Copolyesters
M. Prasadarao, E. M. Pearce, and C. D. Han 1343

Mechanisms of Formation of Volatile Aromatic Pyrolyzates from Poly(vinyl Chloride)
R. P. Lattimer and W. J. Kroenke 1355

Rheological Properties of Polyethylenes Modified with Dicumyl Peroxide
K-W. Lem and C. D. Han 1367

High-Temperature Redox-Initiated Emulsion Polymerization of Butadiene
A. R. Padwa and M. D. Paster 1385

Interaction of Polymerization Conditions, Structural Variables, and Mechanical Properties of Rubber-Modified Plastics Produced from Bulk Polymerized Styrene/Poly(butadiene-co-styrene)
E. T. C. Mui, V. B. Boateng, J. F. Fellers, and J. L. White 1395

NOTES

Directional Permeability of Asymmetrically Oxidized Poly(*L*-methionine) Film to Oxygen Dissolved in Water
S-I. Aiba, N. Minoura, and Y. Fujiwara 1409

Ozonization of Amides
S-I. Imamura, K. Nishii, and H. Teranishi 1413

Grafting Vinyl Monomers onto Nylon-6. X. Graft Copolymerization of Methyl Methacrylate onto Nylon-6 Using Peroxydiphosphate as Initiator
S. Lenka 1417

Announcement 1421

Issue No. 5, May 1982

Synthesis, Characterization, and Fiber Studies of Certain Aromatic Polyamides
M. Balasubramanian, M. J. Nanjan, and M. Santappa 1423

Rheological Characteristics of Wheat Starch Pastes Measured under Steady Shear Conditions
R. B. K. Wong and J. Lelievre 1433

Temperature Effects on Positive Electron Resists Irradiated with Electron Beam and Deep-UV Light
K. Harada and S. Sugawara 1441

Thioether Glycidyl Resins. II. Products of Condensation of Bis-(4-Mercaptomethylphenyl) Ether and Bis(4-Mercaptomethylphenyl)methane with Epichlorohydrin
W. Charmas and W. Podkościelny 1453

Effect of Solvent on Anthraquinone-Sensitized Photopolymerization of Methyl Methacrylate
Z-T. Li, H. Kubota, and Y. Ogiwara 1465

Comparative Evaluation of Diffusion Coefficients for Gases and Vapors of Organic Substances through Polyethylene Membranes Determined by Absorption and Desorption Upstream Time Lag Method
J. Podkówka and A. Puchalik 1471

Character of Crystallization Nuclei in Isotactic Polypropylene
F. Rybnikář 1479

Stress–Relaxation Properties of Segmented Polyurethane Rubbers
W. Dzierża 1487

Some Observations in the Aqueous and Emulsion Polymerizations of Common Vinyl Monomers Initiated by Sodium Metabisulfite ($Na_2S_2O_5$) at 50°C
T. K. Paul, U. Sathpathy, and R. S. Konar 1501

The Copolymerization of Vinyl Chloride with 1-Olefins. I. A New Method of Investigation of the Kinetics of Homopolymerization and Copolymerization of Vinyl Chloride
Z. Mrázek, A. Jungwirt, and M. Kolínský 1513

Dynamic Mechanical Properties of Poly(vinyl Chloride)–Xonotlite Composite System
I. Souma 1523

Rheology Properties of Hydroxypropyl- and Sodium Carboxymethyl-Substituted Guar Gums in Aqueous Solution
S. Venkataiah and E. G. Mahadevan 1533

Kinetics of Crosslinking of Poly(vinyl Chloride) in the Presence of Tetramethylthiuram Disulfide and Zinc Oxide
V. Ducháček and A. Kuta 1549

Polythiourethane Polymers Using Castor Oil Tristhioglycolate as Crosslinking Agent
N. D. Ghatge and R. A. N. Murthy 1557

Regression Analysis Studies of Polymer Transitions. I. Volume–Temperature Data on Amorphous Polymers
R. F. Boyer, R. L. Miller, and C. N. Park 1565

Hydrolysis of Resin-Coated Poly(ethylene Terephthalate) Yarns
D. J. Carlsson and S. M. Milnera 1589

Preparation of Copoly(vinyl Alcohol–Styrenesulfonic Acid) Resin and Its Catalytic Activity on Hydrolysis of Carbohydrates. IV. Hydrolysis of Dextrin in Mixtures of Organic Solvents with Water
K. Arai, Y. Ogiwara, and C. Kuwabara 1601

Preparation and Structure of Poly(vinyl Alcohol)–Poly(vinyl Acetate) Composite Porous Membrane
S. Hayashi, T. Hirai, and N. Hojo 1607

Organic Solid Photochromism by Photoreduction Mechanism: Thionine-Reductant System
H. Kamogawa, S. Katsuta, and M. Nanasawa 1621

Investigations on the Mechanism of Flame Retardancy in HET Acid Containing Unsaturated Polyester Resins
C. T. Vijayakumar and J. K. Fink 1629

Inverse Gas Chromatography of Wool
J. R. McLaughlin and C. G. Pope 1643

Extensional Viscosity of Silica Dispersions
Y. Otsubo and K. Umeya 1655

Fibrous Support for Immobilization of Enzymes
H. Ichijo, T. Suehiro, A. Yamauchi S. Ogawa, M. Sakurai, and N. Fuji 1665

Huggins' Constant and Unperturbed Parameter of Dilute Polymer Solutions
K. K. Chee 1675

Spectrophotometric Determination of Water Vapor Permeation through Polymer Films
R. V. Holland and R. A. Santagelo 1681

Polymerization of Olefins through Heterogeneous Catalysis. I. Low Pressure Propylene Polymerization in Slurry with Ziegler–Natta Catalyst
H. G. Yaun, T. W. Taylor, K. Y. Choi, and W. H. Ray 1691

The Effect of Molecular Weight on Fatigue Crack Propagation in Nylon 66 and Polyacetal
P. E. Bretz, R. W. Hertzberg, and J. A. Manson 1707

Emissivity Values for Poly(vinyl Chloride) with Varying Plasticizer Compositions
Y. Fujikura, T. Suzuki, and M. Matsumoto 1719

Binding of Calcium and Magnesium by Modified Onion Skins
D. B. Bankar and S. S. Dara 1727

Preparation of Cationic Polymer Surfaces by Grafting Polymerization
H. Yasuda, B. Sherry, M. A. El-Nokaly, and S. E. Friberg 1735

Structural Changes in Melts of Butadiene–Styrene and Isoprene–Styrene Block Polymer-Based Pressure-Sensitive Adhesives
G. Kraus and T. Hashimoto 1745

Simulation of Reversible Nylon-66 Polymerization in Homogeneous Continuous-Flow Stirred Tank Reactors
A. Kumar, R. K. Agarwal, and S. K. Gupta 1759

Preparation of Functional Polymer Microspheres by Suspension Copolymerization of Diallyl Phthalate with Carboxylic Monomers
Y. Ohtsuka, H. Kawaguchi, and T. Hamasaki 1771

Thermal Analysis of Poly(bisphenoxyphosphazene); Single Crystals and Melt Crystallized Samples
S. J. Kozmiski and I. R. Harrison 1783

Water-Leaching Rates of Halides from Polymers
N. Narkis, M. Narkis, and I. Berkovitz 1795

Synthesis and Physico-Mechanical Properties of Aliphatic Polyesteramides
L. Castaldo, F. De Candia, G. Maglio, R. Palumbo, and G. Strazza 1809

NOTES

Some Observations on the Thermal Stabilities of Modified *N*-Vinylcarbazole Polymer Systems
M. Biswas and S. Packirisamy 1823

Network Changes in Natural Rubber Vulcanizates under Compression
N. M. Mathew, A. K. Bhowmick, and S. K. De 1827

Chloromethylation of the Polyethylene/Poly(Styrene-co-Divinylbenzene) System
G. Poźniak and W. Trochimczuk 1833

Grafting Vinyl Monomers onto Nylon 6. IV. Graft Copolymerization of Methyl Methacrylate onto Nylon 6 Using the V^{5+}–Thiourea Redox System
A. K. Pradhan, N. C. Pati, and P. L. Nayak 1839

Graft Copolymerization of Acrylamide onto Polyethylene Terephthalate (PET) with Potassium Permanganate as Initiator
M. K. Mishra and A. K. Tripathy 1845

Introduction of Carbonyl Group to the Main Chain of Poly(phenyl Vinyl Sulfide)
M. Tomiyama, S. Kondo, and K. Tsuda 1849

Photoinduced Graft Copolymerization. II. Graft Copolymerization of Methyl Methacrylate onto Nylon-6 in Presence of γ-Picoline–Bromine Charge Transfer Complex
S. Lenka, P. L. Nayak and A. K. Tripathy 1853

Grafting Vinyl Monomers onto Cellulose. VII. Graft Copolymerization of Methyl Methacrylate onto Cellulose Using Acetylacetonato Cobalt(III) Complex
S. Lenka and A. K. Tripathy 1859

Issue No. 6, June 1982

ESR Study of Pressure Dependence of the Peroxy Radical Decay in Irradiated Isotactic Polypropylene
F. Szöcs 1865

Grafting Vinyl Monomers onto Polyester Fibers. VI. Graft Copolymerization of Methyl Methacrylate onto PET Fibers Using Tetravalent Cerium as Initiator
A. K. Pradhan, N. C. Pati, and P. L. Nayak 1873

Adiabatic Compressibility of Polyelectrolytes: Effect of Solvents on Copolymers of Vinyl Pyrrolidone with Acrylic Acid and *N*-diamethylaminoethyl Methacrylate
P. Roy-Chowdhury and M. S. Kirtiwar 1883

Photocontrolled Adsorption Chromatography for Lysozyme Using Azoaromatic Polymer
K. Ishihara, N. Negishi, and I. Shinohara 1897

Grafting Vinyl Monomers onto Silk Fibers. XV. Graft Copolymerization of Methyl Methacrylate onto Silk Using Thallium (III) as Initiator
S. Misra, P. L. Nayak, and G. Sahu 1903

Melt Rheology of Blends of Semicrystalline Polymers. I. Degradation and Viscosity of Poly(ethylene Terephthalate)–Polyamide-6,6 Mixtures
L. A. Utracki, A. M. Catani, G. L. Bata, M. R. Kamal, and V. Tan 1913

Modification of the Properties of Polyurethane by Blending, Reinforcing, or Plasticizing
D. Feldman 1933

Sensitized Photodegradation of Polyisobutylene Film by Addition of Tris(α-Thiopicolinanilide)–Cobalt(III)
R. Chandra and S. P. Handa 1945

Grafting Vinyl Monomers onto Nylon 6. VI. Graft Copolymerization of Methyl Methacrylate onto Nylon 6 Using Acetylacetonate Complex of Mn(III), Co(III), and Fe(III)
S. Lenka and P. L. Nayak 1959

Studies of Polymer Electrets. III. Charge Decay Behavior in Polar Polymer Homoelectrets
A. Mishra 1967

Simulation and Optimal Design of Seeded Continuous Emulsion Polymerization Process
C-C. Lin and W-Y. Chiu 1977

Rheological Properties of Hydrolyzed Polyacrylonitrile-Grafted Cellulose
A-T. Cao-Thi and A. A. Robertson 1995

The Morphology of the Aromatic Copolyester of Poly(ethylene Terephthalate) and 80 mol % of *p*-Acetoxybenzoic Acid
A. E. Zachariades, J. Economy, and J. A. Logan 2009

Development of Green and Dark Blue Colors in Epoxy Resins Cured with 4,4′-Diaminodiphenylmethane
N. M. Atherton, L. G. Banks, and B. Ellis 2015

Preparation and Gas Permeability of Polymer Blend Membranes of Polystyrene and Poly[1,1,1-Tris(trimethylsiloxy)methacrylate Propylsilane]
Y. Kang, K. Araki, K. Iwamoto, and M. Senō 2025

Multifeed Emulsion Polymers: The Effects of Monomer Feed Sequence and the Use of Seed Emulsion Polymers
L. W. Morgan 2033

The Effect of Composition, Sequence Length, and Tacticity on the UV Absorption Analysis of Styrene Copolymers in Solution
L. H. Garcia-Rubio 2043

Aromatic Polyamides. V. Substituent Effect on Thermal Properties
Y. P. Khanna and E. M. Pearce 2053

Synthesis and Properties of Photosensitive Rubbers. II. Photosensitivity of Cyclized Polydienes and Polypentenamer with Pendent Cinnamate Groups
C. Azuma, K. Sanui, and N. Ogata 2065

The Copolymerization of Vinyl Chloride with 1-Olefins. II. An Investigation of the Copolymerization Reaction of Vinyl Chloride and Propene
Z. Mrázek, A. Jungwirt, and M. Kolinský 2079

Analysis of Zone-Drawing Process in Preoriented Polypropylene
K. Yamada and M. Takayanagi 2091

Fe^{2+}–Thioureadioxide–H_2O_2-Induced Polymerization of Glycidyl Methacylate and Its Mixtures with Acrylamide, Acrylonitrile, Butylmethacrylate, or Styrene with Cotton Fabric
N. Y. Abou-Zeid, A. Waly, E. A. El-Alfy, and A. Hebeish 2105

A Study of Crack Propagation in High-Density Polyethylene
R. D. Hoffman 2119

Grafting Vinyl Monomers onto Polyester Fibers. III. Graft Copolymerization of Methyl Methacrylate onto Poly(ethylene Terephthalate) Using Potassium Permanganate–Oxalic Acid Redox System
A. K. Pradhan, N. C. Pati, and P. L. Nayak 2131

Residual Stress and Thermal Expansion Coefficient of Plasma Polymerized Films
A. Morinaka and Y. Asano 2139

The Role of Coupling Agents on the Mechanical Properties of Polymer-Impregnated Mortars
C. A. Villamizar, A. Muñoz-Escalona, and E. Durán 2151

A New Criterion of Phase Separation: The Effect of Diamine Chain Extenders on the Properties of Polyurethaneureas
C. B. Hu, R. S. Ward, Jr., and N. S. Schneider 2167

Pervaporation of Athermal Mixture of Benzene–Toluene by Poly(ethylene Terephthalate) Membrane and Synergetic Effect on Concentration Dependence of Diffusion Rate
F. Suzuki, K. Onozato, and N. Takahashi 2179

Radiation-Induced Grafting of Sulfonates on Polyethylene
S. Shkolnik and D. Behar 2189

Proton Spin–Lattice and Spin–Spin Relaxation Times in Isotactic Polypropylene. I. Effects of Crystallinity and Atactic Fraction
H. Tanaka 2197

The Effect of Temperature and Deformation Rate on the Hot-Drawing Behavior of Porous High-Molecular-Weight Polyethylene Fibers
J. Smook and A. J. Pennings 2209

Redox Polymerization: Kinetics of Polymerization of Acrylonitrile Initiated by the System 2,2′-Thiodiethanol/Trichloroaquobipyridylmanganese(III) in Dilute Sulfuric Acid
A. Jayakrishnan, M. Haragopal, and V. Mahadevan 2229

Applied Macroinorganics. II. Protonation and Heavy Metal Ions Complex-Formation Behavior of Three Crosslinked Resins of Poly(amido-amine) Structure
P. Ferruti, C. Bertoglio Riolo, T. Soldi, M. Pesavento, R. Barbucci, M. C. Beni, and M. Casolaro 2239

Kinetics of High Conversion Polymerization of Vinyl Acetate. Effects of Mixing and Reactor Type on Polymer Properties
W. Baade, H. U. Moritz, and K. H. Reichert 2249

Surface Interactions and Some Properties of Filled Polymers
H. P. Schreiber, M. R. Wertheimer, and M. Lambla 2269

System Development for Size Exclusion Chromatography of Starch Hydrolysates
J. E. Rollings, M. R. Okos, G. T. Tsao, and A. Bose 2281

NOTES

Grafting Vinyl Monomers onto Nylon-6. XI. Graft Copolymerization of Methyl Methacrylate onto Nylon-6 Using Peroxydisulfate as Initiator
S. Lenka 2295

Aromatic Polyamides. VI. Thermal Behavior of Model Diamides
Y. P. Khanna, E. M. Pearce, and D. A. Vernick 2301

Issue No. 7, July 1982

Characterization of Cotton–Polystyrene Graft Copolymers
N. Thejappa and S. N. Pandey 2307

Environmental Degradation and Some Polymer Blends. Blends of Polystyrene with Acrylonitrile Butadiene Styrene, Poly(vinyl Chloride), and Polybutadiene and Blends of Polybutadiene with Poly(vinyl Chloride)
E. G. Kolawole and M. O. Agboola 2317

Straining Phenomena of POY Revealed by Thermal Retraction and Other Techniques
D. Selivansky and M. Lewin 2337

Mechanical Properties of Blends Containing HDPE and PP
D. W. Bartlett, J. W. Barlow, and D. R. Paul 2351

Aminimide as Hardener/Curing Promotor for One Part Epoxy Resin Composition
H. Niino, S. Noguchi, Y. Nakano, and S. Tazuke 2361

Drawing Rate Effects on Morphological Parameters in Nylon-6, PET, and PBT Filaments
J. W. Song, A. S. Abhiraman, and A. P. Rickards 2369

Behavior of Cellulose Graft Copolymer towards Persulphate Oxidation. III. Poly(acrylonitrile) Graft Copolymers
M. I. Khalil, O. I. Aglan, and A. Hebeish 2377

Gas Permeabilities of Cellulose Nitrate/Poly(ethylene Glycol) Blend Membranes
M. Kawakami, H. Iwanaga, Y. Hara, M. Iwamoto, and S. Kagawa 2387

Utilization of Waste Cellulose. IV. Comparative Study of the Reactivity of Different Substrates in the Enzymatic Hydrolysis with Trichoderma Viride
C. David and P. Thirÿ 2395

Graft Copolymerization of Methyl Methacrylate (MMA) onto Silk Using Potassium Peroxydiphosphate–Cysteine (PP–Cys) Redox System
M. K. Mishra 2403

Effect of Heat Treatment on the Structure and Mechanical Properties of Polyacrylonitrile Fibers
A. K. Gupta and A. K. Maiti 2409

Grafting onto Wool. XVI. Graft Copolymerization of Vinyl Monomers by Use of TBHP–FAS as Redox Initiator
B. N. Misra and D. S. Sood 2417

Graft Copolymerization of Methyl Methacrylate onto Wool by Use of Ferrous Ion–Peroxodiphosphate
J. Subhan and S. Saccubai 2427

Investigation of the Cellulose/LiCl/Dimethylacetamide and Cellulose/LiCl/*N*-Methyl-2-Pyrrolidinone Solutions by ^{13}C NMR Spectroscopy
A. El-Kafrawy 2435

The Dissolution of Cellulose in Anhydrous Chloral/Aprotic Solvents
A. El-Kafrawy and A. F. Turbak 2445

The Effect of Ultraviolet Light on the Mechanical Properties of Polyethylene and Polypropylene Films
M. Raad, L. Kotulák, J. Kolařik, and J. Pospíšil 2457

Photodegradable Polymers: Poly(arylene Keto Amine)s
S. J. Huang and C. A. Byrne 2467

Effect of an Additive on the Radiation Resistance of Polyethylene and Ethylene–Propylene Copolymer
T. Fujimura, K. Arakawa, N. Hayakawa, and I. Kuriyama 2475

Kinetics of Emulsion Copolymerization. II. Effect of Free Radical Desorption on the Rate of Emulsion Copolymerization of Styrene and Methyl Methacrylate
M. Nomura, K. Yamamoto, I. Horie, K. Fujita, and M. Harada 2483

Use of Polyelectrolyte Complex for Immobilization of Microorganisms
E. Kokufuta, W. Matsumoto, and I. Nakamura 2503

Nylon 6 Polymerization in the Solid State
R. J. Gaymans, J. Amirtharaj, and H. Kamp 2513

A Study of Sulfur Bridges in Filled Natural Rubber Vulcanizates by Pyrolysis Gas Chromatography with Flame-Photometric Detection
E. M. Andersson, I. Ericsson, and L. Trojer 2527

Thermal Oxidation of Polypropylene Close to Industrial Processing Conditions
A. Hoff and S. Jacobsson 2539

Structure–Property Relationships in PVC Compression Moldings
M. Gilbert and K. E. Ansari 2553

Effect of pH on the Rate of Emulsion Polymerization of Styrene Initiated by Potassium Persulfate
A. Rahman and C. W. Brown 2563

Effect of a Synthetic Tanning Agent on the Diffusion Properties of an Acid Dye in Nylon 6
J. Guthrie 2567

Interlaminar Shear Properties of Some Glass-Fiber-Reinforced Phenolic and Polyester Laminates
A. Kaminski 2577

Cationic Oligomerization of 1-Hexene Catalyzed by $EtAlCl_2$–Chloroacetic Acid Complexes
T. Higashumura, Y. Miyoshi, and H. Hasegawa 2593

Structurally Bound Stabilizers: Melt Grafting of UV Stabilizers onto Polypropylene, Polyethylene, and Polystyrene
Y. N. Sharma, M. K. Naqvi, P. S. Gawande, and I. S. Bhardawj 2605

Comparison of Dynamic and Static Degradation of Poly(vinyl Chloride)
E. Pukánszky, T. T. Nagy, T. Kelen, and F. Tüdős 2615

Modelling of Poly(ethylene Terephthalate) Reactors. III. A Semibatch Prepolymerization Process
K. Ravindranath and R. A. Mashelkar 2625

Structural Considerations in Case II Swelling of Crystalline Poly(ethylene Terephthalate)
T. Haga 2653

Orientation Development in the Tubular Film Extrusion of Polypropylene
Y. Shimomura, J. E. Spruiell, and J. L. White 2663

Resistance of a Polyetherimide to Environmental Stress Crazing and Cracking
S. A. White, S. R. Weissman, and R. P. Kambour 2675

Photopolymerization of Acrylonitrile Sensitized with a Combination of Aromatic Ketone and Amine
H. Kubota and Y. Ogiwara 2683

Physical Properties of Oriented Poly(butylene Terephthalate)
W. P. Leung and C. L. Choy 2693

Grafting of Acrylamide to Nylon-6 by the Electron-Beam Preirradiation Technique. II. Kinetic Aspects and Film Permeability
Y. Haruvy, L. A. Rajbenbach, and J. Jagur-Grodzinski 2711

NOTES

Grafting Vinyl Monomers onto Cellulose. X. Graft Copolymerization of Methyl Methacrylate onto Cellulose Fibers Using Acetylacetonate Complex of Vanadium Ion
S. Lenka, P. L. Nayak, and A. K. Tripathy 2725

Computing Temperature Field within a Melt Spinline
S. Kase 2729

Saponified Starch–*g*–Polyacrylonitrile. Variables in the Ce^{+4} Initiation of Graft Polymerization
G. F. Fanta, R. C. Burr, and W. M. Doane 2731

Taylor Diffusion in Polymer Solutions: Falsification by Slip Effects
A. Dutta and R. A. Mashelkar 2739

Long-Term Permeation of Water through Neoprene
P. E. Cassidy and G. C. Rolls 2743

A Graphic Method for the Determination of Monomer Reactivity Ratios
J-F. Kuo and C-Y. Chen 2747

Issue No. 8, August 1982

Sorption of Diethyl Phthalate by Nitrocellulose Fibers
T. J. Lewis and G. M. Roberts 2751

Interaction of a Hindered Piperidine Stabilizer with Hydroxy-Substituted Aromatic Carbonyl Compounds in the Photostabilization of Polypropylene
N. S. Allen, J.-L. Gardette, and J. Lemaire 2761

Formation of Cracks of Photodegraded Nylon 6 Filaments
Y. Fujiwara and S. H. Zeronian 2773

An Interpolymer Anionic Composite Reverse Osmosis Membrane Derived from Poly(vinyl Alcohol) and Poly(styrene Sulfonic Acid)
K. Koyama, M. Okada, and M. Nishimura 2783

The Kinetics of Hydrolytic Polymerization of ε-Caprolactam. V. Equilibrium Data on Cyclic Oligomers
K. Tai and T. Tagawa 2791

Thioetherglycidyl Resins. III. Products of Condensation of Bis(4-Mercaptophenyl)ether and Bis(4-Mercaptophenyl)methane with Epichlorohydrin
W. Charmas 2797

An Unusual Visual Microcracking/Healing Phenomenon in Polycarbonate at Room Temperature
M. Narkis and J. P. Bell 2809

An Alternate Approach to the Determination of Rate Parameters in Copolymerization
K. S. Balaraman, B. D. Kulkarni, and R. A. Mashelkar 2815

Diffusion of Deterrents into a Nitrocellulose-Based Small Arms Propellant. The Effect of Deterrent Structure and Solvent
C. W. Fong and C. Cooke 2827

Activating Pulp toward Acetylation by Chemical or Mechanical Means
S. O. Heikal and S. F. El-Kalyoubi 2833

The Rejection of Polar Organic Solutes in Aqueous Solution by an Interpolymer Anionic Composite Reverse Osmosis Membrane
K. Koyama, T. Nishi, I. Hashida, and M. Nishimura 2845

Assessment of the Intrinsic Birefringence of Partially Oriented Poly(ethylene Terephthalate) Yarns
S. K. Garg 2857

Experimental Assessment of the Thermodynamic Theory of the Compositional Variation of T_g: PVC Systems
J. R. Fried, S.-Y. Lai, L. W. Kleiner, and M. E. Wheeler 2869

Characterization of Rubber Particle Size Distribution of High-Impact Polystyrene Using Low-Angle Laser Light Scattering
R. A. Hall, R. D. Hites, and P. Plantz 2885

Phase Separation in Segmented Polyurethanes
T. K. Kwei 2891

Non-Steady-State Transport of Diffusant in Ternary Laminate Slabs
G. J. Le Poidevin 2901

Time-Dependent Changes in Mechanical Properties of Neat and Reinforced Epoxy Resins
J. Mijović 2919

Calibration of Size-Exclusion Chromatography Columns with Polydisperse Polymer Standards. I. Theory
M. Kubín 2933

Calibration of Size-Exclusion Chromatography Columns with Polydisperse Polymer Standards. I. Theory
M. Kubín 2943

Characterization of Carboxymethylcellulose: Distribution of Substituent Groups along the Chain
R. A. Gelman 2957

Process for the Formation of Biaxially Oriented Films of Poly(*p*-phenylene Terephthalamide) from Liquid Crystalline Solutions
J. E. Flood, J. L. White, and J. F. Fellers 2965

Kinetic Aspects of Dyeing Processes
E. Sada, H. Kumazawa, and T. Ando 2987

Gas Sorption and Transport in Poly(phenylene Oxide) and Comparisons with Other Glassy Polymers
K. Toi, G. Morel, and D. R. Paul 2997

Tensile and Impact Behavior of Drawn Polystyrene and High-Impact Polystyrene
M. Yokouchi, A. Yokota, and Y. Kobayashi 3007

Glass-Transition Behavior of Particle Composites Modeled on the Concept of Interphase
P. S. Theocaris and G. D. Spathis 3019

Graft Copolymerization of Acrylonitrile onto Bagasse and Wood Pulps
S. O. Heikal and S. F. El-Kalyoubi 3027

Adsorption of Dyes on Chitin. I. Equilibrium Studies
G. McKay, H. S. Blair, and J. R. Gardner 3043

Effect of Ultrafine Particles on the Elastic Properties of Oriented Low-Density Polyethylene Composites
M. Sumita, T. Ookuma, K. Miyasaka, and K. Ishikawa 3059

Vapor–Liquid Equilibria for Benzene/Polybutadiene and Cyclohexane/Polybutadiene Systems at 333, 355, and 373 K Using Gas Chromatography
W. R. Lau, C. J. Glover, and J. C. Holste 3067

Viscometric Properties of Poly(dimethylsiloxane) Filled with Spherical Silica Particles
T. S. Cantu and J. M. Caruthers 3079

Simulation of Three-Stage Nylon 6 Reactors with Intermediate Mass Transfer at Finite Rates
S. K. Gupta, A. Kumar, and K. K. Agrawal 3089

Water-Soluble Copolymers. V. Compositional Determination of Random Copolymers of Acrylamide with Sulfonated Comonomers by Infrared Spectroscopy and C^{13} Nuclear Magnetic Resonance
C. L. McCormick, G-S. Chen, and B. H. Hutchinson 3103

Acid–Base and Dyeing Properties of Nigerian Merino, Yankasa, and Merino–Yankasa Crossbred Wools
M. S. Kazmi and A. R. Mathieson 3121

The Transport Phenomena of Some Model Solutes through Postcrosslinked Poly(2-Hydroxyethyl Methacrylate) Membranes with Different Tactic Precursors
S. C. Yoon and M. S. Jhon 3133

The Kinetics of Photoinitiated Polymerization of 1-Vinyl-2-Methylimidazole
M. G. Joshi and F. Rodriguez 3151

Studies on Synthetic-Polymer Plates with High Surface Energy. IV. Determination of Critical Surface Tension with Aqueous Solutions of Salts
N. Kaneko and Y. Ohtsuka 3161

Rheological and Solid Wall Boundary Condition Characterization of Unvulcanized Elastomers and Their Compounds
S. Toki and J. L. White 3171

Studies on Suspension and Emulsion. LIV. Shrinkage of Polymer Emulsion Film Having Asymmetric Porous Structure
M. Okubo, T. Takeya, H. Tanaka, and T. Matsumoto 3185

Information for Contributors 3191

Issue No. 9, September 1982

Identification of Two Pass Regimes for Nylon-66 Based Rods in the Critical Oxygen Index Test
R. K. Wharton 3193

Modification of the Fine Structure of Cellulose by Halogen and Heat Treatments
M. Lewin, H. Guttmann, and D. Derfler 3199

Tie Chains and Modulus of Nylon 6 Fibers
S. P. Mishra and B. L. Deopura 3211

The Rate of Plasticizer Uptake by Suspension PVC
J. A. Davidson 3219

Exactly Alternating Silarylene–Siloxane Polymers. V. Evaluation of the Mechanical Properties of Crosslinked Elastomers
M. E. Livingston, P. R. Dvornic, and R. W. Lenz 3239

Studies on the Light-Focusing Plastic Rod. XIII. Photocopolymerization of Methyl Methacrylate–Vinyl Esters of Aromatic Carboxylic Acid
Y. Koike, Y. Kimoto, and Y. Ohtsuka 3253

Kinetic Model of Cure Reaction and Filler Effect
H. S.-Y. Hsich 3265

Preparation of Functional Polymer-Microspheres by Suspension Copolymerization of Ethylene Glycol Dimethacrylate with Hydrophilic Monomers
Y. Ohtsuka, H. Kawaguchi, and T. Yamamoto 3279

New Epoxy Resins. II. The Preparation, Characterization, and Curing of Epoxy Resins and Their Copolymers
C. S. Chen, B. J. Bulkin, and E. M. Pearce 3289

Degradation Studies of Plasticized PVC. I. Multiple Internal Reflection Infrared Spectroscopy
C. A. S. Hill 3313

Synthesis of Brominated Acenaphthylenes and Their Flame-Retardant Effects on Ethylene–Propylene–Diene Terpolymer
Y. Morita and M. Hagiwara 3329

Controlled Release of the Herbicides 2,4-D and Dichlobenil from Alginate Gels
W. J. Connick, Jr. 3341

Thermal Characteristics of Poly(ethylene Terephthalate) Fiber Grafted with Poly(vinyl Acetate) and Poly(vinyl Alcohol)
S. A. Faterpeker and S. P. Potnis 3349

Prediction of Sedimentation Coefficients of Random Coil Polymers
C. M. Kok and A. Rudin 3357

Smoke Suppression by Ammonium Polyphosphate in Poly(acrylonitrile) Combustion
A. Ballistreri, G. Montaudo, C. Puglisi, E. Scamporrino, and D. Vitalini 3369

Experimental Studies of the Relationship of Processing to the Crack Growth of Carbon-Black-Loaded SBR—*cis*-Polybutadiene Compounds
B-L. Lee 3379

Modelling of Condensation Polymerization of Novolac-Type Phenol–Formaldehyde in Homogeneous, Continuous-Flow, Stirred-Tank Reactors
A. Kumar, U. K. Phukan, and S. K. Gupta 3393

Orientation in Acrylonitrile Copolymers
S. Kumar and R. S. Stein 3407

Studies on Effect of Irradiation on Semipermeable Membranes
V. Ramachandhran and B. M. Misra 3427

Thermal and Photooxidation of Polyolefins in the Presence of 3,5-Ditertiarybutyl 4-Hydroxybenzyl Thioglycollate, Zinc Diethyldithio Carbamate, and Irganox 1076
E. G. Kolawole 3437

Determination of the Structural Configuration of Cresol–Novolak Resins by ^{13}C NMR Spectroscopy
J. A. Carothers, E. Gipstein, W. W. Fleming, and T. Tompkins 3449

Effect of Concentration and Type of Plasticizer on Some Physical Properties of Poly(vinyl Chloride)
K. Watkinson and R. Mohsen 3455

The Use of a Microcomputer with a Gel Permeation Chromatograph
V. Narasimhan, A. R. Telfer, R. Y.-M. Huang, and C. M. Burns 3461

Change of Molecular Aggregation State in Amorphous Region with Uniaxial Extension of Preoriented Polypropylene
K. Yamada and M. Takayanagi 3479

Cotton Cellulose: Enzyme Adsorption and Enzymatic Hydrolysis
P. L. Beltrame, P. Carniti, B. Focher, A. Marzetti, and M. Cattaneo 3493

Epoxy Resins: Effect of Extent of Mixing on Properties
J. P. Bell 3503

A Comparative Study of Semi-2 and Full Interpenetrating Polymer Networks Based on Poly(*n*-Butyl Acrylate)/Polystyrene
J. M. Widmaier and L. H. Sperling 3513

Polymorphism and Orientation Development in Melt Spinning, Drawing, and Annealing of Nylon-6 Filaments
J. Gianchandani, J. E. Spruiell, and E. S. Clark 3527

A Comparative Study of Stress-Induced Crystallization of Guayule, Hevea, and Synthetic Polyisoprenes
Y. Shimomura, J. L. White, and J. E. Spruiell 3553

Protection Effects of Condensed Bromoacenaphthylene on Radiation Deterioration of Ethylene–Propylene–Diene Rubber
Y. Morita, M. Hagiwara, and N. Kasai 3569

Crosslinking of Unsaturated Polyester Resins by Combinations of Vinyl Esters and Methacrylate
P. E. Froehling 3577

The Impact Fracture Toughness of Plasticized Cellulose Acetate and the Relationship with the Secondary Loss Transition
C. W. Fong 3585

The Utilization of DSC in Studies of Oligomers
W. D. Varnell, I. R. Harrison, and D. R. Roberts 3591

Temperature Dependence of Surface Crystallization in Bimorphic PET Fibers
C. J. Durning, M. G. Scott, and H.-D. Weigmann 3597

NOTES

Hydrogen Bonding of Dinitrotoluene Isomers to Unesterified Hydroxyl Groups in Nitrocellulose
B. W. Brodman, N. Lampner, and J. Eng 3621

Photo-Induced Graft Copolymerization. IV. Graft Copolymerization of Methyl Methacrylate onto Nylon-6 Using *N*-Bromosuccinamide as Photoinitiator
S. Lenka and P. L. Nayak 3625

High-Performance Adsorption Chromatography of Polymers: Separation of Styrene–Acrylonitrile Copolymers on CN Silica
M. Danielewicz, M. Kubin, and S. Vozka 3629

Carbon-13 Labeling Studies of Volatile Pyrolyzate Formation from Poly(vinyl Chloride)
R. P. Lattimer, W. J. Kroenke, and R. H. Backderf 3633

ERRATUM

Drawing Rate Effects on Morphological Parameters in Nylon-6, PET, and PBT Filaments
J. W. Song, A. S. Abhiraman, and A. P. Rickards 3637

Issue No. 10, October 1982

Alternating Copolymers of Butadiene and Propylene: Properties and Characterization
W. Wieder, H. Kroemer, and J. Witte 3639

Degradation of Organic Coatings. I. Hydrolysis of Melamine Formaldehyde/Acrylic Copolymer Films
D. R. Bauer 3651

An Analysis of Transients in Primary Nucleation
A. J. McHugh 3663

High-Density Polyethylene Filled with Modified Chalk
B. M. Badran, A. Gałeski, and M. Kryszewski 3669

Vinyl Graft Polymerization-Induced Modification of Some Properties of Poly(ethylene Terephthalate) Fabric
A. Hebeish, S. E. Shalaby, and A. M. Bayazeed 3683

Graftability of Beaten Pulps and Acetylated Pulps
S. O. Heikal, N. A. El-Shinnawy and S. F. El-Kalyoubi 3691

Chemical Factors Affecting Soiling and Soil Release from Cotton-Containing Durable Press Fabric. VI. Effect of Introduction of Carboxymethyl Groups in the Cotton Component of Polyester/Cotton Blend
A. Hebeish, M. H. El-Rafie, A. T. El-Aref, M. I. Khalil, I. Abdel-Thalouth, M. El-Kashouti, and M. M. Kamel 3703

Solubility Parameters in Polyoxetanes: Poly(oxetane), Poly(3,3-Dimethyl Oxetane), and Poly(3,3-Diethyloxetane)
E. Pérez, M. A. Gómez, A. Bello, and J. G. Fatou 3721

Craze Initiation and Growth in High-Impact Polystyrene
A. M. Donald and E. J. Kramer 3729

Photoinduced Grafting of Acrylamide onto Polyethylene Film by Means of Two-Step Method
Y. Ogiwara, M. Takumi, and H. Kubota 3743

Preparation of Silicon Carbide–Silicon Nitride Fibers by the Controlled Pyrolysis of Polycarbosilazane Precursors
B. G. Penn, F. E. Ledbetter III, J. M. Clemons, and J. G. Daniels 3751

Estimation of Heat Evolution during Viscoelastic Crack Propagation by Liquid Crystal Film Technique
A. Kobayashi, M. Munemura, N. Ohtani, and H. Suemasu 3763

Flow Properties of Various Irradiated Resins of PTFE (Teflon)
W. K. Fisher and J. C. Corelli 3769

Photo-Induced Graft Copolymerization. III. Graft Copolymerization of Methyl Methacrylate onto Cellulose Using Peroxydiphosphate as Photoinitiator
S. Lenka and P. L. Nayak 3787

Synthesis and Physiochemical Studies of Some New Amphoteric Ion Exchangers
R. N. Kapadia and A. K. Dalal 3793

Fractography of Human Hair
Y. K. Kamath and H.-D. Wegman 3809

Transient Diffusion through Multilaminate Slabs Separating Finite and Semiinfinite Baths
H. G. Spencer, T. C. Chen, and J. A. Barrie 3835

Diffusion of Cyclic Hydrocarbons in Benzene-Swollen, Divinylbenzene-Crosslinked Polystyrene Beads
J. B. Roucis and J. G. Ekerdt 3841

Chemical Modification of Polystyrene. I. Electrophilic Substitution of Polystyrene with Aromatic Anhydrides
M. Biswas and S. Chatterjee 3851

Effect of Sodium Lauryl Sulfate on the Polymerization of Acrylonitrile
N. Patel, I. Mohammed, B. N. Das, and B. K. Sinha 3859

Graft Copolymerization of Methyl Methacrylate onto Poly(ethylene Terephthalate) Fibers Using Thallium(III) Ions as Initiator
S. Misra, P. L. Nayak, and G. Sahu 3867

Crosslinking of Polypropylene Glucol with Divalent Metal Salts of Mono(hydroxyethyl) Phthalate, Anhydride, and Bisepoxide
H. Matsuda and N. Miyoshi 3877

Water Permeation of Polymer Films. IV. Teflon FEP
E. Sacher and J. R. Susko 3893

Surface-Modified Kevlar Fiber-Reinforced Polyethylene and Ionomer
M. Takayanagi, T. Kajiyama, and T. Katayose 3903

Pesticide Encapsulation Using a Starch–Borate Complex as Wall Material
D. Trimnell, B. S. Shasha, R. E. Wing, and F. H. Otey 3919

Light Scattering from Polyethylene Solutions
J. Stejskal, J. Horská, and P. Kratochvíl 3929

Plasticizer Transfer from Plasticized PVC into Ethanol–Water Mixtures
D. Messadi and J. M. Vergnaud 3945

Synthesis of Rigid Polyurethane Foams from Oligoester Alcohols Obtained from Dimethyl Terephthalate Production Wastes
K. Troev, K. Todoroy, and G. Borisov 3957

Plasma Polymerization of Tetrafluoroethylene in a Field-Free Zone
P. D. Buzzard, D. S. Soong, and A. T. Bell 3965

Solvent Diffusion in Molten Polyethylene
J. S. Vrentas, J. L. Duda, and M. K. Lau 3987

Stress-Induced Chemiluminescence from Nylon 66 Fibers
G. A. George, G. T. Egglestone, and S. Z. Riddell 3999

Grafting Fluorocarbons to Polyethylene in Glow Discharge
T. Yagi, A. E. Pavlath, and A. G. Pittman 4019

Catalysis of the Reaction between Isocyanates and Protonic Substrates. II. Kinetic Study of the Polyurea Foaming Process Catalyzed by a Series of Amino Compounds
J. M. Borsus, P. Merckaert, R. Jérôme, and Ph. Teyssié 4029

Gradient-IPN-Modified Hydrogel Beads: Their Synthesis by Diffusion-Polycondensation and Function as Controlled Drug Delivery Agents
K. F. Mueller and S. J. Heiber 4043

Melting and Crystallization Behavior of Miscible Copolyester–Polycarbonate Blends
R. S. Barnum, J. W. Barlow, and D. R. Paul 4065

NOTE

Anisotropy Induced during Compression Molding of Rubber
G. R. Hamed 4081

Issue No. 11, November 1982

Effect of Large Dosage Irradiation *In Vacuo* on Polyethylene
T. Fujimura, N. Hayakawa, and I. Kuriyama 4085

Effect of Large Dosage Irradiation in Air on Polyethylene
T. Fujimura, N. Hayakawa, and I. Kuriyama 4093

Effect of Heat Treatment on the Dielectric Relaxation of Polyacrylonitrile. II. Heat Treatment under Vacuum and in Air
A. K. Gupta, R. P. Singhal, A. K. Maiti, and V. K. Agarwal 4101

Effects of Water on Starch-*g*-Polystyrene and Starch-*g*-Poly(methyl Acrylate) Extrudates
A. M. Henderson and A. Rudin 4115

Synthesis and Studies of Phosphorus-Containing Polyurethane Foams Based on Tetrakis(hydroxymethyl)phosphonium Chloride Derivatives
H. Sivriev, G. Borissov, L. Žabski, W. Walczyk, and Z. Jedlinski 4137

Studies on Dyeing and Mechanical Properties of Nylon 6 Filaments Subjected to Swelling Treatments
D. R. Subramanian, A. Venkataraman, and N. V. Bhat 4149

Chelating Resin: Pyridine Derivatives Attached to Poly(styrene) Beads with Spacer Group
H. Nishide, N. Shimidzu, and E. Tsuchida 4161

Investigation of Thermal Degradation of Polystyrene by Differential Scanning Calorimetry
H. K. Toh and B. L. Funt 4171

Chlorinated Hydrocarbon Coupling Agents for Mica–Polypropylene Composites
A. Garton, S. W. Kim, and D. M. Wiles 4179

Ionic Conductivity of Hybrid Films Based on Polyacrylonitrile and Their Battery Application
M. Watanabe, M. Kanba, K. Nagaoka, and I. Shinohara 4191

Urethane-Based Stabilizers for Radiation-Crosslinked Polyethylene
S. Shkolnik and L. A. Rajbenbach 4199

A Mechanism for the Consolidation of the Structure of Clay–Latex Coatings
J. Watanabe and P. Lepoutre 4207

Catalysis of the Reaction between Isocyanates and Protonic Substrates. III. Influence of the Addition of a Cosolvent on the Polyurea Foaming Process
P. Merckaert, R. Jérôme, and Ph. Teyssié 4221

Pervaporation of Benzene-Cyclohexane Mixture by Poly(γ-methyl L-Glutamate) Membrane and Synergetic Effect of Their Mixture on Diffusion Rate
F. Suzuki and K. Onozato 4229

Graft Polymerization of Acrylonitrile and Methyl Acrylate onto Hemicellulose
G. F. Fanta, R. C. Burr, and W. M. Doane 4239

Adsorption of Dyestuffs onto Chitin. External Mass Transfer Processes
G. McKay, H. S. Blair, and J. Gardner 4251

Finite-Element and Boundary-Element Analysis of Craze Micromechanics
L. Bevan 4263

Separation of Proteins by Polymeric Adsorbents Containing Azobenzene Moiety as a Ligand
K. Ishihara, S. Kato, and I. Shinohara 4273

Investigation of Cure in Epoxy Resins: Ultrasonic and Thermally Stimulated Current Measurements
L. G. Bunton, J. H. Daly, I. D. Maxwell, and R. A. Pethrick 4283

Characterization of the Imidization of the Aromatic Polyimide LARC-160
S. E. Delos, R. K. Schellenberg, J. E. Smedley, and D. E. Kranbuehl 4295

Yields and Composition of Sirups Resulting from the Flash Pyrolysis of Cellulosic Materials Using Radiant Energy
C. I. De Jenga, M. J. Antal, Jr., and M. Jones, Jr. 4313

Viscoelastic and Engineering Properties of Poly(vinyl Chloride) Plasticized with Polycaprolactone-Based Polyurethanes
P. K. Bandyopadhyay and M. T. Shaw 4323

Glow Discharge Polymerization of Trimethylvinylsilane and Tetramethylsilane
N. Inagaki and M. Taki 4337

Processable Heat-Resistant Polymers. VII. Synthesis and Characterization of Polyamideimide from *N*-(*p*-Carboxyphenyl)trimellitimide and *p,p'*-Di(aminocyclohexyl)methane
S. Maiti and A. Ray 4345

Spontaneous Adhesion of Silicone Rubber
A. N. Gent and P. Vondráček 4357

Studies on Synthetic-Polymer Plates with High Surface Energy. V. Diethylene Glycol Bis(allyl Carbonate)–Acrylic Acid Copolymer Plate by Vapor-Phase Transfer Process
N. Kaneko, A. Takahashi, and Y. Ohtsuka 4365

Shear Modulus in Closely Packed Gel Suspensions
N. W. Taylor and S. H. Gordon 4377

Studies of Interaction in Silica/Styrene–Butadiene Copolymers
A. Díaz-Barrios and E. Paredes 4387

Rheograms of Cellulosic Polymers from the Melt Flow Index
A. V. Shenoy, D. R. Saini, and V. M. Nadkarni 4399

Viscoelastic Properties of (Cellulose Oligo-Oxymethylene Ether) Acylates
T. Morooka, M. Norimoto, T. Yamada, and N. Shiraishi 4409

Modelling of Reversible Poly(ethylene Terephthalate) Reactors
A. Kumar, S. K. Gupta, B. Gupta, and D. Kunzru 4421

Studies on Melt Spinning. VIII. Transfer Function Approach
S. Kase and M. Araki 4439

Dilute Solution Behavior of a Cationic Polyelectrolyte
C. Kienzle-Sterzer, D. Rodriguez-Sanchez, and C. Rha 4467

The Effects of Oxygen Diffusion on the Surface Photooxidation of Polystyrene
M. Ito and R. S. Porter 4471

An Analysis of the Moisture-Related Properties of Hydrolyzed Polyester
E. M. Sanders, and S. H. Zeronian 4477

Ultrasonically Delaminated and Coarse Mica Particles as Reinforcements for Polypropylene
S. E. Tausz and C. E. Chaffey 4493

Aging and Performance of Structural Film Adhesives. I. A Comparison of Two High-Temperature Curing, Epoxy-Based Systems
P. J. Pearce, R. G. Davidson, and C. E. M. Morris 4501

Slow Decomposition of Silicone Rubber
P. Vondráček and A. N. Gent 4517

NOTE

Effect of Grafting on the Tensile Properties of Jute Fiber
A. K. Mukhopadhyay, B. K. Sarkar, and A. S. Dutt 4525

Issue No. 12, December 1982

Graft Copolymerization of Glass Fiber and Its Application
K. Hashimoto, T. Fujisawa, M. Kobayashi, and R. Yosomiya 4529

Viscoelastic Behavior of Segregated Networks
Yu. S. Lipatov, V. F. Rosovizky, and Yu. V. Maslak 4541

Graft Copolymerization of Methyl Methacryalte onto Wool Using Thallium(III) Ions as Initiator
S. Misra and G. Sahu 4547

Epoxy-Resin-Cured Carboxylated Nitrile Rubber
S. K. Chakraborty and S. K. De 4561

Saccharification of Douglas-Fir Wood by a Combination of Prehydrolysis and Pyrolysis
F. Shafizadeh and T. T. Stevenson 4577

Fourier-Transform Infrared Study of Uniaxially Oriented Polytetrafluoroethylene
C. K. Yeung and B. Jasse 4587

Highly Reactive Wood Pulps for Cellulose Acetate Production
K. D. Sears, J. F. Hinck, and C. G. Sewell 4599

Effect pf Particulate Fillers on Short Jute Fiber-Reinforced Natural Rubber Composites
V. M. Murty and S. K. De 4611

Solution Behavior of Ionomers. III. Sulfo-EPDM-Modified Hydrocarbon Solution
R. D. Lundberg 4623

Effects of Mineral Oil on the Rheological Behavior of Polystyrene Melts
B. H. Bersted 4637

Chemical Modification of Polystyrene. II. A Cation Exchange Resin from Polystyrene Electrophilically Substituted with Pyromellitic Dianhydride
M. Biswas and S. Chatterjee 4645

Preliminary Experiment of Surface Hardening of Polymers by Glow Discharge Polymerization
K. S. Chen, N. Inagaki, and K. Katsuura 4655

Temperature Effect on the Permeation through Poly(2-Hydroxyethyl Methacrylate) Membrane
S. C. Yoon and M. S. Jhon 4661

The Effect of Addition of High-Density Polyethylene on the Crystallization and Mechanical Properties of Polypropylene and Glass-Fiber-Reinforced Polypropylene
A. K. Gupta, V. B. Gupta, R. H. Peters, W. G. Harland, and J. P. Berry 4669

One-Point Determination of Intrinsic Viscosity for Polycarbonate, Poly(phenylene Oxide), and Polyetherimide
J. R. Nero and S. K. Sikdar 4687

A Heat and Mass Transfer Study—Analysis of Continuous Processes for the Coloration of Polyester Fabric. I. Heat Transmission to the Fabric System—Fabric, Fiber, and Dye Particles
S. E. Akaoui 4693

A Heat and Mass Transfer Study—Analysis of Continuous Processes for the Coloration of Polyester Fabric. II. Modelling and Characteristics of the (Polyester) Fabric Heating
S. E. Akaoui 4713

The Effects of Run-In on Rubber Friction
R. P. Cooper and B. Ellis 4735

Dyeing Process in a Finite Dyebath
H. Kumazawa, E. Sada, and T. Ando 4745

Microencapsulation of Water-Soluble Materials Using a Copolymer of Poly(vinyl Chloride)
M. E. Safdy 4753

Carbon-Fiber-Reinforced Phenolics
E. P. Chang, R. O. Kirsten, H. J. Harrington, and E. L. Slagowski 4759

Graft Polymers with Macromonomers. I. Synthesis from Methacrylate-Terminated Polystyrene
G. O. Schulz and R. Milkovich 4773

Crystallization Kinetics of Poly(vinyl Alcohol)
N. A. Peppas and P. J. Hansen 4787

Mechanical Properties of Polypropylene/Crosslinked Rubber Blends
K. C. Dao 4799

Boiling Water Aging of a Miscible Blend of Polycarbonate and a Copolyester
E. A. Joseph, D. R. Paul, and J. W. Barlow 4807

Neutral Organophosphoryl Methyl Ester–Metal Chloride Interactions as Applied to the Dechlorination of Catalyst Residues in Polypropylenes Prepared by Solventless Processes
N. M. Karayannis, H. M. Khelghatian, and J. S. Skryantz 4821

Interaction of Heavy Metals with Chitin and Chitosan. III. Chromium
R. Maruca, B. J. Suder, and J. P. Wightman 4827

Studies on Synthetic Polymer Plates with High Surface Energy. III. Diethylene Glycol Bis(allyl Carbonate)–Unsaturated Sulfonic Acid System
N. Kaneko and Y. Ohtsuka 4839

Studies on Graft Polymerization onto Glass Fibers. II. Graft Copolymerization of Glass Fiber Having Pendent Mercaptan Groups and Its Application
T. Fujisawa, M. Kobayashi, K. Hashimoto, and R. Yosomiya 4849

Kinetics of Polymerization of Styrene. The Catalyst System Cu_2Cl_2 + $AlEt_3$ in *n*-Hexane
M. V. Pandya, D. D. Deshpande, and N. M. Desai 4861

High-Temperature Coupling of High-Speed GPC with Continuous Viscometry. I. Long-Chain Branching in Polyethylene
D. Lecacheux, J. Lesec, and C. Quivoron 4867

Effect of Organic Peroxides on Initial Coloring of Poly(vinyl Chloride)
H. Hagii, T. Arai, and T. Yamamoto 4879

NOTES

Oxidative and Nonoxidative Photodegradation of Nylon 6
Y. W. Mai and B. Cotterell 4885

Free Volume and Ionic dc Conductivity in Polymers
N. Chand 4889

Polyfunctional Monomers as Additives for Enhancing the Radiation Copolymerization of Styrene with Polyethylene, Polypropylene, and PVC
C. H. Ang, J. L. Garnett, R. Levot, and M. A. Long 4893

Information for Contributors 4897

Applied Polymer Symposia: Criteria 4899

Author Index to Volume 27 4901

Subject Index to Volume 27 4917

Volume Title Page i

Volume Contents iii